



Suggested List Price Standard Equipment and Accessories

Effective: April 24, 2017



TABLE OF CONTENTS

Cube Ice Machines	3-9
Standard Remotes	10
QuietQube® Remotes & Ice Beverage	11-12
Specialty	13
Flake Ice Machines.....	14-15
Nugget Ice Machines.....	16-17
Dispensers.....	18
Ice Storage Bins	19
International Only	20-21
Bin Adapters & Deflector Kits.....	22-23
Accessories.....	24-26

NOTATIONS

Shipping weights are approximate.

TERMS

Terms

Terms are as Company may extend to purchaser.

Terms for Parts

C.O.D. (Deviation on authorization of Credit Department only.)

Prices

Prices are F.O.B. Covington Tennessee. All prices and specifications are subject to change without notice.

COMMERCIAL WARRANTY

Warranty - Cube Ice Machine

- 5-year parts-and-labor coverage on Indigo, S, U, QQ and IB-model ice machine evaporators.
- 5-year parts and 3-year labor coverage on Indigo, S, U, QQ and IB-model ice machine compressor.
- 3-year parts-and-labor coverage on all dispensers, storage bins, and Indigo, S, U, QQ and IB-model ice cube machines.

Warranty - QM Series Ice Machine

- 3-year parts-and-labor coverage on all components.

Warranty - SM/BG Series Ice Machine

- 3-year parts-and-labor coverage on all components.

Warranty - RF/RNS Ice Machines

- 3-year parts.
- 2-year labor.
- Compressor parts for 5 years and labor for 2 years.

Warranty - Countertop Nugget Dispenser Ice Machines (RNS12/20)

- 2-year parts-and-labor coverage on all components.
- Compressor parts for 5 years and labor for 2 years.

RESIDENTIAL WARRANTY

Warranty - All Ice Machines

- 1-year parts-and-labor


ICE STYLES

- Dice Cube.....7/8" x 7/8" x 7/8" / 2.22 x 2.22 x 2.22 cm 100% ice to water ratio.
- Half Dice Cube.....3/8" x 1-1/8" x 7/8" / 0.95 x 2.86 x 2.22 cm 100% ice to water ratio.
- Regular Cube1-1/8" x 1-1/8" x 7/8" / 2.86 x 2.86 x 2.22 cm 100% ice to water ratio.
- Gourmet Cube1-3/8" x 1-3/8" / 3.49 x 3.49 cm octagon shape cube (SM-50 model). 100% ice to water ratio.
- Large Gourmet.....2" tall x 1-1/2" wide x 1-3/4" / 5.1 x 3.8 x 4.5 cm thick. 60 grams, 100% ice to water ratio.
- Nugget IceCountertop, Under-counter and Modular Ice Makers 3/8" to 1/2" / 0.76 x 0.76 x 1.27 cm pieces. 90% ice to water ratio.
- Flake IceFlake ice is smaller bits of ice. 73% ice to water ratio.

ICE STORAGE CAPACITY


The calculation used to determine actual ice storage capacity varies among manufacturers, most use the AHRI standard. When the AHRI standard is not referenced, use cubic meters capacity for accurate comparison between manufacturer's models.





DIMENSION DRAWINGS



Height includes legs set at 6"/15.2 cm. Legs adjust from 6"/15.2cm to 7.5"/19.1cm

HOW TO READ A MODEL NUMBER



	Model	Ice type	Cooling	Electrical	Shipping Weight	Easy Clean Base Model	Xtra Clean Model with Luminice II	
SM-50	 <p>W 14.75" D 22.75" H 33.5" W 37.5 D 57.8 H 85.1 cm</p> <p>*53lbs/24 kg daily at 70/50°F *44lbs/20 kg daily at 90/70°F</p>	SM50A-161	gourmet	air	115v/60Hz/1	114 lbs / 52 kg	\$3,675	N/A
		<p>Ice storage capacity 25 lbs/11.3 kg Includes AR-2800 water filter. Drain pump available as accessory (K-00376). Includes 6' / 1.8m power cord with NEMA 5-15P plug. Not compatible with iAuCS*. IMPORTANT NOTE: Use only Metal Safe Cleaner 000000084 on this product. Other cleaners will damage the evaporator and will not be covered under warranty.</p>						
QM-30/QM-45	 <p>W 19.69" D 22.34" H 36" W 50.0 D 56.7 H 91.4 cm</p> <p>QM-30: *60lbs/27 kg daily at 70/50°F *49lbs/22 kg daily at 90/70°F</p> <p>QM-45: *95lbs/43 kg daily at 70/50°F *62lbs/28 kg daily at 90/70°F</p>	QM30A-161	dice	air	115v/60Hz/1	109 lbs / 49 kg	\$3,641	N/A
		QM45A-161	dice	air	115v/60Hz/1	114 lbs / 52 kg	\$4,346	N/A
		QM30A-251	dice	air	230v/50/Hz/1	109 lbs / 49 kg	\$3,701	N/A
		QM45A-251	dice	air	230v/50Hz/1	114 lbs / 52 kg	\$4,406	N/A
		<p>Ice storage capacity 30lbs/14 kg. Storage capacity is AHRI certified. Includes 6'/1.8 m power cord with NEMA 5-15P plug. Price list performance rating is 60hz data. Refer to individual 50hz spec sheets for 50hz performance rating. Not compatible with iAuCS or Luminice II.</p>						
U-140 / U-190	 <p>W 26" D 28" H 38.5" W 66 D 67.3 H 97.8 cm</p> <p>U-140: *132lbs/60 kg daily at 70/50°F *95lbs/43 kg daily at 90/70°F</p> <p>U-190: *198lbs/90 kg daily at 70/50°F *140lbs/64 kg daily at 90/70°F</p>	UR0140A-161	regular	air	115v/60Hz/1	153 lbs / 69 kg	\$4,215 ★	kit only
		UD0140A-161	dice	air	115v/60Hz/1	153 lbs / 69 kg	\$4,060 ★	kit only
		UY0140A-161	1/2 dice	air	115v/60Hz/1	153 lbs / 69 kg	\$4,060 ★	kit only
		UD0190A-161	dice	air	115v/60Hz/1	153 lbs / 69 kg	\$4,268 ★	kit only
		UY0190A-161	1/2 dice	air	115v/60Hz/1	153 lbs / 69 kg	\$4,268 ★	kit only
		UD0140A-251	dice	air	230v/50/Hz/1	153 lbs / 69 kg	\$4,122	kit only
		UY0140A-251	1/2 dice	air	230v/50/Hz/1	153 lbs / 69 kg	\$4,122	kit only
		UD0190A-251	dice	air	230v/50/Hz/1	153 lbs / 69 kg	\$4,330	kit only
		UY0190A-251	1/2 dice	air	230v/50/Hz/1	153 lbs / 69 kg	\$4,330	kit only
		<p>Ice storage capacity up to 90 lbs/40 kg. Includes 6 ft/1.8 m power cord with NEMA 5-15P plug. Storage capacity is AHRI certified. Price list performance rating is 60hz data. Refer to individual 50hz spec sheets for 50hz performance rating. Not compatible with iAuCS. Luminice® II compatible as accessory.</p>						
U-240	 <p>W 26" D 28" H 38.5" W 66 D 71.1 H 97.8 cm</p> <p>*225lbs/102 kg daily at 70/50°F *160lbs/73 kg daily at 90/70°F</p>	UD0240A-161	dice	air	115v/60Hz/1	157 lbs / 71 kg	\$4,786 ★	kit only
		UD0240A-261	dice	air	208-230v/60Hz/1	157 lbs / 71 kg	\$4,838★	kit only
		UD0240W-161	dice	water	115v/60Hz/1	160 lbs / 73 kg	\$5,026	kit only
		UD0240W-261	dice	water	208-230v/60Hz/1	160 lbs / 73 kg	\$5,080	kit only
		UY0240A-161	1/2 dice	air	115v/60Hz/1	159 lbs / 72 kg	\$4,786★	kit only
		UY0240A-261	1/2 dice	air	208-230v/60Hz/1	159 lbs / 72 kg	\$4,838★	kit only
		UY0240W-161	1/2 dice	water	115v/60Hz/1	159 lbs / 72 kg	\$5,026	kit only
		UY0240W-261	1/2 dice	water	208-230v/60Hz/1	159 lbs / 72 kg	\$5,080	kit only
		UD0240A-251	dice	air	230v/50/Hz/1	157 lbs / 71 kg	\$4,848	kit only
		UY0240A-251	1/2 dice	air	230v/50/Hz/1	159 lbs / 72 kg	\$4,848	kit only
UY0240W-251	1/2 dice	water	230v/50/Hz/1	159 lbs / 72 kg	\$5,091	kit only		
<p>Ice storage capacity 80 lbs/36 kg. Storage capacity is AHRI certified. Includes 6 ft/1.8 m power cord with NEMA 5-15P plug. Price list performance rating is 60hz data. Refer to individual 50hz spec sheets for 50hz performance rating. Not compatible with iAuCS. Luminice II compatible as accessory.</p>								


★ ENERGY STAR® Qualified Model

Air filter standard on self-contained air-cooled ice cube machines.

*Daily ice production based on Half-Dice air-cooled condenser model at air temperature/water temperature.

UNDERCOUNTER CUBE

U-310



W 30" D 28" H 38.5"
W 76.2 D 71.1 H 97.8 cm

*304lbs/138 kg daily at 70/50°F
*235 lbs/107 kg daily at 90/70°F

Model	Ice type	Cooling	Electrical	Shipping Weight	Easy Clean Base Model	Xtra Clean Model with LuminIce II
UR0310A-161	regular	air	115v/60Hz/1	208 lbs / 94 kg	\$5,954 ★	kit only
UD0310A-161	dice	air	115v/60Hz/1	208 lbs / 94 kg	\$5,796 ★	kit only
UD0310A-261	dice	air	208-230v/60Hz/1	208 lbs / 94 kg	\$5,849 ★	kit only
UD0310W-161	dice	water	115v/60Hz/1	211 lbs / 96 kg	\$6,086	kit only
UY0310A-161	1/2 dice	air	115v/60Hz/1	209 lbs / 95 kg	\$5,796 ★	kit only
UY0310W-161	1/2 dice	water	115v/60Hz/1	211 lbs / 96 kg	\$6,086	kit only
UR0310A-251	regular	air	230v/50/Hz/1	208 lbs / 94 kg	\$6,017	kit only
UD0310A-251	dice	air	230v/50/Hz/1	208 lbs / 94 kg	\$5,859	kit only
UY0310A-251	1/2 dice	air	230v/50/Hz/1	209 lbs / 95 kg	\$5,859	kit only

Ice storage capacity 100 lbs/45.4 kg. Storage capacity is AHRI certified.
Includes 6"/1.8 m power cord with NEMA 5-15P plug.
Price list performance rating is 60hz data. Refer to individual 50hz spec sheets for 50hz performance rating.
Not compatible with iAuCS. LuminIce® II compatible as accessory.

BG-260



W 33.1" D 29.2" H 47.3"
W 84 D 74 H 120.1 cm

*313lbs/142 kg daily at 70/50°F
*253lbs/115 kg daily at 90/70°F


BG0260A-161	Large gourmet	air	115v/60Hz/1	325 lbs / 147 kg	\$8,000	N/A
--------------------	---------------	-----	-------------	------------------	----------------	------------

Ice storage capacity 143lbs/65 kg. Storage capacity is AHRI certified.
Includes 6"/1.8m power cord with 20A plug.
Use cleaner (000000084) only with this model.
Not compatible with iAuCS or LuminIce II.

Produces 2,000 cubes daily and stores 1,000 cubes.

MODULAR CUBE

i-300 Series



W 30" D 24.5" H 16.50"
W 76.2 D 62.2 H 41.9 cm

*310lbs/141 kg daily at 70/50°F
*235 lbs/107 kg daily at 90/70°F

Model	Ice type	Cooling	Electrical	Shipping Weight	Easy Clean Base Model	Xtra Clean Model with LuminIce II
ID0302A- 161	dice	air	115v/60Hz/1	142 lbs / 64 kg	\$5,298 ★	
ID0302A-161X	dice	air	115v/60Hz/1	147 lbs / 67 kg		\$5,918
ID0302A-261	dice	air	208-230v/60Hz/1	142 lbs / 64 kg	\$5,348 ★	kit only
ID0303W-161	dice	water	115v/60Hz/1	139 lbs / 63 kg	\$5,563	kit only
IY0304A-161	1/2 dice	air	115v/60Hz/1	147 lbs / 67 kg	\$5,298 ★	
IY0304A-161X	1/2 dice	air	115v/60Hz/1	152 lbs / 69 kg		\$5,918
IY0304A-261	1/2 dice	air	208-230v/60Hz/1	147 lbs / 67 kg	\$5,348 ★	kit only
IY0305W-161	1/2 dice	water	115v/60Hz/1	144 lbs / 65 kg	\$5,563	
IY0305W-161X	1/2 dice	water	115v/60Hz/1	149 lbs / 68 kg		\$6,183
ID0302A-251	dice	air	230v/50/Hz/1	142 lbs / 64 kg	\$5,358	kit only
IY0304A-251	1/2 dice	air	230v/50/Hz/1	147 lbs / 67 kg	\$5,358	kit only



Recommended Bins: B-400 (see page 19).

See pages 22-23 for required adapters, deflectors, and dispenser baffles.

Price list performance rating is 60hz data. Refer to individual 50hz spec sheets for 50hz performance rating.


Not Stackable

★ ENERGY STAR® Qualified Model

Air filter standard on self-contained air-cooled ice cube machines.

*Daily ice production based on Half-Dice air-cooled condenser model at air temperature/water temperature.

i-322 Series




W 22" D 24.5" H 21.5"
W 55.9 D 62.2 H 54.6 cm
*350lbs/159 kg daily at 70/50°F
*230 lbs/104 kg daily at 90/70°F




Model	Ice type	Cooling	Electrical	Shipping Weight	Easy Clean Base Model	Xtra Clean Model with Luminice II
ID0322A-161	dice	air	115v/60Hz/1	137 lbs / 62 kg	\$5,462	
ID0322A-161X	dice	air	115v/60Hz/1	142 lbs / 64 kg		\$6,082
ID0322A-261	dice	air	208-230v/60Hz/1	137 lbs / 62 kg	\$5,512	kit only
ID0323W-161	dice	water	115v/60Hz/1	131 lbs / 59 kg	\$5,735	kit only
IY0324A-161	1/2 dice	air	115v/60Hz/1	136 lbs / 62 kg	\$5,462	
IY0324A-161X	1/2 dice	air	115v/60Hz/1	141 lbs / 64 kg		\$6,082
IY0325W-161	1/2 dice	water	115v/60Hz/1	135 lbs / 61 kg	\$5,735	kit only
IY0325W-261	1/2 dice	water	208-230v/60Hz/1	135 lbs / 61 kg	\$5,785	kit only
ID0322A-251	dice	air	230v/50/Hz/1	137 lbs / 62 kg	\$5,522	kit only
IY0324A-251	1/2 dice	air	230v/50/Hz/1	136 lbs / 62 kg	\$5,522	kit only

Recommended Bins: B-320 or B-420 (see page 19).
See pages 22-23 for required adapters, deflectors, and dispenser baffles.
Price list performance rating is 60hz data. Refer to individual 50hz spec sheets for 50hz performance rating.

i-450 Series




W 30" D 24.5" H 21.5"
W 76.2 D 62.2 H 54.6 cm
*450 lbs/204 kg daily at 70/50°F
*335lbs/151 kg daily at 90/70°F



ID0452A-161	dice	air	115v/60Hz/1	160 lbs / 73 kg	\$5,868 ★	
ID0452A-161X	dice	air	115v/60Hz/1	165 lbs / 75 kg		\$6,488
ID0452A-261	dice	air	208-230v/60Hz/1	160 lbs / 73 kg	\$5,918 ★	kit only
ID0453W-161	dice	water	115v/60Hz/1	141 lbs / 64 kg	\$6,161	
ID0453W-161X	dice	water	115v/60Hz/1	146 lbs / 66 kg		\$6,781
ID0453W-261	dice	water	208-230v/60Hz/1	141 lbs / 64 kg	\$6,211	kit only
IY0454A-161	1/2 dice	air	115v/60Hz/1	170 lbs / 77 kg	\$5,868 ★	
IY0454A-161X	1/2 dice	air	115v/60Hz/1	175 lbs / 79 kg		\$6,488
IY0454A-261	1/2 dice	air	208-230v/60Hz/1	170 lbs / 77 kg	\$5,918 ★	kit only
IY0455W-161	1/2 dice	water	115v/60Hz/1	155 lbs / 70 kg	\$6,161	
IY0455W-161X	1/2 dice	water	115v/60Hz/1	160 lbs / 73 kg		\$6,781
ID0452A-251	dice	air	230v/50/Hz/1	160 lbs / 73 kg	\$5,928	kit only
ID0453W-251	dice	water	230v/50/Hz/1	141 lbs / 64 kg	\$6,221	kit only
IY0454A-251	1/2 dice	air	230v/50/Hz/1	170 lbs / 77 kg	\$5,928	kit only

Recommended Bins: B-400 or B-570 (see page 19).
See pages 22-23 for required adapters, deflectors, and dispenser baffles.
Price list performance rating is 60hz data. Refer to individual 50hz spec sheets for 50hz performance rating.

i-522 Series




W 22" D 24.5" H 21.5"
W 55.9 D 62.2 H 54.6 cm
*485 lbs / 219 kg daily at 70/50°F
*360 lbs / 163 kg daily at 90/70°F



IR0520A-161	regular	air	115v/60Hz/1	143 lbs / 65 kg	\$5,932	kit only
ID0522A-161	dice	air	115v/60Hz/1	143 lbs / 65 kg	\$5,726	
ID0522A-161X	dice	air	115v/60Hz/1	148 lbs / 67 kg		\$6,346
ID0522A-261	dice	air	208-230v/60Hz/1	143 lbs / 65 kg	\$5,776	kit only
ID0523W-161	dice	water	115v/60Hz/1	140 lbs / 63 kg	\$6,012	kit only
IY0524A-161	1/2 dice	air	115v/60Hz/1	145 lbs / 66 kg	\$5,726	
IY0524A-161X	1/2 dice	air	115v/60Hz/1	150 lbs / 68 kg		\$6,346
IY0524A-261	1/2 dice	air	208-230v/60Hz/1	145 lbs / 66 kg	\$5,776	kit only
IY0525W-161	1/2 dice	water	115v/60Hz/1	140 lbs / 63 kg	\$6,012	kit only
IY0525W-261	1/2 dice	water	208-230v/60Hz/1	140 lbs / 63 kg	\$6,062	kit only
IR0520A-251	regular	air	230v/50/Hz/1	143 lbs / 65 kg	\$5,992	kit only
IR0521W-251	regular	water	230v/50/Hz/1	140 lbs / 63 kg	\$6,283	kit only
ID0522A-251	dice	air	230v/50/Hz/1	143 lbs / 65 kg	\$5,786	kit only
ID0523W-251	dice	water	230v/50/Hz/1	140 lbs / 63 kg	\$6,072	kit only
IY0524A-251	1/2 dice	air	230v/50/Hz/1	145 lbs / 66 kg	\$5,786	kit only
IY0525W-251	1/2 dice	water	230v/50/Hz/1	140 lbs / 63 kg	\$6,072	kit only


Recommended Bins: B-320 or B-420 (see page 19).
See pages 22-23 for required adapters, deflectors, and dispenser baffles.
Price list performance rating is 60hz data. Refer to individual 50hz spec sheets for 50hz performance rating.

i-500 Series



W 30" D 24.5" H 21.5"
W 76.2 D 62.2 H 54.6 cm

*560 lbs/254 kg daily at 70/50°F
*410 lbs/186 kg daily at 90/70°F



Not Stackable

Model	Ice type	Cooling	Electrical	Shipping Weight	Easy Clean Base Model	Xtra Clean Model with Luminice II
IR0500A-161	regular	air	115v/60Hz/1	162 lbs / 73 kg	\$6,297 ★	kit only
IR0500A-261	regular	air	208-230v/60Hz/1	162 lbs / 73 kg	\$6,347 ★	kit only
IR0501W-161	regular	water	115v/60Hz/1	158 lbs / 72 kg	\$6,602	kit only
ID0502A-161	dice	air	115v/60Hz/1	157 lbs / 71 kg	\$6,091 ★	
ID0502A-161X	dice	air	115v/60Hz/1	162 lbs / 73 kg		\$6,711
ID0502A-261	dice	air	208-230v/60Hz/1	157 lbs / 71 kg	\$6,141 ★	kit only
ID0503W-161	dice	water	115v/60Hz/1	163 lbs / 74 kg	\$6,396	kit only
ID0592N-161	dice	remote	115v/60Hz/1	164 lbs / 74 kg	\$5,951	
ID0592N-161X	dice	remote	115v/60Hz/1	169 lbs / 77 kg		\$6,571
IY0504A-161	1/2 dice	air	115v/60Hz/1	159 lbs / 72 kg	\$6,091 ★	
IY0504A-161X	1/2 dice	air	115v/60Hz/1	164 lbs / 74 kg		\$6,711
IY0504A-261	1/2 dice	air	208-230v/60Hz/1	159 lbs / 72 kg	\$6,141★	kit only
IY0505W-161	1/2 dice	water	115v/60Hz/1	161 lbs / 73 kg	\$6,396	kit only
IY0594N-161	1/2 dice	remote	115v/60Hz/1	161 lbs / 73 kg	\$5,951	
IY0594N-161X	1/2 dice	remote	115v/60Hz/1	166 lbs / 75 kg		\$6,571
IR0500A-251	regular	air	230v/50/Hz/1	162 lbs / 73 kg	\$6,357	kit only
ID0502A-251	dice	air	230v/50/Hz/1	157 lbs / 71 kg	\$6,151	kit only
IY0504A-251	1/2 dice	air	230v/50/Hz/1	159 lbs / 72 kg	\$6,151	kit only


Recommended Bins: B-400, B-570 or F-700 (see page 19).

See pages 22-23 for required adapters, deflectors, and dispenser baffles.

¹Use JC-0495 remote condenser and RT()R-404A tubing kit (see page 10).


Price list performance rating is 60hz data. Refer to individual 50hz spec sheets for 50hz performance rating.

i-606 Series



W 30" D 24.5" H 21.5"
W 76.2 D 62.2 H 54.6 cm

*635 lbs/288 kg daily at 70/50°F
*555 lbs/252 kg daily at 90/70°F



Not Stackable

ID0606A-261	dice	air	208-230v/60Hz/1	194 lbs / 88 kg	\$7,174 ★	kit only
ID0606W-261	dice	water	208-230v/60Hz/1	194 lbs / 88 kg	\$7,533	kit only
ID0696N-261	dice	remote	208-230v/60Hz/1	214 lbs / 97 kg	\$7,031	kit only
IY0606A-261	1/2 dice	air	208-230v/60Hz/1	208 lbs / 94 kg	\$7,174 ★	
IY0606A-261X	1/2 dice	air	208-230v/60Hz/1	213 lbs / 97 kg		\$7,794
IY0606W-261	1/2 dice	water	208-230v/60Hz/1	195 lbs / 88 kg	\$7,533	kit only
IY0696N-261	1/2 dice	remote	208-230v/60Hz/1	221 lbs / 100 kg	\$7,031	
IY0696N-261X	1/2 dice	remote	208-230v/60Hz/1	226 lbs / 103 kg		\$7,651
ID0606A-251	dice	air	230v/50/Hz/1	194 lbs / 88 kg	\$7,234	
ID0606A-251X	dice	air	230v/50/Hz/1	198 lbs / 90 kg		\$7,854
IY0606A-251	1/2 dice	air	230v/50/Hz/1	208 lbs / 94 kg	\$7,234	
IY0606A-251X	1/2 dice	air	230v/50/Hz/1	213 lbs / 97 kg		\$7,854
IY0606W-251	1/2 dice	water	230v/50/Hz/1	195 lbs / 88 kg	\$7,593	kit only
IY0696N-251	1/2 dice	remote	230v/50/Hz/1	221 lbs / 100 kg	\$7,091	kit only

Recommended Bins: B-570 or F-700 (see page 19).


See pages 22-23 for required adapters, deflectors, and dispenser baffles.

¹Use JC-0895 remote condenser and RT()R-404A tubing kit (see page 10).

Kit K00347 ice deflector must be ordered separately if used with: non-Manitowoc bins, Manitowoc

F-Style bins. Price list performance rating is 60hz data. Refer to individual 50hz spec sheets for 50hz performance rating.

i-906 Series



Model	Ice type	Cooling	Electrical	Shipping Weight	Easy Clean Base Model	Xtra Clean Model with Luminice II
IR0906A-261	regular	air	208-230v/60Hz/1	213 lbs / 97 kg	\$8,941 ★	kit only
IR0906W-261	regular	water	208-230v/60Hz/1	232 lbs / 105 kg	\$9,376	kit only
ID0906A-261	dice	air	208-230v/60Hz/1	214 lbs / 97 kg	\$8,691 ★	
ID0906A-261X	dice	air	208-230v/60Hz/1	219 lbs / 99 kg		\$9,311
ID0906A-263	dice	air	208-230v/60Hz/3	214 lbs / 97 kg	\$8,941 ★	kit only
ID0906W-261	dice	water	208-230v/60Hz/1	212 lbs / 96 kg	\$9,126	kit only
ID0996N-261	dice	remote	208-230v/60Hz/1	221 lbs / 100 kg	\$8,556 ★	kit only
IY0906A-261	1/2 dice	air	208-230v/60Hz/1	218 lbs / 99 kg	\$8,691 ★	
IY0906A-261X	1/2 dice	air	208-230v/60Hz/1	223 lbs / 101 kg		\$9,311
IY0906A-263	1/2 dice	air	208-230v/60Hz/3	218 lbs / 99 kg	\$8,941 ★	kit only
IY0906W-261	1/2 dice	water	208-230v/60Hz/1	218 lbs / 99 kg	\$9,126	kit only
IY0996N-261	1/2 dice	remote	208-230v/60Hz/1	218 lbs / 99 kg	\$8,556 ★	kit only
IY0996N-263	1/2 dice	remote	208-230v/60Hz/3	218 lbs / 99 kg	\$8,806 ★	kit only
IR0906A-251	regular	air	230v/50/Hz/1	213 lbs / 97 kg	\$9,166	kit only
IR0906W-251	regular	water	230v/50/Hz/1	212 lbs / 96 kg	\$9,612	kit only
ID0996N-251	dice	remote	230v/50/Hz/1	221 lbs / 100 kg	\$8,781	kit only
ID0906A-251	dice	air	230v/50/Hz/1	214 lbs / 97 kg	\$8,916	kit only
IY0906A-251	1/2 dice	air	230v/50/Hz/1	218 lbs / 99 kg	\$8,916	kit only
IY0996N-251	1/2 dice	remote	230v/50/Hz/1	218 lbs / 99 kg	\$8,781	kit only

W 30" D 24.5" H 26.5"
W 76.2 D 62.2 H 67.3 cm

*901 lbs/409 kg daily at 70/50°F
*710lbs/322 kg daily at 90/70°F



Not Stackable


Recommended Bins: B-570, B-970 or F-1300 (See page 19).

See pages 22-23 for required adapters, deflectors, and dispenser baffles.

¹Use JC-0995 remote condenser and RT(J)R-404A tubing kit (see page 10).

Kit K00347 ice deflector must be ordered separately if used with: non-Manitowoc bins, Manitowoc F-Style bins. Price list performance rating is 60hz data. Refer to individual 50hz spec sheets for 50hz performance rating.


i-1106 Series



ID1106A-261	dice	air	208-230v/60Hz/1	232 lbs / 105 kg	\$9,854 ★	kit only
ID1106W-261	dice	water	208-230v/60Hz/1	228 lbs / 103 kg	\$10,347	kit only
ID1196N-261	dice	remote	208-230v/60Hz/1	228 lbs / 103 kg	\$9,727 ★	kit only
IY1106A-261	1/2 dice	air	208-230v/60Hz/1	241 lbs / 109 kg	\$9,854 ★	
IY1106A-261X	1/2 dice	air	208-230v/60Hz/1	246 lbs / 112 kg		\$10,474
IY1106A-263	1/2 dice	air	208-230v/60Hz/3	241 lbs / 109 kg	\$10,104 ★	kit only
IY1106W-261	1/2 dice	water	208-230v/60Hz/1	238 lbs / 108 kg	\$10,347	kit only
IY1106W-263	1/2 dice	water	208-230v/60Hz/3	238 lbs / 108 kg	\$10,607	kit only
IY1196N-261	1/2 dice	remote	208-230v/60Hz/1	236 lbs / 107 kg	\$9,727 ★	kit only
IY1196N-263	1/2 dice	remote	208-230v/60Hz/3	236 lbs / 107 kg	\$9,977 ★	kit only
ID1106A-251	dice	air	230v/50/Hz/1	232 lbs / 105 kg	\$10,079	kit only
ID1106W-251	dice	water	230v/50/Hz/1	228 lbs / 103 kg	\$10,572	kit only
ID1196N-251	dice	remote	230v/50/Hz/1	228 lbs / 103 kg	\$9,952	kit only
IY1106A-251	1/2 dice	air	230v/50/Hz/1	241 lbs / 109 kg	\$10,079	kit only
IY1106W-251	1/2 dice	water	230v/50/Hz/1	238 lbs / 108 kg	\$10,572	kit only
IY1196N-251	1/2 dice	remote	230v/50/Hz/1	236 lbs / 107 kg	\$9,952	kit only

W 30" D 24.5" H 29.5"
W 76.2 D 62.2 H 74.9 cm

*1200 lbs/544 kg daily at 70/50°F
*870 lbs/395 kg daily at 90/70°F



Not Stackable

Recommended Bins: B-570, B-970,

F-1300, F-1325, F-1650 or FC-1350 (See page 19).


See pages 22-23 for required adapters, deflectors, and

dispenser baffles. ¹Use JC-0995 remote condenser and RT(J)R-404A tubing kit (see page 10). Kit K00347 ice deflector must be ordered separately if used with: non-Manitowoc bins, Manitowoc F-Style bins. Price list performance rating is 60hz data. Refer to individual 50hz spec sheets for 50hz performance rating.

★ **ENERGY STAR® Qualified Model**

Air filter standard on self-contained air-cooled ice cube machines.

*Daily ice production based on Half-Dice air-cooled condenser model at air temperature/water temperature.



W 48" D24.5" H29.5"
W 121.9 D 62.2 H 74.9 cm

*1659 lbs/753 kg daily at 70/50°F
*1308 lbs/593 kg daily at 90/70°F



Not Stackable

Model	Ice type	Cooling	Electrical	Shipping Weight	Easy Clean Base Model	Xtra Clean Model with Luminice II
ID1406A-261	dice	air	208-230v/60Hz/1	292 lbs / 132 kg	\$11,864 ★	kit only
ID1406A-263	dice	air	208-230v/60Hz/3	292 lbs / 132 kg	\$12,164 ★	kit only
ID1406W-261	dice	water	208-230v/60Hz/1	298 lbs / 135 kg	\$12,457	kit only
ID1406W-263	dice	water	208-230v/60Hz/3	298 lbs / 135 kg	\$12,757	kit only
ID1496N-261	dice	remote	208-230v/60Hz/1	293 lbs / 133 kg	\$11,718 ★	kit only
IY1406A-261	1/2 dice	air	208-230v/60Hz/1	292 lbs / 132 kg	\$11,864 ★	
IY1406A-261X	1/2 dice	air	208-230v/60Hz/1	297 lbs / 135 kg		\$12,484
IY1406A-263	1/2 dice	air	208-230v/60Hz/3	292 lbs / 132 kg	\$12,164★	kit only
IY1406W-261	1/2 dice	water	208-230v/60Hz/1	294 lbs / 133 kg	\$12,457	kit only
IY1406W-263	1/2 dice	water	208-230v/60Hz/3	294 lbs / 133 kg	\$12,757	kit only
IY1496N-261	1/2 dice	remote	208-230v/60Hz/1	298 lbs / 135 kg	\$11,718 ★	
IY1496N-261X	1/2 dice	remote	208-230v/60Hz/1	303 lbs / 137 kg		\$12,338
IY1496N-263	1/2 dice	remote	208-230v/60Hz/3	298 lbs / 135 kg	\$11,968 ★	kit only
ID1406A-251	dice	air	230v/50/Hz/1	292 lbs / 132 kg	\$12,089	kit only
ID1406W-251	dice	water	230v/50/Hz/1	292 lbs / 132 kg	\$12,682	kit only
ID1496N-251	dice	remote	230v/50/Hz/1	293 lbs / 133 kg	\$11,943	kit only
IY1406A-251	1/2 dice	air	230v/50Hz/1	292 lbs / 132 kg	\$12,089	kit only
IY1406W-251	1/2 dice	water	230v/50/Hz/1	294 lbs / 133 kg	\$12,682	kit only
IY1496N-251	1/2 dice	remote	230v/50/Hz/1	298 lbs / 135 kg	\$11,943	kit only

Recommended Bins: B-970, F-1300, F-1325, F-1650 or FC-1350 (See page 19).

See pages 22-23 for required adapters and deflectors.


¹Use JC-1395 remote condenser and RL(JR-404A tubing kit (see page 10). Kit K00349 ice deflector must be ordered separately if used with: non-Manitowoc bins, Manitowoc F-Style bins. Price list performance rating is 60hz data. Refer to individual 50hz spec sheets for 50hz performance rating.

★ ENERGY STAR® Qualified Model

Air filter standard on self-contained air-cooled ice cube machines.

*Daily ice production based on Half-Dice air-cooled condenser model at air temperature/water temperature.

i-1800 Series



W 48" D 24.5" H 29.5"
W 121.9 D 62.2 H 74.9 cm

*1860 lbs/844 kg daily at 70/50°F
*1455 lbs/660 kg daily at 90/70°F



Not Stackable

Model	Ice type	Cooling	Electrical	Shipping Weight	Easy Clean Base Model	Xtra Clean Model with LuminIce II
IR1800A-261	regular	air	208-230v/60Hz/1	317 lbs / 144 kg	\$15,328	kit only
IR1800A-263	regular	air	208-230v/60Hz/3	317 lbs / 144 kg	\$15,628	kit only
IR1890N-261	regular	remote	208-230v/60Hz/1	324 lbs / 147 kg	\$15,190	kit only
ID1802A-261	dice	air	208-230v/60Hz/1	317 lbs / 144 kg	\$15,071	kit only
ID1802A-263	dice	air	208-230v/60Hz/3	317 lbs / 144 kg	\$15,371	kit only
ID1803W-261	dice	water	208-230v/60Hz/1	319 lbs / 145 kg	\$15,825	kit only
ID1803W-263	dice	water	208-230v/60Hz/3	319 lbs / 145 kg	\$16,125	kit only
ID1892N-261	dice	remote	208-230v/60Hz/1	324 lbs / 147 kg	\$14,933	kit only
ID1892N-263	dice	remote	208-230v/60Hz/3	324 lbs / 147 kg	\$15,233	kit only
IY1804A-261	1/2 dice	air	208-230v/60Hz/1	321 lbs / 146 kg	\$15,071	kit only
IY1804A-263	1/2 dice	air	208-230v/60Hz/3	321 lbs / 146 kg	\$15,371	kit only
IY1805W-261	1/2 dice	water	208-230v/60Hz/1	322 lbs / 146 kg	\$15,825	kit only
IY1805W-263	1/2 dice	water	208-230v/60Hz/3	322 lbs / 146 kg	\$16,125	kit only
IY1894N-261	1/2 dice	remote	208-230v/60Hz/1	330 lbs / 150 kg	\$14,933	
IY1894N-261X	1/2 dice	remote	208-230v/60Hz/1	335 lbs / 152 kg		\$15,553
IY1894N-263	1/2 dice	remote	208-230v/60Hz/3	330 lbs / 150 kg	\$15,233	
IY1894N-263X	1/2 dice	remote	208-230v/60Hz/3	335 lbs / 152 kg		\$15,853
IR1800A-251	regular	air	230v/50/Hz/1	317 lbs / 144 kg	\$15,553	kit only
ID1802A-251	dice	air	230v/50/Hz/1	317 lbs / 144 kg	\$15,296	kit only
ID1892N-251	dice	remote	230v/50/Hz/1	324 lbs / 147 kg	\$15,158	kit only
IY1804A-251	1/2 dice	air	230v/50/Hz/1	321 lbs / 146 kg	\$15,296	kit only


Recommended Bins: B-970, F-1300, F-1325, F-1650 or FC-1350 (See page 19).

See pages 22-23 for required adapters and deflectors.

¹Use JC-1395 remote condenser and RL()R-404A tubing kit (see page 10). Kit K00349 ice deflector must be ordered separately if used with: non-Manitowoc bins, Manitowoc F-Style bins.


Price list performance rating is 60hz data. Refer to individual 50hz spec sheets for 50hz performance rating.

S-3300 Series



W 48" D 31" H 36"
W 121.9 D 78.7 H 91.4 cm

*3380 lbs/1533 kg daily at 70/50°F
*2784 lbs/1263 kg daily at 90/70°F



Not Stackable

HP = High pressure valve regulates from 20 psi to 350 psi or 137.9 kPa to 2413.2 kPa.

Model	Ice type	Cooling	Electrical	Shipping Weight	Base Model
SD3303W3-263HP	dice	water	208-230v/60Hz/3	501 lbs / 227 kg	\$28,784
SY3305W3-263HP	1/2 dice	water	208-230v/60Hz/3	516 lbs / 234 kg	\$28,784

Recommended Bins: F-1300, F-1325, F-1650 or FC-1350 (See page 19). See pages 22-23 for required adapters and deflectors.

Not for use with iAuCS cleaning system or LuminIce II.


Kit K00391 ice deflector must be ordered separately if used with: non-Manitowoc bins, Manitowoc 48"/121.9 cm & 60"/152.4 cm F-Style bins.

★ ENERGY STAR® Qualified Model

Air filter standard on self-contained air-cooled ice cube machines.

*Daily ice production based on Half-Dice air-cooled condenser model at air temperature/water temperature.


STANDARD REMOTE AIR-COOLED CONDENSER



Model	For use with Remote Ice Machine	Electrical	Shipping Weight	Base Model
JC0495-161	i-500 Series	115v/60Hz/1	64 lbs / 29 kg	\$1,433
JC0495-161Q	i-500 Series	115v/60Hz/1	65 lbs / 29 kg	\$1,733
JC0895-261	i-606 Series	208-230v/60Hz/1	78 lbs / 35 kg	\$1,830
JC0995-261	i906 and i1106 Series	208-230v/60Hz/1	78 lbs / 35 kg	\$1,868
JC0995-261Q	i-906 and i-1106 Series	208-230v/60Hz/1	79 lbs / 36 kg	\$2,168
JC1395-261	i-1406 and i-1800 Series	208-230v/60Hz/1	80 lbs / 36 kg	\$1,910
JC1395-261Q	i-1406 and i-1800 Series	208-230v/60Hz/1	81 lbs / 37 kg	\$2,210
JC0895-251	i-606 Series	230v/50Hz/1	78 lbs / 35 kg	\$1,830
JC0995-251	i906 and i1106 Series	230v/50Hz/1	78 lbs / 35 kg	\$1,868
JC1395-251	i-1406 and i-1800 Series	230v/50Hz/1	80 lbs / 36 kg	\$1,910

NOTE: Models with Q suffix are available with coated coils that provide extra corrosion protection in salt spray environments. Coated Coil models require longer lead time, please contact the factory.

STANDARD REMOTE TUBING KITS & ACCESSORIES



Kit	For use with Series	Tubing Length	Shipping Weight	Suggested List Price
RT-20-R-404A	i-500, 606, 906, 1106 - Precharged	20 ft / 6.1 m	10 lbs / 5 kg	\$408
RT-35-R-404A	i-500, 606, 906, 1106 - Precharged	35 ft / 10.7 m	15 lbs / 7 kg	\$503
RT-50-R-404A	i-500, 606, 906, 1106 - Precharged	50 ft / 15.2 m	22 lbs / 10kg	\$605
RL-20-R-404A	i-1406, 1800 - Precharged	20 ft / 6.1m	10 lbs / 5 kg	\$408
RL-35-R-404A	i-1406, 1800 - Precharged	35 ft / 10.7 m	17 lbs / 8 kg	\$503
RL-50-R-404A	i-1406, 1800 - Precharged	50 ft / 15.2 m	23 lbs / 10kg	\$605

ACCESSORY

K-00129	Remote Coupling Kit needed for non-Manitowoc Tubing	2 lbs / 1 kg	\$139
----------------	-----------------------------------------------------	--------------	--------------


NOTE: Manitowoc remote systems are only approved and warranted as a complete new package. Replacing an ice machine with an S or Indigo remote model requires a **NEW** condenser and line set. Use of a new multi-circuited condenser is approved when sized and installed as outlined in Manitowoc Product Information. Rack system applications are not approved.

TOP AIR DISCHARGE KIT


Kit	For use with Series	Shipping Weight	Suggested List Price
K-00379	Indigo (450, 500, 606) models	18 lbs / 9 kg	\$359
K-00438	Indigo i320 and i520 series	17 lbs / 8 kg	\$359
K-00439	Indigo 906	17 lbs / 8 kg	\$359
K-00449	Indigo 1106	18 lbs / 9 kg	\$359

NOTE: Top air discharge kits are used when there is not sufficient clearance on the sides of an air cooled machine. These kits change the side panels and top panel so the air intake is from the back of the machine and the exhaust is re-routed out of the top of the machine rather than the sides.


**QuietQube®
Ice Machines**



I-686C
W 30" D 24.5" H 21.5"
W 76.2 D 62.2 H 54.6 cm
I-976C
W 30" D 24.5" H 26.5"
W 76.2 D 62.2 H 67.3 cm
I-1176C
W 30" D 24.5" H 29.5"
W 76.2 D 62.2 H 74.9 cm




i-1470C
W 30" D 24.5" H 25"
W 76.2 D 62.2 H 63.5 cm
i-1870C / i-2176C
W 30" D 24.5" H 29.5"
W 76.2 D 62.2 H 74.9 cm



S-3070C
W 48" D 31" H 36"
W 121.9 D 78.7 H 91.4 cm

**Ice/Bev
Ice Machines**



IB-0696YC
W 22" D 14" H 24"
W 55.9 D 35.6 H 61.0 cm
IB-0894YC
W 22" D 14" H 26.5"
W 55.9 D 35.6 H 67.3 cm
IB-1094YC
W 22" D 14" H 30.5"
W 55.9 D 35.6 H 77.5 cm


Model	Ice type	Cooling	Electrical	Shipping Weight	Easy Clean Base Model	Xtra Clean Model with Luminice II
ID1176C-161	dice	air	115v/60Hz/1	171 lbs / 78 kg	\$8,902 ★	kit only
ID1472C-161	dice	air	115v/60Hz/1	174 lbs / 79 kg	\$10,584 ★	kit only
ID1872C-161	dice	air	115v/60Hz/1	210 lbs / 95 kg	\$13,488	kit only
ID2176C-161	dice	air	115v/60Hz/1	210 lbs / 95 kg	\$13,740	kit only
SD3072C-161	dice	air	115v/60Hz/1	423 lbs / 192 kg	\$26,560	N/A
IY0686C-161	1/2 dice	air	115v/60Hz/1	146 lbs / 66 kg	\$6,801 ★	kit only
IY0976C-161	1/2 dice	air	115v/60Hz/1	161 lbs / 73 kg	\$8,103 ★	
IY0976C-161X	1/2 dice	air	115v/60Hz/1	166 lbs / 75 kg		\$8,723
IY1176C-161	1/2 dice	air	115v/60Hz/1	174 lbs / 79 kg	\$8,902 ★	kit only
IY1474C-161	1/2 dice	air	115v/60Hz/1	179 lbs / 81 kg	\$10,584 ★	
IY1474C-161X	1/2 dice	air	115v/60Hz/1	184 lbs / 83 kg		\$11,204
IY1874C-161	1/2 dice	air	115v/60Hz/1	210 lbs / 95 kg	\$13,488	
IY1874C-161X	1/2 dice	air	115v/60Hz/1	215 lbs / 98 kg		\$14,108
IY2176C-161	1/2 dice	air	115v/60Hz/1	210 lbs / 95 kg	\$13,740	
IY2176C-161X	1/2 dice	air	115v/60Hz/1	215 lbs / 98 kg		\$14,360
SY3074C-161	1/2 dice	air	115v/60Hz/1	423 lbs / 192 kg	\$26,560	N/A
IB0696YC-161	1/2 dice	air	115v/60Hz/1	122 lbs / 55 kg	\$7,749 ★	kit only
IB0894YC-161	1/2 dice	air	115v/60Hz/1	130 lbs / 59 kg	\$9,015 ★	kit only
IB1094YC-161	1/2 dice	air	115v/60Hz/1	148 lbs / 67 kg	\$9,764 ★	kit only
IY0686C-251	1/2 dice	air	230v/50/Hz/1	146 lbs / 66 kg	\$6,761	kit only
IY0976C-251	1/2 dice	air	230v/50/Hz/1	161 lbs / 73 kg	\$8,328	kit only
IY1874C-251	1/2 dice	air	230v/50/Hz/1	210 lbs / 95 kg	\$13,713	kit only
IB0894YC-251	1/2 dice	air	230v/50/Hz/1	130 lbs / 59 kg	\$9,246	kit only

Price list performance rating is 60hz data. Refer to individual 50hz spec sheets for 50hz performance rating.


QUIETQUBE ICE MACHINES

Model	70/50°F	90/70°F	Model	70/50°F	90/70°F
ID0686C	607 lbs / 275 kg	520 lbs / 236 kg	IY1176C	1,046 lbs / 474 kg	900 lbs / 408 kg
ID1176C	1,016 lbs / 461 kg	882 lbs / 400 kg	IY1474C	1,425 lbs / 646 kg	1,200 lbs / 544 kg
ID1472C	1,330 lbs / 603 kg	1,136 lbs / 515 kg	IY1874C	1,810 lbs / 821 kg	1,470 lbs / 667 kg
ID1872C	1,715 lbs / 778 kg	1,375 lbs / 624 kg	IY2176	1,951 lbs / 885 kg	1,691 lbs / 767 kg
ID2176C	1,919 lbs / 870 kg	1,613 lbs / 732 kg	SY3074C	2,910 lbs / 1,320 kg	2,299 lbs / 1,043 kg
SD3072C	2,850 lbs / 1,293 kg	2,233 lbs / 1,013 kg	IB0696	640lbs/284kg	555lbs/252 kg
IY0686C	634 lbs / 288 kg	530 lbs / 240 kg	IB0894	865lbs/274kg	732lbs/306 kg
IY0976C	816 lbs / 370 kg	714 lbs / 324 kg	IB1094	1070lbs/485kg	910lbs/413kg


Ice deflector K-00383 required for two i1470C, i1870C or i2176C units side by side. Single i1470C, i1870C, i2176C, i686C, i976C and i1176C require ice deflector K-00347 for F-Style or non-Manitowoc bins. S-3070C requires ice deflector K-00391 for F-Style or non-Manitowoc bins.



Ice Maker



Condensing Unit




Tubing

QuietQube®
or
Ice/Beverage
Ice Making
Components¹

NOTE: Manitowoc remote systems are only approved and warranted as a complete new package. Replacing an ice machine with an Indigo remote model requires a NEW condenser and line set. Only Manitowoc ICVD condensing units are approved with QQ and IB Series machines.

¹Appropriate adapter is required with ice dispensers or storage bin. For Quiet Qube machines other than IB machines, an optional K-00446 bin dispenser thermostat kit may be required for high humidity locations to reduce equipment sweating. IB ice machines come equipped from the factory with a built in bin dispenser thermostat.




**iCVD0696, iCVD0996,
iCVD1195, iCVD1496,
iCVD1895, RCU1075, RCU1275,
RCU2375**

W 34" D 24.13" H 25.75"
W 86.4 D 61.3 H 65.4cm

***RJC1275**

W 45.5" D 16.5" H 31"
W 115.6 D 42 H 78.5 cm



**iCVD2096
CVD3085**

W 53" D 26" H 25.75"
W 134.6 D 66 H 65.4 cm

***RJC2375**

W 51.4 D 18.5" H 45.7"
W 130.6 D 47 H 116 cm


Model	Cooling	Use With	Electrical	Shipping Weight	Easy Clean Base Model	Xtra Clean Model with Luminice II
ICVD0696-261	Air	i686C, IB696C	208-230v/60Hz/1	178 lbs / 81 kg	\$2,783	NA
ICVD0696-263	Air	i686C, IB696C	208-230v/60Hz/3	178 lbs / 81 kg	\$2,893	NA
ICVD0996-261	Air	i976C, IB890C	208-230v/60Hz/1	183 lbs / 83 kg	\$2,948	NA
ICVD0996-263	Air	i976C, IB890C	208-230v/60Hz/3	183 lbs / 83 kg	\$3,056	NA
ICVD1195-261	Air	i1176C, IB1090C	208-230v/60Hz/1	208 lbs / 94 kg	\$3,115	NA
ICVD1195-263	Air	i1176C, IB1090C	208-230v/60Hz/3	208 lbs / 94 kg	\$3,222	NA
ICVD1195-263Q	Air	i1176C, IB1090C	208-230v/60Hz/3	208 lbs / 94 kg	\$3,522	NA
ICVD1496-261	Air	i1470C	208-230v/60Hz/1	190 lbs / 86 kg	\$3,408	NA
ICVD1496-261Q	Air	i1470C	208-230v/60Hz/1	190 lbs / 86 kg	\$3,708	NA
ICVD1496-263	Air	i1470C	208-230v/60Hz/3	190 lbs / 86 kg	\$3,515	NA
ICVD1895-261	Air	i1870C	208-230v/60Hz/1	195 lbs / 88 kg	\$4,340	NA
ICVD1895-263	Air	i1870C	208-230v/60Hz/3	195 lbs / 88 kg	\$4,451	NA
ICVD2096-261	Air	i2176C	208-230v/60Hz/1	266 lbs / 121 kg	\$7,093	NA
ICVD2096-263	Air	i2176C	208-230v/60Hz/3	266 lbs / 121 kg	\$7,203	NA
CVD3085-263	Air	S3070C	208-230v/60Hz/3	268 lbs / 122 kg	\$9,131	NA
RCU1075-261	Air	RFS1278C	208-230v/60Hz/1	201 lbs / 91 kg	\$2,861	NA
RCU1075-263	Air	RFS1278C	208-230v/60Hz/3	201 lbs / 91 kg	\$2,999	NA
RCU1098-261	Air	RNS1078C	208-230v/60Hz/1	201 lbs / 91 kg	\$2,889	NA
RCU1098-263	Air	RNS1078C	208-230v/60Hz/3	201 lbs / 91 kg	\$2,999	NA
RCU2375-263	Air	RFS2378C	208-230v/60Hz/3	249 lbs / 113 kg	\$4,002	NA
ICVD0696-251	Air	i686C	230v/50/Hz/1	178 lbs / 81 kg	\$2,783	NA
ICVD0996-251	Air	i976C, IB890C	230v/50/Hz/1	183 lbs / 83 kg	\$2,948	NA
ICVD1895-251	Air	i1870C	230v/50/Hz/1	195 lbs / 88 kg	\$4,340	NA
RJC1275-453	Air	RFS1278C	380-415/50/3	315 lbs / 143 kg	\$7,327	NA
RJC2375-453	Air	RFS2378C	380-415/50/3	315 lbs / 143 kg	\$10,307	NA

NOTE: Models with "Q" suffix are available with coated coils that provide extra corrosion protection in salt spray environments. Coated Coil models require longer lead time, please contact the factory.

QUIETQUBE® & IB REMOTE TUBING KITS & ACCESSORIES

Kit	Indigo-Series Remote Tubing Kits	Shipping Weight	Suggested List Price
RC-26	20'/6.1 m tubing length for iCVD-0696, 0996, and 1195 condensing units. Not precharged.	12 lbs / 5kg	\$282
RC-36	30'/9.1 m tubing length for iCVD-0696, 0996, and 1195 condensing units. Not precharged.	17 lbs / 8kg	\$406
RC-56	50'/15.2 m tubing length for iCVD-0696, 0996, and 1195 condensing units. Not precharged.	27 lbs / 12 kg	\$649
RC-25	20'/6.1 m tubing length for iCVD1496, and 1895 condensing units. Not precharged.	14 lbs / 6 kg	\$313
RC-35	30'/9.1 m tubing length for iCVD1496, and 1895 condensing units. Not precharged.	20 lbs / 9 kg	\$467
RC-55	50'/15.2 m tubing length for iCVD1496, and 1895 condensing units. Not precharged.	31 lbs / 14 kg	\$739
RC-28	20'/6.1 m tubing length for iCVD-2096 condensing units. Not precharged.	17 lbs / 8kg	\$403
RC-38	30'/9.1 m tubing length for iCVD-2096 condensing units. Not precharged.	25 lbs / 11 kg	\$697
RC-58	50'/15.2 m tubing length for iCVD-2096 condensing units. Not precharged.	39 lbs / 18 kg	\$1,133
K-00166	"S"-Trap kit for iCVD-1496, 1895, 2096, and CVD-3085 condensing units with line set rise over 20'/6.1 m.	1 lb / .5 kg	\$74
K-00172	S-Trap kit for Indigo Series iCVD-0696, 0996, and 1195 condensing units with line set rise over 20'/6.1 m.	1 lb / .5 kg	\$74
K-00435	50'/12.7 Meter communications wire kit for Indigo Quite Qube (included with all Indigo RC tubing kits)		\$111
Kit	Flake, S3070C Nugget Tubing Kits		
RC-51	50'/15.2 m tubing length for RCU and RJC condensing units. Not precharged.	27 lbs / 12 kg	\$540
RC-24	20'/6.1 m Tubing length for CVD-3085	37 lbs / 17kg	\$591
RC-34	30'/9.1 m Tubing length for CVD-3085	47 lbs / 21kg	\$861
RC-54	50'/15.2 m Tubing length for CVD-3085	73 lbs / 33 kg	\$1,394
*IB ADAPTER FOR CORNELIUS DISPENSER: Ordered and shipped from Manitowoc Ice			
K-00340	For 22"/55.9 cm wide Enduro 150 for McDonald's ABS unit	27 lbs / 12 kg	\$955
K-00341	24.5"/62.2 cm Enduro 175	27 lbs / 12 kg	\$1,046
K-00342	30"/76.2 cm Enduro 200/250	31 lbs / 14 kg	\$1,186
K-00343	44"/111.8 cm Enduro 300	47 lbs / 21kg	\$1,414
IB ACCESSORY			
K-00436	IB-1094YC Back Enclosure Kit (for IB-1094YC only) Hides electrical and water lines for pleasing appearance.	12 lbs / 5kg	\$235

PRISON




Model	Ice type	Cooling	Electrical	Shipping Weight	Easy Clean Base Model	Xtra Clean Model with Luminice II
ID0452A-161P	dice	air	115v/60Hz/1	160 lbs / 73 kg	\$6,753	kit only
ID0453W-161P	dice	water	115v/60Hz/1	141 lbs / 64 kg	\$7,046	kit only
ID0522A-161P	dice	air	115v/60Hz/1	143 lbs / 65 kg	\$6,611	kit only
ID0523W-161P	dice	water	115v/60Hz/1	140 lbs / 63 kg	\$6,897	kit only
ID0606A-261P	dice	air	208-230v/60Hz/1	194 lbs / 88 kg	\$8,059	kit only
ID1106A-261P	dice	air	208-230v/60Hz/1	232 lbs / 105 kg	\$10,739	kit only
ID1106W-261P	dice	water	208-230v/60Hz/1	228 lbs / 103 kg	\$11,232	kit only
ID1406A-261P	dice	air	208-230v/60Hz/1	292 lbs / 132 kg	\$12,749	kit only
ID1496N-261P	dice	remote	208-230v/60Hz/1	293 lbs / 133 kg	\$12,603	kit only
ID1802A-261P	dice	air	208-230v/60Hz/1	317 lbs / 144 kg	\$15,956	kit only
ID1892N-261P	dice	remote	208-230v/60Hz/1	324 lbs / 147 kg	\$15,818	kit only
ID1892N-263P	dice	remote	208-230v/60Hz/3	324 lbs / 147 kg	\$16,118	kit only

Not Stackable

Note: For dimensions and performance see base model
Prison models require more lead time than normal, please contact the factory.

MARINE



Model	Ice type	Cooling	Electrical	Shipping Weight	Easy Clean Base Model	Xtra Clean Model with Luminice II
ID0606W-261M	dice	water	208-230v/60Hz/1	194 lbs / 88 kg	\$9,317	kit only
ID0906W-261M	dice	water	208-230v/60Hz/1	212 lbs / 96 kg	\$11,411	kit only
ID0906W-463M	dice	water	460v/60Hz/3	212 lbs / 96 kg	\$12,262	kit only
ID1803W-261M	dice	water	208-230v/60Hz/1	334 lbs / 151 kg	\$17,255	kit only
IY0906W-261M	1/2 dice	water	208-230v/60Hz/1	218 lbs / 99 kg	\$11,411	kit only
IY0906W-263M	1/2 dice	water	208-230v/60Hz/3	218 lbs / 99 kg	\$11,671	kit only
IY0906W-463M	1/2 dice	water	460v/60Hz/3	218 lbs / 99 kg	\$12,312	kit only
IY1805W-261M	1/2 dice	water	208-230v/60Hz/1	337 lbs / 153 kg	\$17,255	kit only
IY1805W-263M	1/2 dice	water	208-230v/60Hz/3	337 lbs / 153 kg	\$17,565	kit only
IY1805W-463M	1/2 dice	water	460v/60Hz/3	337 lbs / 153 kg	\$18,300	kit only

Not Stackable

Note: For dimensions and performance see base model
Marine models require more lead time than normal, please check with the factory.

UNDERCOUNTER FLAKE

RF-0266



RF-0266A

W 19.7" D 26" H 37.5"
W 50.0 D 66.0 H 95.3 cm
*205 lbs / 93 kg daily at 70/50°F
*151 lbs / 68 kg daily at 90/70°F

Model	Ice type	Cooling	Electrical	Shipping Weight	Easy Clean Base Model	Xtra Clean Model with Luminice® II
RF0266A-161	Flake	air	115v/60Hz/1	168 lbs / 76 kg	\$7,059 ★	N/A
RF0266A-251Z	Flake	air	230v/50/Hz/1	168 lbs / 76 kg	\$7,141	N/A

Ice storage capacity: 60 lbs / 27 kg Storage Capacity is AHRI certified.

Includes 6 ft / 1.8 m power cord with NEMA 5-15P plug.
Use cleaner (000000084) only with this model.
Not compatible with iAuCS® or LuminIce II.
Price list performance rating is 60hz data.
50 Hz Electric Connection: Add Z for Bare Lead cord to the end of the model number.

RF-0385



RF-0385A

W 29" D 27" H 39.5"
W 73.8 D 69.0 H 100.4 cm
*350 lbs / 159 kg daily at 70/50°F
273 lbs / 125 kg daily at 90/70°F


RF0385A-161	Flake	air	115v/60Hz/1	224 lbs / 102 kg	\$7,566 ★	N/A
RF0385A-251Z	Flake	air	230v/50/Hz/1	224 lbs / 102 kg	\$7,695	N/A

Ice storage capacity: 88 lbs / 40 kg Storage Capacity is AHRI certified.

Includes 6 ft / 1.8 m power cord with NEMA 5-15P plug.
Use cleaner (000000084) only with this model.
Not compatible with iAuCS or LuminIce II.
Price list performance rating is 60hz data.
50 Hz Electric Connection: Add Z for Bare Lead cord to the end of the model number.

FLAKE MACHINES


RFS-0300



W 22" D 23.6" H 26"
W 55.9 D 59.9 H 66.0 cm

*389 lbs / 176 kg daily at 70/50°F
*286 lbs / 130 kg daily at 90/70°F


Model	Ice type	Cooling	Electrical	Shipping Weight	Easy Clean Base Model	Xtra Clean Model with Luminice® II
RFS0300A-161	Flake	air	115v/60Hz/1	174 lbs / 79 kg	\$6,726	N/A
RFS0300A-251Z	Flake	air	230v/50/Hz/1	174 lbs / 79 kg	\$6,808	N/A



Recommended Bins: B-320 or B-420 (See page 19).
See pages 22-23 for required adapters.

Use cleaner (000000084) only with this model.
Price list performance rating is 60hz data.
Not compatible with SPA/SFA dispensers, iAuCS, or LuminIce II. **Not Stackable**
50 Hz Electric Connection: Add Z for Bare Lead cord to the end of the model number.

RFS-0650



W 22" D 23.6" H 26"
W 55.9 D 59.9 H 66.0 cm

*760 lbs / 345 kg daily at 70/50°F
540 lbs / 245 kg daily at 90/70°F

RFS0650A-161	Flake	air	115v/60Hz/1	230 lbs / 104 kg	\$8,501	N/A
RFS0650A-261	Flake	air	208-230v/60Hz/1	230 lbs / 104 kg	\$8,552 ★	N/A
RFS0650W-161	Flake	water	115v/60Hz/1	230 lbs / 104 kg	\$8,926	N/A
RFS0650W-261	Flake	water	208-230v/60Hz/1	230 lbs / 104 kg	\$8,926	N/A
RFS0650A-251Z	Flake	air	230v/50/Hz/1	230 lbs / 104 kg	\$8,583	N/A
RFS0650W-251Z	Flake	water	230v/50/Hz/1	230 lbs / 104 kg	\$9,012	N/A




Recommended Bins: B-320 or B-420 (see page 19).
See pages 22-23 for required adapters.

Use cleaner (000000084) only with this model.
Not compatible with SPA/SFA dispensers, iAuCS, or LuminIce II. **Not Stackable**
50 Hz Electric Connection: Add Z for Bare Lead cord to the end of the model number.

★ **ENERGY STAR® Qualified Model**


*Daily ice production based on air-cooled condenser model at air temperature/water temperature.

RFS-1200



W 30" D 23.6" H 27.4"
 W 76.2 D 59.9 H 70.0 cm
 *1287 lbs / 584 kg daily at 70/50°F
 *874 lbs / 396 kg daily at 90/70°F


Model	Ice type	Cooling	Electrical	Shipping Weight	Easy Clean Base Model	Xtra Clean Model with LuminIce® II
RFS1200A-261	Flake	air	208-230v/60Hz/1	263 lbs / 119 kg	\$11,385	N/A
RFS1200W-261	Flake	water	208-230v/60Hz/1	263 lbs / 119 kg	\$11,954	N/A
RFS1200A-251Z	Flake	air	230v/50/Hz/1	263 lbs / 119 kg	\$11,488	N/A
RFS1200W-251Z	Flake	water	230v/50/Hz/1	263 lbs / 119 kg	\$12,062	N/A



Recommended Bins: B-400, B-570, B-970¹ (See page 19).
 See pages 22-23 for required adapters.
¹B-970 bin requires 48"/121.9 cm B-style bin adapter K-00458

Use cleaner (000000084) only with this model.
 Price list performance rating is 60hz data.
 Not compatible with SPA/SFA dispensers, iAuCS, or LuminIce® II **Not Stackable**
 50 Hz Electric Connection: Add Z for Bare Lead cord to the end of the model number.


RFS-1270



W 22" D 23.6" H 26"
 W 55.9 D 59.9 H 66.0 cm
 *1,152 lbs / 522 kg daily at 70/50°F
 *958 lbs / 434 kg daily at 90/70°F

RFS1278C-261	Flake	air	208-230v/60Hz/1	186 lbs / 84 kg	\$9,508 ★	N/A
RFS1278C-251Z	Flake	air	230v/50/Hz/1	186 lbs / 84 kg	\$9,611	N/A


**Requires RCU1075 (60hz) or RJC 1275 (50hz) remote condensing unit and RC-51 tubing kit. (see page 12)



Recommended Bins: B-320, B-420, B-970¹ (See page 19).
 See pages 22-23 for required adapters.
¹B-970 bin requires 48"/121.9 cm B-style bin adapter K-00368

Use cleaner (000000084) only with this model.
 Price list performance rating is 60hz data.
 Not compatible with SPA/SFA dispensers, iAuCS, or LuminIce II. **Not Stackable**
 50 Hz Electric Connection: Add Z for Bare Lead cord to the end of the model number.

RF-2300



W 36.77" D 26.92" H 27.56"
 W 93.4 D 68.4 H 70.0 cm
 *2419 lbs / 1097 kg daily at 70/50°F
 *1665 lbs / 755 kg daily at 90/70°F


RF2300A-263	Flake	air	208-230v/60Hz/3	452 lbs / 205 kg	\$21,398	N/A
RF2300A-453Z	Flake	air	380-415v/50Hz/3	452 lbs / 205 kg	\$21,398	N/A

Recommended Bins: F-1300, F-1325, F-1650, FC-1350 (See page 19).

No additional adapter needed, use top provided with bin.

Use cleaner (000000084) only with this model.
 Price list performance rating is 60hz data.
 Not for use with SPA/SFA dispensers or iAuCS. **Not Stackable**
 50 Hz Electric Connection: Add Z for Bare Lead cord to the end of the model number.

RFS-2370C



W 30" D 23.6" H 27.4"
 W 76.2 D 59.9 H 70.0 cm
 *2169 lbs / 984 kg daily at 70/50°F
 1702 lbs / 772 kg daily at 90/70°F

RFS2378C-261	Flake	air	208-230v/60Hz/1	279 lbs / 127 kg	\$17,613 ★	N/A
RFS2378C-251Z	Flake	air	230v/50/Hz/1	279 lbs / 127 kg	\$17,716	N/A

**Requires RCU2375 (60hz) or RJC2375 (50hz) remote condensing unit and RC-51 tubing kit. (see page 10)
Recommended Bins: B-970, F-1300, F1325, F1650, FC-1350 (See page 19). Requires 48" / 121.9 cm B-style bin adapter K00458

See pages 22-23 for required adapters.



Use cleaner (000000084) only with this model.
 Price list performance rating is 60hz data.
 Not compatible with SPA/SFA dispensers, iAuCS, or LuminIce II. **Not Stackable**
 50 Hz Electric Connection: Add Z for Bare Lead cord to the end of the model number.

★ ENERGY STAR® Qualified Model

*Daily ice production based on air-cooled condenser model at air temperature/water temperature.

COUNTERTOP NUGGET

RNS-12 / RNS-20



W 16.25" D 24" H 35"
W 41.3 D 61 H 106.7 cm
*261lbs/118 kg daily at 70/50°F
*187lbs/85 kg daily at 90/70°F

W 16.25" D 24" H 42"
W 41.3 D 61 H 106.7 cm
*261lbs/118 kg daily at 70/50°F
*187lbs/85 kg daily at 90/70°F

Model	Ice type	Cooling	Electrical	Shipping Weight	Easy Clean Base Model	Xtra Clean Model with Luminice® II
RNS12A-161	Nugget	air	115v/60Hz/1	184 lbs / 127 kg	\$8,271	N/A
RNS12AT-161	Nugget	air	115v/60Hz/1	184 lbs / 127 kg	\$8,571	N/A
RNS20A-161	Nugget	air	115v/60Hz/1	198 lbs / 90 kg	\$9,998	N/A
RNS20AT-161	Nugget	air	115v/60Hz/1	198 lbs / 90 kg	\$10,298	N/A
RNS12A-251Z	Nugget	air	230v/50/Hz/1	184 lbs / 127 kg	\$8,408	N/A
RNS12AT-251Z	Nugget	air	230v/50/Hz/1	184 lbs / 127 kg	\$8,708	N/A
RNS20A-251Z	Nugget	air	230v/50/Hz/1	198 lbs / 90 kg	\$10,135	N/A
RNS20AT-251Z	Nugget	air	230v/50/Hz/1	198 lbs / 90 kg	\$10,435	N/A

Note Dispensing Type: "A" model is lever activated and "AT" model is sensor activated. 3 dispensing options: ice, water, and ice/water together. Bin capacity is 12lbs/5 kg and 20lbs/9 kg. Legs sold separately, see kit K00345 below. **Use cleaner (00000084) only with this model.** Not compatible with iAuCS. Price list performance rating is 60hz data. 50 Hz Electric Connection: Add Z for Bare Lead cord to the end of the model number.




W 22.2" D 29.2" H 36"
W 56.4 D 74.2 H 76.2 cm

Kit	Description	Electrical	Shipping Weight	Suggested List Price
K-00345	Leg kit (Adjustable: 4.5"- 6.5" / 11.43-16.5 cm)	—	3 lbs./1.3 kg	\$117
K-00377	Kit to convert from lever activated to touchless sensing dispensing option	115/60/1	3 lbs./1.3 kg	\$392
K-00453	RNS Stand	—	100 lbs./45.4 kg	\$911

UNDERCOUNTER NUGGET

RNS-0244




RNS-0244 W 19.69" D 25.98" H 33.17"
W 50 D 66 H 84.3 cm
*145lbs/66 kg daily at 70/50°F
*117lbs/53 kg daily at 90/70°F

Model	Ice type	Cooling	Electrical	Shipping Weight	Easy Clean Base Model	Xtra Clean Model with Luminice® II
RNS0244A-161	Nugget	air	115v/60Hz/1	157 lbs / 71 kg	\$6,374 ★	N/A
RNS0244A-251Z	Nugget	air	230v/50/Hz/1	157 lbs / 71 kg	\$6,456	N/A

Ice storage capacity: RNS-0244A = 40lbs/18 kg Storage Capacity is AHRI certified.

Includes 6'/1.8 m power cord with NEMA 5-15P plug.
Use cleaner (00000084) only with this model.
Not compatible with iAuCS, Luminice II, or casters.
Price list performance rating is 60hz data.
50 Hz Electric Connection: Add Z for Bare Lead cord to the end of the model number.

RNS-0385






RNS-0385 W 29.06" D 27.17" H 39.52"
W 73.8 D 69 H 100.4 cm
*302lbs/137 kg daily at 70/50°
*248lbs/112 kg daily at 90/70°

RNS0385A-161	Nugget	air	115v/60Hz/1	224 lbs / 102 kg	\$7,532 ★	N/A
RNS0385A-251Z	Nugget	air	230v/50/Hz/1	224 lbs / 102 kg	\$7,615	N/A


Ice storage capacity: RNS-0385A = 88lbs/40 kg Storage Capacity is AHRI certified.

Includes 6'/1.8 m power cord with NEMA 5-15P plug.
Use cleaner (00000084) only with this model.
Not compatible with iAuCS, Luminice II, or casters.
Price list performance rating is 60hz data.
50 Hz Electric Connection: Add Z for Bare Lead cord to the end of the model number.

	Model	Ice type	Cooling	Electrical	Shipping Weight	Easy Clean Base Model	Xtra Clean Model with LuminIce® II	
RNS-0308		RNS0308A-161	Nugget	air	115v/60Hz/1	174 lbs / 79 kg	\$6,071	N/A
		RNS0308A-251Z	Nugget	air	230v/50/Hz/1	174 lbs / 79 kg	\$6,153	N/A
	<p>Recommended Bins: B-320 or B420 (see page 19) See page 22-23 for required adapters.</p> <p>Not Stackable. Use cleaner (000000084) only with this model. All dispenser manufacturers require a nugget ice adapter kit. Contact dispenser manufacturer for the kit that fits your application.</p> <p>Not for use with SPA/SFA dispensers, iAuCS, or LuminIce II. 50 Hz Electric Connection: Add Z for Bare Lead cord to the end of the model number.</p>							
RNS-0600		RNS0608A-161	Nugget	air	115v/60Hz/1	210 lbs / 95 kg	\$8,573 ★	N/A
		RNS0609W-161	Nugget	water	115v/60Hz/1	210 lbs / 95 kg	\$9,001	N/A
		RNS0608A-251Z	Nugget	air	230v/50/Hz/1	210 lbs / 95 kg	\$8,655	N/A
		RNS0609W-251Z	Nugget	water	230v/50/Hz/1	210 lbs / 95 kg	\$9,088	N/A
	<p>Recommended Bins: B420 or B570 (see page 19) See page 22-23 for required adapters.</p> <p>Not Stackable. Use cleaner (000000084) only with this model. All dispenser manufacturers require a nugget ice adapter kit. Contact dispenser manufacturer for the kit that fits your application.</p> <p>Not compatible with SPA/SFA dispensers, iAuCS, or LuminIce II. 50 Hz Electric Connection: Add Z for Bare Lead cord to the end of the model number.</p>							
RNS-1000		RNS1008A-261	Nugget	air	208-230v/60Hz/1	275 lbs / 125 kg	\$11,488 ★	N/A
		RNS1009W-261	Nugget	water	208-230v/60Hz/1	275 lbs / 125 kg	\$12,062	N/A
		RNS1078C-161	Nugget	air	115v/60Hz/1	195 lbs / 88 kg	\$10,630 ★	N/A
		RNS1078C-261	Nugget	air	208-230v/60Hz/1	195 lbs / 88 kg	\$10,681 ★	N/A
		RNS1008A-251Z	Nugget	air	230v/50/Hz/1	275 lbs / 125 kg	\$11,591	N/A
	<p>Recommended bins: B970, F-700, F1300, F1325 F1650, FC1350 (see page 19) See page 22-23 for required adapters .</p> <p>**Requires RCU1098 remote condensing unit and RC-51 tubing kit.</p> <p>Not Stackable. Use cleaner (000000084) only with this model. All dispenser manufacturers require a nugget ice adapter kit. Contact dispenser manufacturer for the kit that fits your application.</p> <p>Not compatible with SPA/SFA dispensers, iAuCS, or LuminIce II. 50 Hz Electric Connection: Add Z for Bare Lead cord to the end of the model number.</p>							
	<p>RNS-1008A/RNS-1009W W 30" D 23.62" H 27.36" W 76.2 D 60 H 69.5 cm</p> <p>RNS-1078C W 22" D 23.62" H 27.36" W 55.8 D 60 H 69.5 cm</p> <p>*1078 lbs / 489 kg daily at 70/50°F *825 lbs / 374 kg daily at 90/70°F</p>							

MODULAR NUGGET


*Daily ice production based on air-cooled condenser model at designated air temperature/water temperature.

**ADA Compliant**

W 22" D 31.19" H* 54"
W 55.9 D 78.7 H* 137.2 cm

Model	Ice type	Electrical	Shipping Weight	Easy Clean Base Model	Xtra Clean Model with Luminice® II
SPA160-161	120 lbs / 54 kg of storage	115v/60Hz/1	165 lbs / 75 kg	\$5,618	NA
SPA160-261	120 lbs / 54 kg of storage	208-230v/60Hz/1	165 lbs / 75 kg	\$5,668	NA
SFA191-161	120 lbs / 54 kg of storage	115v/60Hz/1	168 lbs / 76 kg	\$6,616	NA
SPA160-251	120 lbs / 54 kg of storage	230v/50/Hz/1	165 lbs / 75 kg	\$5,728	NA

Patented "Push for Ice" rocking chute dispense mechanism. Adjustable (6 to 7.5 in / 15.2 to 19 cm) stainless steel legs included. Accepts single 22 in / 55.9 cm Dice or Half-Dice size ice machine (order separately). Indigo 22 in / 55.9 cm requires K-00348 baffle (included with dispenser). Requires separate electrical outlet from ice machine.
Note: SFA models include water valve
K00400 Cup Dispensing Chute kit, narrows the chute dispense to dispense into a cup rather than an ice bucket. (see page 22).

**ADA Compliant**

W 30" D 32" H* 60.5"
W 76.2 D 81.3 H* 153.7 cm


SPA310-161	180 lbs / 82 kg of storage	115v/60Hz/1	209 lbs / 95 kg	\$6,683	NA
SPA310-261	180 lbs / 82 kg of storage	208-230v/60Hz/1	209 lbs / 95 kg	\$6,736	NA
SFA291-161	180 lbs / 82 kg of storage	115v/60Hz/1	214 lbs / 97 kg	\$7,866	NA
SPA310-251	180 lbs / 82 kg of storage	230v/50/Hz/1	209 lbs / 95 kg	\$6,799	NA
SFA291-251	180 lbs / 82 kg of storage	230v/50/Hz/1	214 lbs / 97 kg	\$7,981	NA

Patented "Push for Ice" rocking chute dispense mechanism. Adjustable (6 to 7.5 in / 15.2 to 19 cm) stainless steel legs included. Accepts single 22 in / 55.9 cm (K-00365 adapter required) or 30 in / 76.2 cm Dice or Half Dice size machines no larger than the i906. Indigo 30 in / 76.2 cm machines require the K-00346 baffle (included with the dispenser). Requires separate electrical outlet from ice machine.
Note: SFA models include water valve
K00400 Cup Dispensing Chute kit, narrows the chute dispense to dispense ice into a cup rather than an ice bucket. (see page 22)

*Includes 6"/15.2 cm adjustable leg


ICE STORAGE BINS

B-STYLE




B-320

W 22" D 34" H 38"
W 55.9 D 86.4 H 96.5 cm




B-400

W 30" D 34" H 38"
W 76.2 D 86.4 H 96.5 cm




B-420

W 22" D 34" H 50"
W 55.9 D 86.4 H 127.0 cm



B-570

W 30" D 34" H 50"
W 76.2 D 86.4 H 127.0 cm



B-970

W 48" D 34" H 50"
W 121.9 D 86.4 H 127.0 cm

Model	AHRI Storage Capacity*		Shipping Weight	Suggested List Price
	lbs. / kg.	Cu ft / Cu m		
B-320	210/95.3	8.9/.25	75lbs/34 kg	\$1,712
B-400	290/131.5	12.3/.35	91lbs/41 kg	\$1,883
B-420	310/140.6	12.9/.37	108lbs/49 kg	\$1,958
B-570	430/195.0	17.9/.51	115lbs/52 kg	\$2,131
B-970	710/322.1	29.7/.84	150lbs/68 kg	\$3,011

One set of stainless steel legs included in bin price for B-Series bin. Height includes bin legs set at 6 in / 15.2 cm. Legs adjust from 6 to 7.5 in / 15.2 to 19.7 cm. For bin adapters and ice deflectors, please see page 23

***AHRI theoretical storage capacity for bins is based on 80% of total volume in cubic feet x 30 lbs / ft³ or 13.6 kg / .03 m³ average density of ice.**



F-STYLE

Large Capacity




F-700

W 31" D 30" H 58.5"
W 76.2 D 78.7† H 148.6 cm




F-1300

W 48" D 31" H 63.5"
W 121.9 D 78.7† H 161.3 cm




F-1325

W 60" D 31" H 54.5"
W 152.4 D 78.7† H 138.4 cm



F-1650

W 60" D 31" H 63.5"
W 152.4 D 78.7† H 161.3 cm



FC-1350

W 60" D 40" H 73.5"
W 152.4 D 101.6† H 186.7 cm

†Snout adds 8"/20.3 cm to depth of ice bin.

Model	AHRI Storage Capacity		Shipping Weight	Suggested List Price
	lbs / kg	Cu ft / Cu m		
F-700	520 lbs / 236 kg	21.5 / .61	195 lbs/88 kg	\$4,913
F-1300	970 lbs / 440 kg	40.2 / 1.14	292 lbs/132 kg	\$6,197
F-1325	1000 lbs / 454 kg	41.7 / 1.18	300 lbs/136 kg	\$6,493
F-1650	1210 lbs / 549 kg	50.3 / 1.42	327 lbs/148 kg	\$7,215
FC-1350	1050 lbs. / 476 kg	43.9 / 1.24	700 lbs/318 kg	\$18,479

One set of stainless steel legs included in bin price. Height includes bin legs set at 6 in / 15.2 cm. Legs adjust from 6 to 7.5 in or 15.2 to 19.1 cm. For bin adapters and ice deflectors, please see page 22. For use with Manitowoc ice machines only.


Model	Accessory	Shipping Weight	Suggested List Price
K-00412**	46.5"/ 118.1 cm paddle for 31"/ 78.7 cm deep F bins	5 lbs / 2 kg	\$176
K-00414**	Shovel	10 lb / 5 kg	\$176
K-00416	Totes Carrier, Set of 6	34 lb / 15 kg	\$1,102
K-00418	Replacement Cart	75 lb / 34 kg	\$2,752
K-00419**	58.5"/148.6 cm Paddle (for FC-1350 Bin)	6 lb / 3 kg	\$176

***AHRI Theoretical Storage Capacity is based on 80% of the total volume x 30 lbs/ft³ (13.6kg / .03m³) average density of ice.**

** Accessory Paddles and Shovels include storage bracket. K00414 Shovel includes hook.

Note: The calculation for ice storage bins varies by manufacturer. For realistic measurement of how much ice a bin will hold without manual intervention, use the AHRI Storage capacity. When AHRI measurement is not referenced, compare cubic ft, or volume for an accurate comparison of size.





Model	Ice type	Cooling	Electrical	Shipping Weight	Easy Clean Base Model	Xtra Clean Model with Luminice II
UG020A-251	gourmet	air	230v/50/Hz/1	45 kg / 99 lbs	\$2,237	N/A
UG030A-251	gourmet	air	230v/50/Hz/1	45 kg / 99 lbs	\$2,309	N/A
UG020A-261	gourmet	air	208-230v/60Hz/1	45 kg / 99 lbs	\$2,237	N/A
UG030A-161	gourmet	air	115v/60Hz/1	45 kg / 99 lbs	\$2,309	N/A
UG030A-261	gourmet	air	208-230v/60Hz/1	45 kg / 99 lbs	\$2,309	N/A

Ice Storage Capacity 5.5 kg

50 Hz Electric Connection Options: Add letter to end of model number – Z for Bare Lead, F for Schuko Plug, G for Blade Plug and I for Oblique Flat Blade Plug


60 Hz models offered in Z for Bare Lead.

60Hz 115v add B for grounded power cord

Use cleaner (000006036) only with this model.

Not for use with iAuCS cleaning system. Optional Leg Kit K-00345

Contact your local distributor for pricing.



Model	Ice type	Cooling	Electrical	Shipping Weight	Easy Clean Base Model	Xtra Clean Model with Luminice II
UG040A-251	gourmet	air	230v/50/Hz/1	59 kg / 130 lbs	\$2,777	N/A
UG050A-251	gourmet	air	230v/50/Hz/1	60 kg / 132 lbs	\$2,882	N/A
UG040A-261	gourmet	air	208-230v/60Hz/1	59 kg / 130 lbs	\$2,777	N/A
UG050A-161	gourmet	air	115v/60Hz/1	60 kg / 132 lbs	\$2,882	N/A
UG050A-261	gourmet	air	208-230v/60Hz/1	60 kg / 132 lbs	\$2,882	N/A

Ice Storage Capacity 14 kg

50 Hz Electric Connection Options : Add letter to end of model number – Z for Bare Lead, F for Schuko Plug, G for Blade Plug and I for Oblique Flat Blade Plug

60 Hz models offered in Z for Bare Lead.


60Hz 115v add B for grounded power cord

Use cleaner (000006036) only with this model.

Not for use with iAuCS cleaning system.

Optional Leg Kit K-00345

Contact your local distributor for pricing.



Model	Ice type	Cooling	Electrical	Shipping Weight	Easy Clean Base Model	Xtra Clean Model with Luminice II
UG065A-251	gourmet	air	230v/50/Hz/1	72 kg / 159 lbs	\$3,235	N/A
UG080A-251	gourmet	air	230v/50/Hz/1	72 kg / 159 lbs	\$3,413	N/A
UG080A-261	gourmet	air	208-230v/60Hz/1	72 kg / 159 lbs	\$3,413	N/A

Ice Storage Capacity 30 kg

50 Hz Electric Connection Options : Add letter to end of model number – Z for Bare Lead, F for Schuko Plug, G for Blade Plug and I for Oblique Flat Blade Plug

60 Hz models offered in Z for Bare Lead.


Use cleaner (000006036) only with this model.

Not for use with iAuCS cleaning system.

Optional Leg Kit K-00345

Contact your local distributor for pricing.

Q-210/Q-270




Q-210: W 66 D 67.3 H 97.8 cm
 *98 kg daily at 21/10°C
 *67 kg. daily at 32/21°C

Model	Ice type	Cooling	Electrical	Shipping Weight	Easy Clean Base Model	Xtra Clean Model with Luminice II
QYP0214A-251	1/2 dice	air	230v/50/Hz/1	72 kg / 159 lbs	\$5,534	N/A
QYP0274A-251	1/2 dice	air	230v/50/Hz/1	95 kg / 209 lbs	\$6,372	N/A


Ice storage capacity is 36 kg for the Q-210 and 45.4 kg for the Q-270.
 Includes 1.8 m power cord with NEMA 5-15P plug. Price list performance rating is 60hz data. Refer to individual 50hz spec sheets for 50hz performance rating. Not compatible with iAuCS.

R290 Propane Refrigerant
Q-270: W 76.2 D 71.5 H 97.8 cm
 *127 kg daily at 21/10°C
 *93 kg. daily at 32/21°C

I-0324 / I-0504



I324
 W 55.9 D 62.2 H 54.6 cm
 160 kg daily at 21/10 C
 107 Kg daily at 32/21 C



i504
 W 76.2 D 62.2 H 54.6
 220 kg daily at 21/10 C
 163 kg daily at 32/21 C

Model	Ice type	Cooling	Electrical	Shipping Weight	Easy Clean Base Model	Xtra Clean Model with Luminice II
IYP0324A-251	1/2 dice	air	230v/50/Hz/1	62 kg / 137 lbs	\$6,527	kit only
IYP0504A-251	1/2 dice	air	230v/50/Hz/1	66 kg / 146 lbs	\$7,149	kit only

R290 Propane Refrigerant

INTERNATIONAL ONLY

*Daily ice production based on 50 Hz air-cooled condenser model at air temperature/water temperature.

BIN ADAPTERS & ICE DEFLECTOR KITS

Kit	Adaption	Shipping Weight	Suggested List Price
K-00365	Bin adapter for 22" / 55.9 cm S, Indigo, RFS, RN or RNS Ice Machine to 30" / 76.2 cm B Bins and S Dispensers. Not for IB	8 lb / 4 kg	\$186
K-00195	Bin adapter for 22" / 55.9 cm IB Series to 22" / 55.9 cm B-320 or B-420 Bin or 22" / 55.9 cm S Dispensers.	10 lb / 5 kg	\$323
K-00196	Bin adapter for 22" / 55.9 cm IB Series to B400 or B570 bin or a 30" / 76.2cm S Dispenser	15 lbs / 7 kg	\$349
K-00368	Bin adapter for 22" / 55.9 cm Indigo, RFS, RN or RNS Ice Machine to B-970 Bin. Not for IB	18 lbs / 8 kg	\$304
K-00371	Bin adapter for two RN-1078C, RN-1278C or RNS-1078C to B-970 Bin (water-cooled or QuietQube only)	8 lb / 4 kg	\$260
K-00458	Bin adapter for 30" / 76.2 cm Indigo, RFS, RN or RNS Ice Machine to 48" / 121.9 cm B-970 Bin. No weight limit	34 lbs / 15 kg	\$436
K-00369	Bin adapter for 30" / 76.2 cm Indigo Ice Machine to 121.9 cm B-970 Bin. Weight limit 180 lb / 81.6 kg. maximum (Series 300, 450, 500 only.)	13 lb / 6 kg	\$317
K-00170	Ice deflector required on Manitowoc F-Style or Non-Manitowoc bins for all Q-600, Q-800, and Q-1000 Series	5 lb / 3 kg	\$177
K-00382	Ice deflector required for i-1470C, i-1870C or i-2176C on non-Manitowoc or F-Style bins	8 lb / 4 kg	\$179
K-00383	Ice deflectors required for two i-1470C, i-1870C or i-2176C units side by side on non-Manitowoc or F-style bins.	18 lbs / 8 kg	\$299
K-00385	Bin adapter and ice deflector required for i-1470C, i-1870C or i-2176C on B-970. Before installation remove deflector in B-970 bin prior to installing K-00385	34 lbs / 15 kg	\$539
K-00347	Ice deflector required for 30" / 76.2 cm Indigo ice machines on non-Manitowoc or F-Style bins	5 lb / 3 kg	\$177
K-00349	Ice deflector required for 48" / 121.9 cm Indigo machine on non-Manitowoc or F-Style bins	10 lb / 5 kg	\$209
K-00391	Ice deflector set required for S-3300 ice machine on non-Manitowoc or 48" / 121.9 cm or 60" / 152.4 cm F Style bins.	18 lbs / 8 kg	\$579
K-00404	Bin Adapter for a 25.2" / 64 cm RF Flake Ice Machine on a 30" / 76.2 cm bin.	10 lb / 5 kg	\$253
K-00420	Filler Panel Kit allows 22" / 55.9 cm RN-1078C, RN-1278C or RNS-1078C to be placed on F-Style Bins with 30" / 76.2 cm opening (for use with adapter included with bin)	5 lb / 3 kg	\$181
K-00421	Filler Panel Kit allows two side by side 22" / 55.9 cm RN-1078C, RN-1278C or RNS-1078C to be placed on 60" / 152.4 cm F-Style Bins with two 30" / 76.2 cm openings (requires K-603030 or K-613030)	5 lb / 3 kg	\$181
K-00422	Bin adapter for RF-2378C Flaker and B-970 Bin	28 lb / 13 kg	\$457
K-302200	Bin adapter for 22" / 55.9 cm RFS or RNS on F-700 bin	40 lb / 18 kg	\$861
K-302500	Bin adapter for 25.2" / 64 cm RF Flaker on F-700 bin	40 lb / 18 kg	\$861
K-303000	Replacement bin adapter for 30" / 76.2 cm Indigo Cuber on F-700 bin (included with bin)	40 lb / 18 kg	\$506
K-483048	Replacement bin adapter for 30" / 76.2 cm & 48" / 121.9 cm Indigo Cuber on F-1300 bin (included with bin)	45 lb / 20 kg	\$925
K-482500	Bin adapter for 25.2" / 64 cm RF Flaker on F-1300 bin	45 lb / 20 kg	\$803
K-603048	Replacement bin adapter for 30" / 76.2 cm & 48" / 121.9 cm Indigo Cuber on F-1325 and F-1650 bins (included with bin)	52 lb / 24 kg	\$1,071
K-604800	Bin adapter for S-3070C & S-3300 on F-1325 and F-1650 bins	52 lb / 24 kg	\$1,209
K-603030	Bin adapter for two 30" / 76.2 cm Indigo Cuber units side by side on F-1325 and F-1650 bins (remote or water-cooled only)	52 lb / 24 kg	\$1,071
K-613048	Replacement bin adapter for 30" / 76.2 cm & 121.9 cm Indigo Cuber on F-1350 bin (included with bin)	60 lb / 27 kg	\$1,452
K-612500	Bin adapter for 25.2" / 64 cm RF Flaker on F-1350 bin	60 lb / 27 kg	\$1,452
K-614800	Bin adapter for S-3070C & S-3300 on F-1350 bin	60 lb / 27 kg	\$1,618
K-613030	Bin adapter for two 30" / 76.2 cm Indigo Cuber units side-by-side on F-1350 bin (remote or water-cooled only)	27 kg	\$1,452

MISCELLANEOUS

Kit	Description	Shipping Weight	Suggested List Price
K-00457	DISPENSER THERMOSTAT KIT - For use with S-Series. For use on Soda dispensers only. An ice dispenser thermostat kit may be required for high humidity locations to reduce equipment sweating. Replaces K-00364.	3 lbs / 1 kg	\$329
K-00446	DISPENSER THERMOSTAT KIT - For use with Indigo Series only on Soda dispensers. May A ice dispenser thermostat kit may be required for high humidity locations to reduce equipment sweating.	4 lb / 2 kg	\$221
K-00210	DISPENSER BAFFLE - required for 30" / 76.2 cm Q-Series Manitowoc ice machine on non-Manitowoc and Q-dispensers. (Q-dispensers include this adapter.)	3 lbs / 1 kg	\$72
K-00346	DISPENSER BAFFLE - required for use with any Manitowoc 30" / 76.2 cm Indigo Series ice machine in a Soda dispensers application. Dispenser baffle is included with S-Series dispenser, no need to order. NOT required for i-1470, i-1870 and i-2170.	3 lbs / 1 kg	\$72
K-00348	DISPENSER BAFFLE - required for use with any Manitowoc 22" / 55.9 cm Indigo Series ice machine in a Soda dispensers application. Dispenser baffle is included with S-Series dispenser, no need to order. NOT required for i-1470, i-1870 and i-2170.	3 lbs / 1 kg	\$80
K-00395	S-3300 BIN THERMOSTAT KIT - For use with S-3300	3 lbs / 1 kg	\$476
K-00400	CUP DISPENSING CHUTE KIT - Narrower Dispenser chute for cup dispensing applications on a hotel dispenser SPA or SFA..	3 lbs / 1 kg	\$97

BIN ADAPTERS & ICE DEFLECTOR KITS FOR CURRENT MODELS

BIN

ICE MACHINE						
	i-320 ³ & i-520 ³	i-300 ⁴	i-450 ⁴ & i-500 ⁴	i-606 ⁴	i-906 ⁴ i-1106 ⁴ & i-1200 ⁴	i-1406 ⁵ & i-1800 ⁵
B-320		N/A	N/A	N/A	N/A	N/A
B-400	K-00365					N/A
B-420		N/A	N/A	N/A	N/A	N/A
B-570	K-00365					N/A
B-970	K-00368	K-00369	K-00369	K-00458	K-00458	
F-700 ⁸	N/A		K-00347	K-00347	K-00347	N/A
F-1300 ⁸	N/A		K-00347	K-00347	K-00347	K-00349
F-1325 ⁸ F-1650 ⁸	N/A		K-00347	K-00347	K-00347	K-00349
FC-1350 ⁸	N/A		K-00347	K-00347	K-00347	K-00349
SPA-160		N/A	N/A	N/A	N/A	N/A
SPA-310	K-00348 & K-00365					N/A
Non-Manitowoc Dispensers	K-00348	K-00346	K-00346	K-00346	K-00346	N/A

BIN

ICE MACHINE								
	i-686C ⁴ , i-976C ⁴ i-1176C ⁴	i-1470C ^{1,6} i-1870C ^{1,6} i-2176C ^{1,6}	IB-686C IB-894C & IB-1094C	RNS-0308 RNS-0600 RNS-1078C	RFS-0300 RFS-0650 RFS-1278C	RFS-1200 RNS-1000 RFS-2378C	RF-2300	S-3300 ⁷ S-3070C ⁷
B-320	N/A	N/A	K-00195			N/A	N/A	N/A
B-400		N/A	K-00196	K-00365	K-00365		N/A	N/A
B-420	N/A	N/A	K-00195			N/A	N/A	N/A
B-570		N/A	K-00196	K-00365	K-00365		N/A	N/A
B-970	K-00369	K-00385	N/A	K-00368	K-00368	K-00458	N/A	N/A
F-700 ⁸	K-00347		N/A	K-302200	K-302200			N/A
F-1300 ⁸	K-00347		N/A	N/A	N/A			Not Required
F-1325 ⁸ , F-1650 ⁸	K-00347		N/A	K-00421 & K-603030	K-00421 & K-603030			K-604800
FC-1350 ⁸	K-00347		N/A	K-00421 & K-613030	K-0421 & K-613030			K-614800
SPA-160	N/A	N/A	K-00195	N/A	N/A	N/A	N/A	N/A
SPA-310		N/A	K-00196	N/A	N/A	N/A	N/A	N/A
Non-Manitowoc Dispensers	K-00346	N/A	N/A	N/A	N/A	N/A	N/A	N/A

1 K-00382 ice deflector for i-1470C, i-1870C or i-2176C on F-Style and non-Manitowoc bins.

3 When putting two 22"/55.8 cm units on B-970 bin use K-00371 – water-cooled or CVD remote only.

4 When installing 30"/76.2 cm Indigo single evaporator machine on F-Style and non-Manitowoc bins K-00347 deflector is required.

5 When installing 48"/121.9 cm Indigo single evaporator machine on non-Manitowoc bin K-00349 deflector is required.

6 K-00383 for use with two i-1470C, i-1870C, or i-2176C units side by side on 60"/152.4 cm F-Style Bins.

7 K-00391 Ice Deflector Kit when installing S-3300 on bin application.

8 Adapter included for single head application unless otherwise noted.

Note: Shaded area indicates NOT a product application.

Accessory prices are now included in the Standard Equipment Suggested Price List.

ACCESSORIES

iAuCS® AUTOMATIC CLEANING SYSTEM

Kit	Description	Shipping Weight	Suggested List Price
iAuCS-161 iAuCS-261	Automatic Cleaning System Accessory for all Indigo Series ice machines 300 to 2176 . Cannot be used with Indigo IB Series, S-Series, nugget, flake and undercounter units. This option is installed on the outside of the machine and works in conjunction with cleaner and sanitizer bottle numbers 000005162 or 000005164. Installed outside of machine but electrical is supplied from the machine. When ordering, indicate electrical requirements; 115 volt 60 Hz –iAuCS-161, and 230 volt 60 Hz – iAuCS-261.	11 lb / 5 kg	\$784
iBAuCS-161	Automatic Cleaning System Accessory for Indigo IB Series ice machines: IB-690C, IB-890C and IB-1090C . Cannot be used with Indigo Series ice machines 300 to 2176, S-Series, nugget, flake and undercounter units. This option is installed on the outside of the machine and works in conjunction with cleaner and sanitizer bottle numbers 000005162 or 000005164. Installed outside of machine. Electrical requirements 115 volt 60 Hz. Includes 10' power cord with NEMA 5-15P plug.	11 lb / 5 kg	\$784

Note: iAuCS Automatic Cleaning System cannot be used with flake and nugget ice machines.

LUMINICE® II GROWTH INHIBITOR

Kit	Description	Shipping Weight	Suggested List Price
K-00450	Luminice II Growth Inhibitor Kit for Indigo i-300 to i-1200, and QuietQube i-680C to i1176C . Replaces K-00424	5 lb / 2 kg	\$620
K-00451	Luminice II Growth Inhibitor Kit for Indigo IB Series, QuietQube i-1470C, i-1870C, i-2176C and 48" / 121.9 cm i-1406 and i-1800 models. Replaces K-00434.	5 lb / 2 kg	\$620
K-00452	Luminice II Growth Inhibitor Kit for NEO U-140 to U-310 . Replaces K-00440.	11 lb / 5 kg	\$620
K-00425	Replacement Luminice Bulb, for Luminice first generation only (bulb with white end caps) .	.5 lb / 1 kg	\$97
K-00454	Replacement Luminice II bulbs for Luminice II only (bulb with blue end caps)	.5 lb / 1 kg	\$97
K-00455	Remote Luminice II external LED indicator for Luminice II only	.5 lb / 1 kg	\$57

Selected models can be ordered from the factory with the kit already installed. (See model price pages) Other Indigo® models and all Neo® models can have the Luminice II kit added after market.

REPLACEMENT CLEANER / SANITIZER for Cubers Only

Kit	Description	Shipping Weight	Suggested List Price
000005162 000005164 000005163 000005165	Cleaner: 16 oz/ .47 liter bottle (sold in case of 12) Sanitizer: 16 oz/ .47 liter bottle (sold in case of 12) Cleaner: 16 oz/ .47 l bottle (sold in case of 4) Sanitizer 16 oz/.47l bottle (sold in case of 4) Non-Hazardous labeling for US shipments only	18 lb / 8 kg 15 lb / 7 kg 8 lb / 4 kg 8 lb / 4 kg	see parts price list
94-0580-3 94-0581-3	Refills for all iAuCS Systems Cleaner: 1 gallon / 1.89 liter container (sold in case of 4) Sanitizer: 1 gallon / 1.89 liter container (sold in case of 4) Hazardous labeling	45 lb / 20 kg 36 lb / 16 kg	see parts price list

Note: The cleaning and sanitizing fluids are the same chemistry for all iAuCS systems. The bottles used with the iAuCS-SI are custom to the machine and included with the original system. If bottle replacements are needed for iAuCS-SI, they are 9405543 and 9405443 available through Parts Dept. The gallon bottles can be used for refills on any system. Parts (non "K" kits) must be ordered through distributors.

REPLACEMENT CLEANER / SANITIZER for SM-50, BG, Flake & Nugget

000006036	Metal-safe cleaner for SM-50, Sotto, and Flake & Nugget ice machines - 16 oz/ .47 liter bottles (sold in case of 12) - Hazardous labeling for international shipment	14 lb / 6 kg	see parts price list
000000084	Metal-safe cleaner for SM-50, Flake & Nugget ice machines- 16 oz. / .47 l bottles (sold in case of 12) Non-hazardous labeling for USA shipments only.	15 lbs / 7 kg	
000005164	Sanitizer: 16 oz/ .47 liter bottle (sold in case of 12) - hazardous labeling for international shipment	15 lb / 7 kg	
000005165	Sanitizer : 16 oz bottle (sold in case of 4) - Non-hazardous labeling for USA shipment only	8 lb / 4 kg	

Parts (non "K" kits) must be ordered through distributors.



CleanAir™ Pack

Kit	Description	Shipping Weight	Suggested List Price
K-00206	6 ea. replacement packets, 1 ea basket, 2 ea. thumb screws. For use in Q and S-Series ice machines only. Cannot be used with S-3070C, S-3000, Indigo, nugget, flake, or undercounter ice machines.	1 lb / .5 kg	\$258



ARCTIC PURE® – WATER FILTER

Model	Description	Shipping Weight	Suggested List Price
AR-PRE	Pre-filter assembly includes head, shroud, hardware, mounting assembly, and one filter cartridge. Use on all Manitowoc machines.	4 lb / 2 kg	\$319
AR-10000	Primary filter assembly, includes head, shroud, hardware, mounting assembly, and one filter cartridge. See below for sizing guide.	5 lb / 2 kg	\$444
AR-20000	Primary filter assembly includes head, shroud, hardware, mounting assembly, and one filter cartridge. See below for sizing guide.	5 lb / 2 kg	\$758
AR-40000	Primary filter assembly, includes head, shroud, hardware, mounting assembly, and two filter cartridges. See below for sizing guide.	11 lb / 5 kg	\$1,290
Note: AR-PRE, AR-10000 and AR-20000 sold in master packs of six. AR-40000 sold individually.			
Replacement Filter Cartridges			
K-00374	AR-2800 replacement (sold in case of 12). Used with SM-50.	11 lb / 5 kg	\$947
K-00337	AR-PRE replacement (sold in case of 12)	11 lb / 5 kg	\$1,259
K-00338	AR-10000 replacement (sold in case of 12)	11 lb / 5 kg	\$1,357
K-00339	AR-20000/40000 replacement (sold in case of 6)	17 lb / 8 kg	\$886
K-00344	Bin bracket for Arctic Pure water filter	5 lb / 2 kg	\$80

ACCESSORIES

SIZING GUIDE

Ice Machine	Model			
	AR-PRE	AR-10000	AR-20000	AR-40000
QM30	•	•		
QM45	•	•		
U-140	•	•		
U-190	•	•		
U-240	•	•		
U-310	•	•		
BG-260	•	•		
i-300	•	•		
i-320	•	•		
i-520	•	•		
i-450	•	•		
i-500	•	•		
i-606	•	•		
i-906	•		•	
i-1106	•			•
i-1200	•			•
i-1406	•			•
i-1800	•			•
i-1470C	•			•
i-1870C	•			•
i-2176C	•			•
IB-696C	•	•		
IB-890C	•		•	
IB-1090C	•		•	
RNS-12/20	•	•		
RNS-308	•	•		

Ice Machine	Model			
	AR-PRE	AR-10000	AR-20000	AR-40000
RNS-600	•	•		
RNS-1000	•		•	
RNS-0244	•	•		
RNS-0385	•	•		
RNS-1078C	•		•	
RF-0266	•	•		
RF/RFS-0300	•	•		
RF-0385	•	•		
RF/RFS-0650	•		•	
RF/RFS-1200	•		•	
RF/RFS-1278C	•		•	
RF-2300	•		•	
RF/RFS-2378C	•			•

The S-3300 is not compatible with existing filters.



CONVENIENT ICE BAGGER

Kit	Description	Shipping Weight	Suggested List Price
K-00146	Ice bagger assembly, includes bagger, B-Model bin adapter, and 250 bags and ties. Stainless steel finish.	25 lb / 11 kg	\$658
K-00068	Replacement Bags/Ties Bag Kit - includes 1,000 bags (4 wickets of 250) and ties.	34 lb / 15 kg	\$378

ICE SCOOP

Kit	Description	Shipping Weight	Suggested List Price
3302583	6 oz./18L clear scoop for QM and SM Series (each)	2 lb / 1 kg	see parts price list
040002930	22 oz./65L blue scoop (Used with Neo undercounter units.)	3 lb / 1 kg	
3302603	32 oz./95L white scoop (each) (Used for B-170 and Q-Series undercounter units.)	3 lb / 1 kg	
3302593	82 oz./2.4L white scoop (each) (Used for ice bin B-320 and up.)	5 lb / 2 kg	

Note: Parts (non-"K" kits) must be ordered through distributors.

DRAIN PUMP

Kit	Description	Shipping Weight	Suggested List Price
K-00376	Drain Pump for SM-50A. Used where gravity drain not available. 12 ft / 3.6 m rise and 100 ft / 30 m run maximum.	7 lb / 3 kg	\$550

LEGS & CASTERS

Model	Description	Shipping Weight	Suggested List Price
K-00063	2.5" / 6.35 cm Casters. For use with NEO, Q-Series (not QM), and B-170 bin. 4 ea. non-locking swivel.	2 lb / 1 kg	\$287
K-00064	2.5" / 6.35 cm Casters. For use with NEO, Q-Series (not QM), and B-170 bin. 2 ea. locking swivel and 2 ea. non-locking swivel.	2 lb / 1 kg	\$310
K-00153	4.625" / 11.75 cm Adjustable Flange Foot - stainless steel (Use with Bins only)	5 lb / 2 kg	\$243
K-00176	4" / 10.16 cm leg for QM30 or QM45 - black painted	3 lb / 1 kg	\$130
K-00215	QM Series leveler legs, adjusts from .5"-1.25" / 1.27-3.175 cm - 1/2-13 thread	1 lb / 1 kg	\$64
K-00137	6" / 15.24 cm Adjustable Flange Foot - stainless steel for S and B Series bins	6 lb / 3 kg	\$243
K-00151	6" / 15.24 cm Adjustable Flange Foot- Gray painted for S bins and Neo under counters	5 lb / 2 kg	\$142
K-00145	6" / 15.24 cm Adjustable Secured Flange Foot - stainless steel (Use with Bins only) includes latch bracket #6072421	6 lb / 3 kg	\$331
K-00144	12" / 30.48 cm Adjustable Flange Foot - stainless steel. Can use with undercounter machines and B170 and B400 Bin. Not for use with 22" / 52.9 cm unit, stacked units, dispensers, or the QM series.	8 lb / 4 kg	\$331
K-00138	Adjustable Caster Legs, 7.625-8.625" / 19.4 - 21.9 cm - stainless steel. Not for use with 22" / 52.9 cm unit, or any stacked units, dispensers, QMs or RF flakers. 2-locking casters and 2 non-locking per set.	16 lb / 7 kg	\$681
K-00350	6" / 15.24 cm Adjustable Legs - stainless steel standard on B-Series bins.	5 lb / 2 kg	\$115
K-00345	Leg kit for SM-50 & RNS12/20 series ice machines. Adjustable 4.5" to 6.4" / 11.43-16.51 cm.	3 lb / 1 kg	\$117
K-00445	1.125" / 2.9 cm Non-adjustable foot. For use with NEO.	2 lb / 1 kg	\$65

Parts (non "K" kits) must be ordered through distributors.

About Manitowoc Ice Machines



AHRI Certified- Manitowoc Ice Machines and B-Bins are certified by The American Heating and Refrigeration Institute. (AHRI) This means the data we published is validated to be true based on ASHRAE standards. Our certified products are continually tested by an independent third party laboratory to validate our products perform to the ratings or specifications published. Rest assured, products that carry the AHRI label comply to their publish specification. (AHRI rates ice machine performance is rated at the 90 ambient temperature and 70 water temperature. Bin capacity rating is calculated at 80% of the total volume in cubic ft. x 30 lbs. /ft3 average density of ice.)



ENERGY STAR - Manitowoc Ice is an avid supporter of the EPA's voluntary Energy Star program. We believe in making energy star approved ice machines are not only good for the environment but it makes good business sense. In fact, we have more energy star models than any other ice machine manufacture. Moreover, Manitowoc Ice has been recognized by the Energy Star program as a Sustained Excellence Partner, winning "Partner of the Year" for 8 consecutive years. Look for the * next to the price to indicate whether a model is Energy Star qualified, then check with your local dealer if it is rebate eligible.



Best in Class - Foodservice Equipment & Supplies (FE&S) magazine conducts an annual survey among its subscribing foodservice operators, dealers, and consultants asking them to evaluate ice machines in the categories of: quality, value, design, service and support, sales and support, inventory and availability. For 16 consecutive years Manitowoc Ice has been voted best in class. Don't take our word for it; take it from the people who know ice machines.



Intelligent ice machine- Manitowoc Indigo with its Easy Read Display is the only ice machine that offers a LCD display providing the user and service agent with vital information to facilitate the operation of the equipment. The display provides 4 main statuses- Making Ice, Bin Full, Machine Off, or Program Mode. The asset information can be obtained directly from the display. Set up and reminders to clean, change the air and water filters can be programmed into the machine. You can also program the machine NOT to make ice when your store is closed or during the hours of the day energy costs are higher. The self-diagnostic feature stores vital information for the service agent to access, so when they arrive, they have a good idea of the problem. This make servicing easier, reduces labor cost and reduces machine down time.



Easy to Clean- Manitowoc Indigo Machines are the easiest ice machines in the industry to clean. All the component parts that require a deep cleaning can be removed without the use of tools. This includes the water trough as well as the water pump. Selected components contain Alpha San- Antimicrobial compound molded into the plastic to reduce slime build up.



Energy Efficient- Having the most Energy Star models is a result of advance technologies that allow the Indigo ice machine to work efficiently. Innovations like Air Assist which accelerates the ice harvest process and the Acoustical Ice Sensing probe allows for reliable operation in challenging water conditions. Air Assist and Acoustical Ice sensing are patent technologies only found on Manitowoc Indigo machines.



LuminIce II Growth Inhibitor- Manitowoc Indigo and Neo machines offer the LuminIce II Growth Inhibitor device that runs quietly 24/7 keeping your ice machine cleaner longer. Less frequent cleanings saves labor, reduces cost and machine downtime. The device is particularly effective in environments where yeast is in the air (sandwich shops, bakeries, pizzerias, micro-breweries) because the LuminIce II device uses a UV bulb to create active air that inhibits the growth of bacteria and yeast spores inside the machine. The device is mounted inside the machine, and is integrated with the Easy Read Display to create a reminder when to service the bulb.



Automatic Cleaning System – (iAUCS) - Manitowoc Ice automatic cleaning system is a perfect complement to the LuminIce II growth inhibitor. Using the Easy Read Display on the Indigo Ice machine, program the time interval to either clean or sanitize the food zone automatically. No manual intervention is required. This is especially effective in areas of hard water, where periodic cleaning of the evaporator will keep the evaporator free of lime scale build up. (Note, iAUCS will not eliminate the need to do a deep cleaning periodically) but will keep your machine running at peak efficiency and cleaner longer).

Scan the code below to locate a dealer, distributor or sales representative in your area.



www.manitowocice.com/Sales/Sales-Locators#Sales-Locator



COMPANY WITH
QUALITY SYSTEM
CERTIFIED BY DNV
= ISO 9001:2008 =



Bringing innovation to the table | welbilt.com

Welbilt provides the world's top chefs, and premier chain operators or growing independents with industry leading equipment and solutions. Our cutting-edge designs and lean manufacturing tactics are powered by deep knowledge, operator insights, and culinary expertise. All of our products are backed by KitchenCare® – our aftermarket, repair, and parts service.

- ▶ CLEVELAND
- ▶ DELFIELD®
- ▶ FRYMASTER®
- ▶ KOLPAK®
- ▶ MANITOWOC®
- ▶ MERRYCHEF®
- ▶ CONVOTHERM®
- ▶ FITKITCHENSM
- ▶ GARLAND®
- ▶ LINCOLN
- ▶ MERCOC®
- ▶ MULTIPLEX®