



70th Anniversary  
**BEVERAGE-AIR**  
 MADE IN AMERICA SINCE 1944



## Horizon Top Mount Reach Ins (HR/HF Series)

*Designed to Perform in High Ambient Kitchens*

*Certified to Ambient Class of 100°F*

### **One Great Design, 4 Great Finish Options**

**HR Standard Series:**

S/S front, gray painted sides, alum. int.

**HRP Series:** S/S front, S/S sides, alum. int.

**HRS Series:** S/S front, gray painted sides, s/s int.

**HRPS Spec Series:** Complete S/S ext. and int.

**HF Standard Series:**

S/S front, gray painted sides, alum. int.

**HFP Series:** S/S front, S/S sides, alum. int.

**HFS Series:** S/S front, gray painted sides, s/s int.

**HFPS Spec Series:** Complete S/S ext. and int.

**Refrigerators 36°F to 38°F**

**Freezers 0°F to -10°F**



*Full electronic control with one touch defrost*

*Down duct refrigeration system to ensure even distribution of air flow through cabinet*

*Expansion valve technology (freezer models)*

*Antimicrobial door handles*

*Self-closing field-reversible doors with 120° stay open feature*

*Foamed-in-place center mullions*

*Heated glass and perimeter (glass door freezers)*

*Dare to Compare!*

**Models available:** Full solid doors, half solid doors, full glass doors, half glass doors and solid and glass door, remote, half glass door and solid/glass door combination units



Scan Here for Additional Information on This Product



3 Year Parts/Labor Warranty & Additional 2 Year Compressor Warranty

Available options: Tray slides, 3" casters, seismic legs, LED lighting (glass door models), adjustable drawers



IN THIS SECTION:

## HORIZON SERIES TOP MOUNT REACH-INS

Top Mount Refrigerators

Top Mount Freezers



Products that have earned the ENERGY STAR® are designed to protect the environment through superior energy efficiency. For a complete list of qualified models, visit [www.energystar.gov/cfs](http://www.energystar.gov/cfs). Click on Commercial Refrigerators & Freezers on the right-hand side of the page.

# HORIZON SERIES TOP MOUNT REACH-INS

## ► Horizon Series Refrigerators

### TESTED & CERTIFIED TO AMBIENT CLASS OF 100°F

#### Horizon Series Refrigerators FEATURES:

##### Unmatched Cubic Capacity

##### Heavy Duty Construction

2" CFC and HCFC-free foamed-in-place polyurethane insulation.

##### Full Electronic Control with One-Touch Defrost

##### LED Lighting Standard

##### One Piece Grille

##### Cam-Lift Hinges with 120° Stay-Open Door Feature

##### Anti-Microbial Door Handles

##### Field Reversible Doors

##### Door Locks Standard *(Solid Door Models Only) Optional on Glass Door Models*

##### Snap-In Door Gaskets

Easy to remove for cleaning or replacement without service agency.

##### 6" Heavy Duty Casters Standard *(3" Casters or 6" Legs Optional)*

3" caster or 6" leg option available at no charge when specified on order (in lieu of 6" casters).

##### Refrigeration System

Top mount, environmentally friendly refrigeration system. Balanced system for efficient operation even under severe conditions. Maintains product temperatures of 36°–38°F.

##### Environmentally Friendly R134a Refrigerant

System utilizes R134a refrigerant, which is CFC and HCFC-free for compliance with environmental safety standards.

##### Agency Certifications



Products that have earned the ENERGY STAR® are designed to protect the environment through superior energy efficiency. For a complete list of qualified models, visit [www.energystar.gov/cfs](http://www.energystar.gov/cfs). Click on Commercial Refrigerators & Freezers on the right-hand side of the page.

#### AVAILABLE ACCESSORIES:

- Adjustable Drawer Kit



Full Electronic Control with One-Touch Defrost

HR1W-1S



HR1-1HS



HR1-1S



HR1-1HG

HR2-1HS



HR2-1S

HR2-1HG



HR3-1G

HR3-1S

HR3-1HS



Pictures apply for all Horizon Series models.

# 1 GREAT DESIGN, 4 FINISH OPTIONS:

**HR Models:** S/S front, continuous coil coated sides, aluminum interior

**HRP Models:** S/S front, S/S sides, aluminum interior

**HRS Models:** S/S front, continuous coil coated sides, S/S interior

**HRPS Models:** Complete S/S exterior and interior



YOUR COMPLETE REFRIGERATION SOURCE

## HORIZON SERIES REFRIGERATORS - SPECIFICATIONS

DOOR TYPE	HR STANDARD S/S Front, continuous coil coated sides, Aluminum Interior	LIST PRICE	HRP S/S Front, S/S Sides, Aluminum Interior	LIST PRICE	HRS S/S Front, continuous coil coated sides, S/S Interior	LIST PRICE	HRPS Complete S/S Exterior & Interior	LIST PRICE	SECTIONS	VOLTS / AMPS / HP
<b>SOLID</b>	HR1-1S	\$6,607	HRP1-1S	\$8,024	HRS1-1S	\$6,923	HRPS1-1S	\$8,769	1	115 / 5.8 / 1/3
	HR1W-1S	\$8,681	HRP1W-1S	\$9,772	HRS1W-1S	\$9,238	HRPS1W-1S	\$11,268	1 WIDE	115 / 5.8 / 1/3
	HR2-1S	\$8,801	HRP2-1S	\$10,201	HRS2-1S	\$9,479	HRPS2-1S	\$11,777	2	115 / 8.4 / 1/3
	HR3-1S	\$11,849	HRP3-1S	\$12,625	HRS3-1S	\$13,089	HRPS3-1S	\$15,388	3	115 / 10.0 / 1/2
<b>HALF SOLID</b>	HR1-1HS	\$6,960	HRP1-1HS	\$8,683	HRS1-1HS	\$7,550	HRPS1-1HS	\$11,900	1	115 / 5.8 / 1/3
	HR2-1HS	\$9,700	HRP2-1HS	\$11,314	HRS2-1HS	\$10,539	HRPS2-1HS	\$13,002	2	115 / 8.4 / 1/3
	HR3-1HS	\$13,363	HRP3-1HS	\$14,883	HRS3-1HS	\$14,420	HRPS3-1HS	\$16,928	3	115 / 10.0 / 1/2
<b>GLASS</b>	HR1-1G	\$7,339	HRP1-1G	\$8,785	HRS1-1G	\$7,648	HRPS1-1G	\$10,219	1	115 / 5.8 / 1/3
	HR1W-1G	\$9,849	HRP1W-1G	\$11,516	HRS1W-1G	\$10,423	HRPS1W-1G	\$12,051	1 WIDE	115 / 5.8 / 1/3
	HR2-1G	\$10,406	HRP2-1G	\$12,398	HRS2-1G	\$11,572	HRPS2-1G	\$14,193	2	115 / 8.4 / 1/3
	HR3-1G	\$14,290	HRP3-1G	\$17,121	HRS3-1G	\$16,552	HRPS3-1G	\$21,009	3	115 / 10.0 / 1/2
<b>HALF GLASS</b>	HR1-1HG	\$7,771	HRP1-1HG	\$9,500	HRS1-1HG	\$8,329	HRPS1-1HG	\$11,006	1	115 / 5.8 / 1/3
	HR2-1HG	\$11,671	HRP2-1HG	\$13,752	HRS2-1HG	\$12,862	HRPS2-1HG	\$15,683	2	115 / 8.4 / 1/3
	HR3-1HG	\$16,203	HRP3-1HG	\$16,613	HRS3-1HG	\$17,175	HRPS3-1HG	\$18,120	3	115 / 10.0 / 1/2

For total depth add 1 3/4" for handle. For total height add 3" (casters only) or 6" (casters/legs.)

## OPTIONAL SUFFIX LEGEND

SUFFIX	OPTION
<b>-18</b>	Left Hand Hinge Door(s)
<b>-R</b>	Remote - Deduct 10% from List Price

Specify model + optional suffix when placing order. Available at no charge when specified on order.

## COMMON FEATURES

MODEL WIDTH	SECTIONS	CUBIC FEET	DOORS/ SHELVES	CRATED WEIGHT	EXTERIOR DIMENSIONS - W x D x H
<b>26" Model</b>	1	24	<b>1 / 3</b>	355	26" x 32" x 78 1/2"
<b>35" Model</b>	1 W WIDE	34	<b>1 / 3</b>	379	35" x 32" x 78 1/2"
<b>52" Model</b>	2	49	<b>2 / 6</b>	560	52" x 32" x 78 1/2"
<b>78" Model</b>	3	74	<b>3 / 9</b>	791	78" x 32" x 78 1/2"

For total depth add 1 3/4" for handle. For total height add 3" (casters only) or 6" (casters/legs.)

# HORIZON SERIES TOP MOUNT REACH-INS

## ► Horizon Series Freezers

### TESTED & CERTIFIED TO AMBIENT CLASS OF 100°F

#### Horizon Series Freezers FEATURES:

##### Increased Cubic Capacity

##### Heavy Duty Construction

2" CFC and HCFC-free foamed-in-place polyurethane insulation.

##### Full Electronic Control with One-Touch Defrost

##### LED Lighting Standard

##### One Piece Grille

##### Cam-Lift Hinges with 120° Stay-Open Door Feature

##### Anti-Microbial Door Handles

##### Field Reversible Doors

##### Door Locks Standard (Solid Door Models Only)

Optional Accessory for Glass Door Models

##### Snap-In Door Gaskets

Easy to remove for cleaning or replacement without service agency.

##### 6" Heavy Duty Casters Standard (3" Casters or 6" Legs Optional)

3" caster or 6" leg option available at no charge when specified on order (in lieu of 6" casters).

##### Refrigeration System

Top mount, environmentally friendly refrigeration system. Balanced system for efficient operation even under severe conditions. Maintains product temperature of -10°F.

##### Expansion Valve Technology

##### Automatic Defrost with 1-Touch Option

Defrost control is fully automatic, time-initiated and temperature-terminated operation.

##### Environmentally Friendly R404A Refrigerant

System utilizes R404A refrigerant, which is CFC and HCFC-free for compliance with environmental safety standards.

##### Agency Certifications



Products that have earned the ENERGY STAR® are designed to protect the environment through superior energy efficiency. For a complete list of qualified models, visit [www.energystar.gov/cfs](http://www.energystar.gov/cfs). Click on Commercial Refrigerators & Freezers on the right-hand side of the page.

#### AVAILABLE ACCESSORIES:

- Adjustable Drawer Kit

HF1W-1S



HF1-1HS



HF1-1S



HF1-1HG



HF2-1HS

HF2-1S

HF2-1HG



HF3-5HS

HF3-5S

HF3-5G

# 1 GREAT DESIGN, 4 FINISH OPTIONS:

**HF Models:** S/S front, continuous coil coated sides, aluminum interior

**HFP Models:** S/S front, S/S sides, aluminum interior

**HFS Models:** S/S front, continuous coil coated sides, S/S interior

**HFPS Models:** Complete S/S exterior and interior



YOUR COMPLETE REFRIGERATION SOURCE

## HORIZON SERIES FREEZERS - SPECIFICATIONS

DOOR TYPE	HF STANDARD S/S Front, continuous coil coated, Aluminum Interior	LIST PRICE	HFP S/S Front, S/S Sides, Aluminum Interior	LIST PRICE	HFS S/S Front, continuous coil coated, S/S Interior	LIST PRICE	SECTIONS	HFPS Complete S/S Exterior & Interior	LIST PRICE	VOLTS / AMPS / HP
<b>SOLID</b>	HF1-1S	\$8,290	HFP1-1S	\$9,633	HFS1-1S	\$8,293	1	HFPS1-1S	\$11,153	115 / 7.1 / 1/2
	HF1W-1S	\$11,095	HFP1W-1S	\$11,773	HFS1W-1S	\$11,566	1 WIDE	HFPS1W-1S	\$14,022	115 / 7.8 / 1/2
	HF2-1S	\$11,615	HFP2-1S	\$13,009	HFS2-1S	\$11,922	2	HFPS2-1S	\$14,868	115 / 12.0 / 3/4
	HF3-5S	\$15,240	HFP3-5S	\$16,808	HFS3-5S	\$15,944	3	HFPS3-5S	\$19,043	208-230 / 8.4 / 1
<b>HALF SOLID</b>	HF1-1HS	\$8,700	HFP1-1HS	\$10,112	HFS1-1HS	\$8,751	1	HFPS1-1HS	\$11,690	115 / 7.1 / 1/2
	HF2-1HS	\$12,400	HFP2-1HS	\$13,814	HFS2-1HS	\$12,675	2	HFPS2-1HS	\$15,751	115 / 12.0 / 3/4
	HF3-5HS	\$16,325	HFP3-5HS	\$18,730	HFS3-5HS	\$17,741	3	HFPS3-5HS	\$21,158	208-230 / 8.4 / 1
<b>GLASS</b>	HF1-1G	\$10,149	HFP1-1G	\$12,123	HFS1-1G	\$10,621	1	HFPS1-1G	\$13,891	115 / 7.1 / 3/4
	HF2-1G	\$14,420	HFP2-1G	\$16,692	HFS2-1G	\$15,365	2	HFPS2-1G	\$17,444	115 / 12.0 / 1
	HF3-5G	\$19,790	HFP3-5G	\$20,972	HFS3-5G	\$21,208	3	HFPS3-5G	\$23,589	208-230 / 16.0 / 1 1/2
<b>HALF GLASS</b>	HF1-1HG	\$10,592	HFP1-1HG	\$11,772	HFS1-1HG	\$11,063	1	HFPS1-1HG	\$13,470	115 / 7.1 / 3/4
	HF2-1HG	\$15,662	HFP2-1HG	\$16,844	HFS2-1HG	\$16,607	2	HFPS2-1HG	\$18,693	115 / 12.0 / 1
	HF3-5HG	\$22,502	HFP3-5HG	\$23,682	HFS3-5HG	\$23,920	3	HFPS3-5HG	\$26,571	208-230 / 16.0 / 1 1/2

For total depth add 1 3/4" for handle. For total height add 3" (casters only) or 6" (casters/legs.) 208-230 Volt units are designed for field wiring. Some models require permanent connections (hard-wired) and will be designated as (-11). Please contact your local sales representative.

## CHROME-PLATED SHELF OPTION AVAILABLE

See page 116 of Accessory section.

## OPTIONAL SUFFIX LEGEND

SUFFIX	OPTION
<b>-18</b>	Left Hand Hinge Door(s)
<b>-R</b>	Remote - Deduct 10% from List Price

Specify model + optional suffix when placing order. Available at no charge when specified on order.

## COMMON FEATURES

MODEL WIDTH	SECTIONS	CUBIC FEET	DOORS/ SHELVES	CRATED WEIGHT	EXTERIOR DIMENSIONS - W x D x H
<b>26" Model</b>	1	24	<b>1 / 3</b>	370	26" x 32" x 78 1/2"
<b>35" Model</b>	1 W WIDE	34	<b>1 / 3</b>	455	35" x 32" x 78 1/2"
<b>52" Model</b>	2	49	<b>2 / 6</b>	545	52" x 32" x 78 1/2"
<b>78" Model</b>	3	74	<b>3 / 9</b>	870	78" x 32" x 78 1/2"

For total depth add 1 3/4" for handle. For total height add 3" (casters only) or 6" (casters/legs.)