

# OPEN-AIR MERCHANTISERS



**NIGHT  
CURTAIN**



**SECURITY  
CAGE**



**DIGITAL TEMPERATURE  
CONTROL**





IN THIS SECTION:

## OPEN-AIR MERCHANTISERS

Breeze™ Open-Air Merchandiser

Vuemax™ Open-Air Merchandisers



# OPEN-AIR MERCHANDISERS

- ▶ Breeze™ Open-Air Merchandiser
- ▶ VueMax™ Open-Air Merchandisers

## TESTED & CERTIFIED TO AMBIENT CLASS OF 100°F

### Breeze™ Open-Air Curtain Merchandiser FEATURES:

#### Curved Design

Uniquely designed air curtain cabinet tailored for product placement in all markets.

#### Cabinet Finish

White coated steel interior walls. Exterior finish is steel with a baked on durable paint. Available in Black or White exterior finish.

#### Heavy Duty Construction

2" CFC and HCFC-free foamed-in-place polyurethane insulation.

#### Modern One-Piece Grille

Modern grille is easy to remove for cleaning and servicing.

#### Open Front with Side Shields

Easy access, open front with side shields maximizes display of product.

#### LED Lighting Standard

#### Gravity-Flo Organizers

Allows you to easily organize your packaged product for an attractive display.

#### Epoxy Coated Steel Shelves

3 shelves provided as standard.

#### Lift-Out Refrigeration System

High performance one-piece lift-out refrigeration system with hot gas condensate evaporator. Product temperatures from 32°–38°F.

#### Environmentally Friendly Refrigerant

System utilizes R134a refrigerant, which is CFC and HCFC-free for compliance with environmental safety standards.

#### Agency Certifications



### AVAILABLE OPTIONS:

- ▶ Black Dividers
- ▶ Gray Exterior Finish
- ▶ Black Shelves

BZ13-1-B



Products that have earned the ENERGY STAR® are designed to protect the environment through superior energy efficiency. For a complete list of qualified models, visit [www.energystar.gov/cfs](http://www.energystar.gov/cfs). Click on Commercial Refrigerators & Freezers on the right-hand side of the page.

## BREEZE™ OPEN-AIR CURTAIN MERCHANDISER - SPECIFICATIONS

	MODELS	LIST PRICE	CRATED WEIGHT	CUBIC FEET	EXT. DIMENSIONS – W x D x H	VOLTS / AMPS / HP	SHELVES	FINISH
<b>BZ13</b>	BZ13-1-B	\$10,264	350	13	29 3/4" x 32" x 54"	115 / 12.0 / 1/2	3	Black
	BZ13-1-W	\$10,264	350	13	29 3/4" x 32" x 54"	115 / 12.0 / 1/2	3	White



**VueMax™ Open-Air Merchandisers FEATURES:**

**Curved Design**

*Uniquely designed air curtain cabinet tailored for product placement in all markets.*

**Cabinet Finish**

*Exterior finish is steel with a baked on durable paint. Available in Gray, Black or White exterior finish.*

**Heavy Duty Construction**

*CFC and HCFC-free foamed-in-place polyurethane insulation.*

**Easy Access Open Front with Glass Sides**

*Maximizes display of product.*

**Horizontal and Vertical Recessed LED Interior Lighting Standard**

*Enhances product merchandising.*

**6" Adjustable Legs Standard, 5" Caster Option Available**

**Night Curtain**

*Comes standard and helps save energy and maintain cabinet temperature.*

**Temperature Control Display**

*Displays interior cabinet temperatures.*

**Operating Temperature**

*Product temperatures from 36°–38°F.*

**Environmentally Friendly Refrigerant**

*System utilizes R134a refrigerant, which is CFC and HCFC-free for compliance with environmental safety standards.*

**Available Colors**

*Black, white, or gray models available — specify at time of order.*

**Agency Certifications**



**AVAILABLE ACCESSORIES:**

- ▶ 5" Casters
- ▶ Security Cage
- ▶ Custom Graphics Available
- ▶ Bar / Bag Hooks
- ▶ Price Tag Molding
- ▶ Spring Loaded Product Dispensers



**VUEMAX™ OPEN-AIR MERCHANDISERS - SPECIFICATIONS**

	MODELS	LIST PRICE	CRATED WEIGHT	CUBIC FEET	EXT. DIMENSIONS – W x D x H	VOLTS / AMPS / HP	SHELVES	FULL LOAD AMPERES 115 / 60 / 1 BREAKER REQUIRED
<b>VM7</b>	VM7	\$10,264	415	7	35" x 31" x 59"	115 / 8.0 / 1/3	3	15 amp breaker
<b>VM12</b>	VM12	\$12,729	507	12	35" x 31" x 79"	115 / 11.0 / 1/4 (2)	4	20 amp breaker
<b>VM15</b>	VM15	\$13,208	510	15	51" x 31" x 59"	115 / 16 / 1/3 (2)	4	20 amp breaker
<b>VM18</b>	VM18	\$13,420	525	18	51" x 31" x 79"	115 / 16 / 1/3 (2)	4	20 amp breaker