

Manitowoc®

SUGGESTED LIST PRICE STANDARD EQUIPMENT AND ACCESSORIES



ENGINEERED
FOR EASE

EFFECTIVE JANUARY 1, 2023

TABLE OF CONTENTS

| | |
|--------------|--|
| 3-9 | CUBE ICE MACHINES |
| 10 | STANDARD REMOTES AND TOP AIR DISCHARGE |
| 11-12 | QUIETQUBE® REMOTES & ICE BEVERAGE |
| 13 | SPECIALTY: PRISON AND MARINE |
| 14-15 | FLAKE ICE MACHINES |
| 16-17 | NUGGET ICE MACHINES |

| | |
|--------------|-------------------------------|
| 18 | DISPENSERS |
| 19-20 | ICE STORAGE BINS |
| 21 | INTERNATIONAL ONLY |
| 22-23 | BIN ADAPTERS & DEFLECTOR KITS |
| 24-26 | ACCESSORIES |

NOTATIONS

Shipping weights are approximate.

TERMS

TERMS

Terms are as Company may extend to purchaser.

TERMS FOR PARTS

C.O.D. (Deviation on authorization of Credit Department only.)


PRICES

Prices are Ex-works Covington Tennessee. All prices and specifications are subject to change without notice.

DIMENSION DRAWINGS

Height includes legs set at 6 in/15.2 cm.

Legs adjust from 6 in/15.2 cm to 7.5 in/19.1 cm



COMMERCIAL WARRANTY

WARRANTY – CUBE ICE MACHINE

- 5-year parts-and-labor coverage on Indigo NXT, S, U, QQ and IB-model ice machine evaporators.
- 5-year parts and 3-year labor coverage on Indigo NXT, S, U, QQ and IB-model ice machine compressor.
- 3-year parts-and-labor coverage on all dispensers, storage bins, and Indigo NXT, S, U, QQ and IB-model ice cube machines.

WARRANTY – UE SERIES ICE MACHINE

- 3-year parts-and-labor coverage on all components.

WARRANTY – UCP AND USP SERIES ICE MACHINES

- 3-year parts-and-labor coverage on all components.

WARRANTY – RFF/RFP, RNF/RNP ICE MACHINES

- 3-year parts.
- 3-year labor.
- Compressor parts for 5 years and labor for 3 years.

WARRANTY – COUNTERTOP NUGGET DISPENSER ICE MACHINES (RNS12/20 AND CNF201/202)

- 2-year parts-and-labor coverage on all components.
- Compressor parts for 5 years and labor for 2 years.

WARRANTY – RELATED ACCESSORIES

- * If not stated, kits carry the same basic warranty as the machine they are used on.

RESIDENTIAL WARRANTY

- 1-year parts-and-labor.


ICE STYLES

| | |
|---------------------------|--|
| DICE CUBE: | 7/8 in x 7/8 in x 7/8 in / 2.22 x 2.22 x 2.22 cm 100% ice to water ratio. |
| HALF DICE CUBE: | 3/8 in x 1 -1/8 in x 7/8 in / 0.95 x 2.86 x 2.22 cm 100% ice to water ratio. |
| REGULAR CUBE: | 1-1/8 in x 1-1/8 in x 7/8 in / 2.86 x 2.86 x 2.22 cm 100% ice to water ratio. |
| GOURMET CUBE: | 1-3/8 in x 1-3/8 in / 3.94 x 3.94 octagon shape cube. 100% ice to water ratio. |
| NUGGET ICE: | 3/8 in to 1/2 in / 0.76 x 0.76 x 1.27 cm pieces. 85% ice to water ratio. |
| FLAKE ICE: | Flake ice is smaller bits of ice. 73% ice to water ratio. |
| SQUARE CUBE: | 1" square shaped ice. 100% ice to water ratio. |
| LARGE SQUARE CUBE: | 40g, 1.5" x 1.5" 1.5" square shaped ice. 100% ice to water ratio. |

ICE STORAGE CAPACITY

The calculation used to determine actual ice storage capacity varies among manufacturers, most use the AHRI standard. When the AHRI standard is not referenced, use cubic meters capacity for accurate comparison between manufacturer's models.

HOW TO READ THE NEW MODEL NUMBERS



UNDERCOUNTER CUBE



W 14.75 in D 22.75 in H 33.5 in
W 37.5 D 57.8 H 85.1 cm

*53lbs/24 kg daily at 70/50°F
*44lbs/20 kg daily at 90/70°F

UCP0050

| MODEL | ICE TYPE | COOLING | ELECTRICAL | SHIPPING WEIGHT | SUGGESTED LIST PRICE | REPLACES MODEL |
|--------------|----------|---------|-------------|-----------------|----------------------|----------------|
| UCP0050A-161 | Gourmet | Air | 115v/60Hz/1 | 114 lbs / 52 kg | \$5,725 | SMS050A002-161 |

Ice storage capacity 25 lbs / 11.3 kg.
Includes AR-2800 water filter.
Drain pump available as accessory (K00376).
Includes 6ft / 1.8m power cord with NEMA 5-15P plug.
Not compatible with iAuCS®.
IMPORTANT NOTE: Use only Metal Safe Cleaner 000000084 on this product.
Other cleaners will damage the evaporator and will not be covered under warranty.

| KIT | MODEL | DESCRIPTION | SHIPPING WEIGHT | SUGGESTED LIST PRICE |
|-----|--------|--|-----------------|----------------------|
| | K00376 | Drain pump for use when floor drain is not available | 7 lbs / 3 kg | \$841 |



W 19.69 in D 22.34 in H 36 in
W 50.0 D 56.7 H 91.4 cm


UDE0065:
*57 lbs/26 kg daily at 70/50°F
*46 lbs/21 kg daily at 90/70°F

UDE0080:
*193 lbs/88 kg daily at 70/50°F
*71 lbs/32 kg daily at 90/70°F

UE65 / UE80

| MODEL | ICE TYPE | COOLING | ELECTRICAL | SHIPPING WEIGHT | SUGGESTED LIST PRICE | REPLACES MODEL |
|---------------|----------|---------|--------------|-----------------|----------------------|----------------|
| UDE0065A-161B | Dice | Air | 115v/60Hz/1 | 109 lbs / 49 kg | \$4,697 | QM30A-161 |
| UDE0080A-161B | Dice | Air | 115v/60Hz/1 | 114 lbs / 52 kg | \$5,387 | QM45A-161 |
| UDE0065A-251Z | Dice | Air | 230v/50/Hz/1 | 109 lbs / 49 kg | \$4,757 | QM30A-251 |
| UDP0080A-251Z | Dice | Air | 230v/50/Hz/1 | 114 lbs / 52 kg | \$5,447 | QM45A-251 |

Ice storage capacity 30lbs / 14 kg. Storage capacity is AHRI certified, measured at 1.059 cu ft..
Includes 6ft / 1.8 m power cord with NEMA 5-15P plug. Price list performance rating is 60hz data.
Refer to individual 50hz spec sheets for 50hz performance rating. Not compatible with iAuCS or LuminIce II.
Application storage capacity measured at 90% of total volume cu. ft x 33 lbs / ft³



W 26 in D 28.5 in H 38.5 in
W 66 D 72.4 H 97.8 cm

UF-140:
*137lbs/62 kg daily at 70/50°F
*100lbs/45 kg daily at 90/70°F

UF-190:
*193 lbs/88 kg daily at 70/50°F
*140lbs/64 kg daily at 90/70°F

UF140 / UF190

| MODEL | ICE TYPE | COOLING | ELECTRICAL | SHIPPING WEIGHT | SUGGESTED LIST PRICE | REPLACES MODEL |
|---------------|----------|---------|-------------|-----------------|----------------------|----------------|
| URF0140A-161B | Regular | Air | 115v/60Hz/1 | 153 lbs / 69 kg | \$5,615 | UR0140A-161B |
| UDF0140A-161B | Dice | Air | 115v/60Hz/1 | 153 lbs / 69 kg | \$5,415 | UD0140A-161B |
| UYF0140A-161B | 1/2 Dice | Air | 115v/60Hz/1 | 153 lbs / 69 kg | \$5,415 | UY0140A-161B |
| UDF0190A-161B | Dice | Air | 115v/60Hz/1 | 153 lbs / 69 kg | \$5,888 | UD0190A-161B |
| UYF0190A-161B | 1/2 Dice | Air | 115v/60Hz/1 | 153 lbs / 69 kg | \$5,888 | UY0190A-161B |
| UDP0140A-251Z | Dice | Air | 230v/50hz/1 | 153 lbs / 69 kg | \$5,475 | UD0140A-251Z |
| UYF0140A-251Z | 1/2 Dice | Air | 230v/50hz/1 | 153 lbs / 69 kg | \$5,475 | UY0140A-251Z |
| UDF0190A-251Z | Dice | Air | 230v/50hz/1 | 153 lbs / 69 kg | \$5,948 | UD0190A-251Z |
| UYF0190A-251Z | 1/2 Dice | Air | 230v/50hz/1 | 153 lbs / 69 kg | \$5,948 | UY0190A-251Z |

Application storage capacity 90 lbs / 40 kg. Includes 6 ft / 1.8 m power cord with NEMA 5-15P plug ("B" Plug).
Cubic Volume 3.037. Storage capacity is AHRI certified.
Price list performance rating is 60hz data. Refer to individual 50hz spec sheets for 50hz performance rating.
Not compatible with iAuCS. Luminice® II compatible as accessory.
Application storage capacity measured 90% of total volume in cu. ft. x 33 lbs / ft³.



W 26 in D 28.5 in H 38.5 in
W 66 D 72.4 H 97.8 cm

*219lbs/99 kg daily at 70/50°F
*160lbs/73 kg daily at 90/70°F


UF240

| MODEL | ICE TYPE | COOLING | ELECTRICAL | SHIPPING WEIGHT | SUGGESTED LIST PRICE | REPLACES MODEL |
|---------------|----------|---------|-----------------|-----------------|----------------------|----------------|
| UDF0240A-161B | Dice | Air | 115v/60Hz/1 | 157 lbs / 72kg | \$6,436 | UD0240A-161B |
| UDF0240A-261Z | Dice | Air | 208-230v/60hz/1 | 157 lbs / 72kg | \$6,511 | UD0240A-261Z |
| UDF0240W-161B | Dice | Water | 115v/60Hz/1 | 160 lbs / 73 kg | \$6,757 | UD0240W-161B |
| UYF0240A-161B | 1/2 Dice | Air | 115v/60Hz/1 | 159 lbs / 72 kg | \$6,436 | UY0240A-161B |
| UYF0240W-161B | 1/2 Dice | Water | 115v/60Hz/1 | 159 lbs / 72 kg | \$6,757 | UY0240W-161B |
| UDP0240A-251Z | Dice | Air | 230v/50hz/1 | 157 lbs / 72kg | \$6,496 | UD0240A-251Z |
| UYF0240A-251Z | 1/2 Dice | Air | 230v/50hz/1 | 159 lbs / 72 kg | \$6,496 | UY0240A-251Z |
| UYF0240W-251Z | 1/2 Dice | Water | 230v/50hz/1 | 159 lbs / 72 kg | \$6,817 | UY0240W-251Z |

Application storage capacity 90 lbs/40 kg.
Cubic Volume 3.037. Storage Capacity is AHRI certified.
Includes 6 ft / 1.8 m power cord with NEMA 5-15P plug ("B" Plug).
Price list performance rating is 60hz data. Refer to individual 50hz spec sheets for 50hz performance rating.
Not compatible with iAuCS. Luminice II compatible as accessory.
Application storage capacity measured 90% of total volume in cu. ft. x 33 lbs / ft³.

★ENERGY STAR® QUALIFIED MODEL | Air filter standard on self-contained air-cooled ice cube machines.
*Daily ice production based on Half-Dice air-cooled condenser model at air temperature/water temperature.

UNDERCOUNTER CUBE (CONTINUED)



W 30 in D 28.5 in H 38.5 in
W 76.2 D 72.4 H 97.8 cm

*290lbs/132 kg daily
at 70/50°F
*235 lbs/107 kg daily
at 90/70°F

UF310

| MODEL | ICE TYPE | COOLING | ELECTRICAL | SHIPPING WEIGHT | SUGGESTED LIST PRICE | REPLACES MODEL |
|---------------|----------|---------|-----------------|-----------------|----------------------|----------------|
| URF0310A-161B | Regular | Air | 115v/60Hz/1 | 208 lbs / 94 kg | \$8,034 | UR0310A-161B |
| UDF0310A-161B | Dice | Air | 115v/60Hz/1 | 208 lbs / 94 kg | \$7,834 | UD0310A-161B |
| UDF0310A-261Z | Dice | Air | 208-230v/60hz/1 | 208 lbs / 94 kg | \$7,909 | UD0310A-261Z |
| UDF0310W-161B | Dice | Water | 115v/60Hz/1 | 211 lbs / 96 kg | \$8,226 | UD0310W-161B |
| UYF0310A-161B | 1/2 Dice | Air | 115v/60Hz/1 | 209 lbs / 95 kg | \$7,834 | UY0310A-161B |
| UYF0310W-161B | 1/2 Dice | Water | 115v/60Hz/1 | 211 lbs / 96 kg | \$8,226 | UY0310W-161B |
| URF0310A-251Z | Regular | Air | 230v/50hz/1 | 208 lbs / 94 kg | \$8,094 | UR0310A-251Z |
| UDP0310A-251Z | Dice | Air | 230v/50hz/1 | 208 lbs / 94 kg | \$7,894 | UD0310A-251Z |
| UYP0310A-251Z | 1/2 Dice | Air | 230v/50hz/1 | 209 lbs / 95 kg | \$7,894 | UY0310A-251Z |

Application ice storage capacity 119 lbs/54 kg. Cubic Volume 3.99. Storage Capacity is AHRI Certified.
Includes 6 in/1.8 m power cord with NEMA 5-15P plug ("B" Plug).
Price list performance rating is 60hz data. Refer to individual 50hz spec sheets for 50hz performance rating.
Not compatible with iAuCS. LuminIce® II compatible as accessory.
Application storage capacity measured 90% of total volume in cu. ft. x 33 lbs/ft3.

SQUARE CUBE




W 19.68 in D 22.83 in H 37.5 in
*100 lbs / 45.5 kgs at 70/50
*85 lbs / 38.5 kgs at 90/70

USP0100A

| MODEL | ICE TYPE | COOLING | ELECTRICAL | SHIPPING WEIGHT | SUGGESTED LIST PRICE | REPLACES MODEL |
|--------------|----------|---------|-------------|-----------------|----------------------|----------------|
| USP0100A-161 | Square | Air | 115v/60Hz/1 | 209 lbs / 94 kg | \$6,000 | N/A |

Application storage capacity 38 lbs/17.2 kgs. Measured cubic volume is 2. Storage Capacity is AHRI certified.
Includes 6 ft / 1.8m power cord with NEMA 5-15 plug
Refer to Install Use and Care manual for proper cleaning instructions.
Not compatible with iAuCS or LuminIce II.



W 14.75 in D 22.75 in H 33.5 in
W 37.5 D 57.8 H 85.1 cm

*45 lbs / 20 kg at 70/50
*35 lbs / 15 kg at 90/70

USE0050A


| MODEL | ICE TYPE | COOLING | ELECTRICAL | SHIPPING WEIGHT | SUGGESTED LIST PRICE | REPLACES MODEL |
|--------------|----------|---------|-------------|-------------------|----------------------|----------------|
| USE0050A-161 | Square | Air | 115v/60Hz/1 | 121 lbs / 54.4 kg | \$7,700 | N/A |

Ice storage capacity 25 lbs / 11.3 kg
Includes AR-2800 water filter
Includes 6' / 1.8m power cord with NEMA 5-15P plug
Not compatible with iAuCS or LuminIce
Use only metal safe cleaner 00000084

KITS

| MODEL | DESCRIPTION | SHIPPING WEIGHT | SUGGESTED LIST PRICE |
|--------|--|-----------------|----------------------|
| K00516 | Drain pump for use when floor drain is not available | 7 lbs / 3 kg | \$841 |
| K00517 | Left door hinge kit | 20 lbs / 9 kg | \$901 |

MODULAR CUBE



W 30 in D 24.5 in H 16.50 in
W 76.2 D 62.2 H 41.9 cm

*310 lbs / 141 kg daily
at 70/50°F
*230 lbs / 104 kg daily
at 90/70°F



Not Stackable


IT300 SERIES

| MODEL | ICE TYPE | COOLING | ELECTRICAL | SHIPPING WEIGHT | SUGGESTED LIST PRICE | REPLACES MODEL |
|---------------|----------|---------|----------------|-----------------|----------------------|----------------|
| IDT0300A-161 | Dice | Air | 115v/60Hz/1 | 142 lbs / 64 kg | \$7,541★ | IDF0300A-161 |
| IDT0300A-161X | Dice | Air | 115v/60Hz/1 | 147 lbs / 67 kg | \$8,364 | IDF0300A-161X |
| IDT0300A-261 | Dice | Air | 208-230/60Hz/1 | 142 lbs / 64 kg | \$7,616★ | IDF0300A-261 |
| IDT0300W-161 | Dice | Water | 115v/60Hz/1 | 139 lbs / 63 kg | \$7,918 | IDF0300W-161 |
| IYT0300A-161 | 1/2 Dice | Air | 115v/60Hz/1 | 147 lbs / 67 kg | \$7,541★ | IYF0300A-161 |
| IYT0300A-161X | 1/2 Dice | Air | 115v/60Hz/1 | 152 lbs / 69 kg | \$8,364 | IYF0300A-161X |
| IYT0300A-261 | 1/2 Dice | Air | 208-230/60Hz/1 | 147 lbs / 67 kg | \$7,616★ | IYF0300A-261 |
| IYT0300W-161 | 1/2 Dice | Water | 115v/60Hz/1 | 144 lbs / 65 kg | \$7,918 | IYF0300W-161 |
| IYT0300W-161X | 1/2 Dice | Water | 115v/60Hz/1 | 149 lbs / 68 kg | \$8,741 | IYF0300W-161X |
| IDT0300A-251 | Dice | Air | 230v/50Hz/1 | 142 lbs / 64 kg | \$7,601 | IDF0300A-251 |
| IYT0300A-251 | 1/2 Dice | Air | 230/50Hz/1 | 147 lbs / 67 kg | \$7,601 | IYF0300A-251 |

If factory installed LuminIce II not offered, use aftermarket kit found on page 24.
RECOMMENDED BINS: D400 or D570 (See page 19)
See pages 22-23 for required adapters, deflectors, and dispenser baffles.
Price list performance rating is 60hz data. Refer to individual 50hz spec sheets for 50hz performance rating.

★ENERGY STAR® QUALIFIED MODEL | Air filter standard on self-contained air-cooled ice cube machines.
* Daily ice production based on Half-Dice air-cooled condenser model at air temperature/water temperature.

MODULAR CUBE (CONTINUED)




W 22 in D 24.5 in H 21.5 in
W 55.9 D 62.2 H 54.6 cm

*460 lbs/209 kg daily
at 70/50°F
*375 lbs/170 kg daily
at 90/70°F



Not Stackable




W 30 in D 24.5 in H 21.5 in
W 76.2 D 62.2 H 54.6 cm

*490 lbs/222 kgs daily
at 70/50°F
*378 lbs/171 kg daily
at 90/70°F



Not Stackable



W 30 in D 24.5 in H 21.5 in
W 76.2 D 62.2 H 54.6 cm

*550 lbs/249 kg daily
at 70/50°F
*440 lbs/200 kg daily
at 90/70°F



Not Stackable

IT0420 SERIES

| MODEL | ICE TYPE | COOLING | ELECTRICAL | SHIPPING WEIGHT | SUGGESTED LIST PRICE | REPLACES MODEL |
|---------------|----------|---------|-----------------|-----------------|----------------------|----------------|
| IDT0420A-161 | Dice | Air | 115v/60Hz/1 | 137 lbs / 62 kg | \$8,242★ | ID0322A-161 |
| IDT0420A-161X | Dice | Air | 115v/60Hz/1 | 142 lbs / 64 kg | \$9,065 | ID0322A-161X |
| IDT0420A-261 | Dice | Air | 208-230v/60Hz/1 | 137 lbs / 62 kg | \$8,317★ | ID0322A-261 |
| IDT0420W-161 | Dice | Water | 115v/60Hz/1 | 131 lbs / 59 kg | \$8,654 | ID0323W-161 |
| IYT0420A-161 | 1/2 Dice | Air | 115v/60Hz/1 | 136 lbs / 62 kg | \$8,242★ | IY0324A-161 |
| IYT0420A-161X | 1/2 Dice | Air | 115v/60Hz/1 | 141 lbs / 64 kg | \$9,065 | IY0324A-161X |
| IYT0420W-161 | 1/2 Dice | Water | 115v/60Hz/1 | 135 lbs / 61 kg | \$8,654 | IY0325W-161 |
| IYT0420W-261 | 1/2 Dice | Water | 208-230v/60Hz/1 | 135 lbs / 61 kg | \$8,729 | IY0325W-261 |
| IDT0420A-251 | Dice | Air | 230v/50Hz/1 | 137 lbs / 62 kg | \$8,302 | ID0322A-251 |
| IYT0420A-251 | 1/2 Dice | Air | 230v/50Hz/1 | 136 lbs / 62 kg | \$8,302 | IY0324A-251 |

If factory installed LuminIce II not offered, use aftermarket kit found on page 24.

RECOMMENDED BINS: D320 or D420 (see page 19-20). See pages 22-23 for required adapters, deflectors, and dispenser baffles. Price list performance rating is 60hz data. Refer to individual 50hz spec sheets for 50hz performance rating.

IT0450 SERIES

| MODEL | ICE TYPE | COOLING | ELECTRICAL | SHIPPING WEIGHT | SUGGESTED LIST PRICE | REPLACES MODEL |
|---------------|----------|---------|-----------------|-----------------|----------------------|----------------|
| IDT0450A-161 | Dice | Air | 115v/60Hz/1 | 160 lbs / 73 kg | \$7,918★ | ID0452A-161 |
| IDT0450A-161X | Dice | Air | 115v/60Hz/1 | 165 lbs / 75 kg | \$8,741 | ID0452A-161X |
| IDT0450A-261 | Dice | Air | 208-230v/60Hz/1 | 160 lbs / 73 kg | \$7,993★ | ID0452A-261 |
| IDT0450W-161 | Dice | Water | 115v/60Hz/1 | 141 lbs / 64 kg | \$8,314 | ID0453W-161 |
| IDT0450W-161X | Dice | Water | 115v/60Hz/1 | 146 lbs / 66 kg | \$9,137 | ID0453W-161X |
| IDT0450W-261 | Dice | Water | 208-230v/60Hz/1 | 141 lbs / 64 kg | \$8,389 | ID0453W-261 |
| IYT0450A-161 | 1/2 Dice | Air | 115v/60Hz/1 | 170 lbs / 77 kg | \$7,918★ | IY0454A-161 |
| IYT0450A-161X | 1/2 Dice | Air | 115v/60Hz/1 | 175 lbs / 79 kg | \$8,741 | IY0454A-161X |
| IYT0450A-261 | 1/2 Dice | Air | 208-230v/60Hz/1 | 170 lbs / 77 kg | \$7,993★ | IY0454A-261 |
| IYT0450W-161 | 1/2 Dice | Water | 115v/60Hz/1 | 155 lbs / 70 kg | \$8,314 | IY0455W-161 |
| IYT0450W-161X | 1/2 Dice | Water | 115v/60Hz/1 | 160 lbs / 73 kg | \$9,137 | IY0455W-161X |
| IDT0450A-251 | Dice | Air | 230v/50Hz/1 | 160 lbs / 73 kg | \$7,978 | ID0452A-251 |
| IDT0450W-251 | Dice | Water | 230v/50Hz/1 | 141 lbs / 64 kg | \$8,374 | ID0453W-251 |
| IYT0450A-251 | 1/2 Dice | Air | 230v/50Hz/1 | 170 lbs / 77 kg | \$7,978 | IY0454A-251 |

If factory installed LuminIce II not offered, use aftermarket kit found on page 24.

RECOMMENDED BINS: D400 or D570 (see page 19-20). See pages 22-23 for required adapters, deflectors, and dispenser baffles. Price list performance rating is 60hz data. Refer to individual 50hz spec sheets for 50hz performance rating.

IT0500 / iF0500N SERIES

| MODEL | ICE TYPE | COOLING | ELECTRICAL | SHIPPING WEIGHT | SUGGESTED LIST PRICE | REPLACES MODEL |
|----------------|----------|---------|-----------------|-----------------|----------------------|----------------|
| IRT0500A-161 | Regular | Air | 115v/60Hz/1 | 162 lbs / 73 kg | \$9,278★ | IR0500A-161 |
| IRT0500A-261 | Regular | Air | 208-230v/60Hz/1 | 162 lbs / 73 kg | \$9,353★ | IR0500A-261 |
| IRT0500W-161 | Regular | Water | 115v/60Hz/1 | 158 lbs / 72 kg | \$9,730 | IR0501W-161 |
| IDT0500A-161 | Dice | Air | 115v/60Hz/1 | 157 lbs / 72kg | \$9,028★ | ID0502A-161 |
| IDT0500A-161X | Dice | Air | 115v/60Hz/1 | 162 lbs / 73 kg | \$9,851 | ID0502A-161X |
| IDT0500A-261 | Dice | Air | 208-230v/60Hz/1 | 157 lbs / 72kg | \$9,103★ | ID0502A-261 |
| IDT0500W-161 | Dice | Water | 115v/60Hz/1 | 163 lbs / 74 kg | \$9,480 | ID0503W-161 |
| IDF0500N-161A | Dice | Remote | 115v/60Hz/1 | 164 lbs / 74 kg | \$8,820 | IDT0500N-161 |
| IDF0500N-161AX | Dice | Remote | 115v/60Hz/1 | 169 lbs / 77 kg | \$9,643 | IDT0500N-161X |
| IYT0500A-161 | 1/2 Dice | Air | 115v/60Hz/1 | 159 lbs / 72 kg | \$9,028★ | IY0504A-161 |
| IYT0500A-161X | 1/2 Dice | Air | 115v/60Hz/1 | 164 lbs / 74 kg | \$9,851 | IY0504A-161X |
| IYT0500A-261 | 1/2 Dice | Air | 208-230v/60Hz/1 | 159 lbs / 72 kg | \$9,103 | IY0504A-261 |
| IYT0500W-161 | 1/2 Dice | Water | 115v/60Hz/1 | 161 lbs / 73 kg | \$9,480 | IY0505W-161 |
| IYF0500N-161A | 1/2 Dice | Remote | 115V/60HZ/1 | 161 lbs / 73 kg | \$8,820 | IYT0500N-161 |
| IYF0500N-161AX | 1/2 Dice | Remote | 115V/60HZ/1 | 166 lbs / 75 kg | \$9,643 | IYT0500N-161X |
| IRT0500A-251 | Regular | Air | 230V/50HZ/1 | 162 lbs / 73 kg | \$9,338 | IR0500A-251 |
| IDT0500A-251 | Dice | Air | 230V/50HZ/1 | 157 lbs / 72kg | \$9,088 | ID0502A-251 |
| IYT0500A-251 | 1/2 Dice | Air | 230v/50Hz/1 | 159 lbs / 72 kg | \$9,088 | IY0504A-251 |


If factory installed LuminIce II not offered, use aftermarket kit found on page 24.

RECOMMENDED BINS: D400, D570 or LB0730 (see page 19-20). See pages 22-23 for required adapters, deflectors, and dispenser baffles.

¹Use JCF0500 remote condenser and RT() R404A tubing kit (see page 10).

Price list performance rating is 60hz data. Refer to individual 50hz spec sheets for 50hz performance rating.

MODULAR CUBE (CONTINUED)



W 22 in D 24.5 in H 21.5 in
W 55.9 D 62.2 H 54.6 cm

*575 lbs/262 kg daily at
70/50 °F
*465 lbs / 211 kg daily at
90/70 °F



Not Stackable

IT0620 SERIES


| MODEL | ICE TYPE | COOLING | ELECTRICAL | SHIPPING WEIGHT | SUGGESTED LIST PRICE | REPLACES MODEL |
|---------------|----------|---------|-----------------|-----------------|----------------------|----------------|
| IRT0620A-161 | Regular | Air | 115v/60Hz/1 | 143 lbs / 65 kg | \$8,970★ | IR0520A-161 |
| IDT0620A-161 | Dice | Air | 115v/60Hz/1 | 143 lbs / 65 kg | \$8,720★ | ID0522A-161 |
| IDT0620A-161X | Dice | Air | 115v/60Hz/1 | 148 lbs / 67 kg | \$9,543 | ID0522A-161X |
| IDT0620A-261 | Dice | Air | 208-230v/60hz/1 | 143 lbs / 65 kg | \$8,795★ | ID0522A-261 |
| IDT0620W-161 | Dice | Water | 115v/60Hz/1 | 140 lbs / 63 kg | \$9,156 | ID0523W-161 |
| IYT0620A-161 | 1/2 Dice | Air | 115v/60Hz/1 | 145 lbs / 66 kg | \$8,720★ | IY0524A-161 |
| IYT0620A-161X | 1/2 Dice | Air | 115v/60Hz/1 | 150 lbs / 68 kg | \$9,543 | IY0524A-161X |
| IYT0620A-261 | 1/2 Dice | Air | 208-230v/60hz/1 | 145 lbs / 66 kg | \$8,795★ | IY0524A-261 |
| IYT0620W-161 | 1/2 Dice | Water | 115v/60Hz/1 | 140 lbs / 63 kg | \$9,156 | IY0525W-161 |
| IYT0620W-261 | 1/2 Dice | Water | 208-230v/60hz/1 | 140 lbs / 63 kg | \$9,231 | IY0525W-261 |
| IRT0620A-251 | Regular | Air | 230v/50hz/1 | 143 lbs / 65 kg | \$9,030 | IR0520A-251 |
| IRT0620W-251 | Regular | Water | 230v/50hz/1 | 140 lbs / 63 kg | \$9,478 | IR0521W-251 |
| IDT0620A-251 | Dice | Air | 230v/50hz/1 | 143 lbs / 65 kg | \$8,780 | ID0522A-251 |
| IDT0620W-251 | Dice | Water | 230V/50HZ/1 | 140 lbs / 63 kg | \$9,216 | ID0523W-251 |
| IYT0620A-251 | 1/2 Dice | Air | 230V/50HZ/1 | 145 lbs / 66 kg | \$8,780 | IY0524A-251 |
| IYT0620W-251 | 1/2 Dice | Water | 230V/50HZ/1 | 140 lbs / 63 kg | \$9,216 | IY0525W-251 |

If factory installed LuminIce II not offered, use aftermarket kit found on page 24.

RECOMMENDED BINS: D320 or D420 (see page 19-20).


See pages 22-23 for required adapters, deflectors, and dispenser baffles.

Price list performance rating is 60hz data. Refer to individual 50hz spec sheets for 50hz performance rating.



W 30 in D 24.5 in H 21.5 in
W 76.2 D 62.2 H 54.6 cm

*665 lbs/302 kg daily
at 70/50 °F
*580 lbs/263 kg daily
at 90/70 °F



Not Stackable

IF0600 SERIES

| MODEL | ICE TYPE | COOLING | ELECTRICAL | SHIPPING WEIGHT | SUGGESTED LIST PRICE | REPLACES MODEL |
|----------------|----------|---------|-----------------|------------------|----------------------|----------------|
| IDF0600N-261A | Dice | Remote | 208-230v/60Hz/1 | 214 lbs / 97 kg | \$9,864 | IDF0600N-261 |
| IYF0600N-261A | 1/2 Dice | Remote | 208-230v/60Hz/1 | 221 lbs / 100 kg | \$9,864 | IYF0600N-261 |
| IYF0600N-261AX | 1/2 Dice | Remote | 208-230v/60Hz/1 | 226 lbs / 103 kg | \$10,687 | IYF0600N-261X |


If factory installed LuminIce II not offered, use aftermarket kit found on page 24.

RECOMMENDED BINS: D570 or LB0730 (see page 19-20).

See pages 22-23 for required adapters, deflectors, and dispenser baffles.

¹Use JCF0900 remote condenser and RT()R-404A tubing kit (see page 10). Kit K00347 ice deflector must be ordered separately if used with: non-Manitowoc bins, Manitowoc LB-Style bins.

Price list performance rating is 60hz data. Refer to individual 50hz spec sheets for 50hz performance rating.



W 30 in D 24.5 in H 21.5 in
W 76.2 D 62.2 H 54.6 cm

*715 lbs / 324 kg daily at
70/50 °F
*575 lbs/ 261 kg daily at
90/70 °F



Not Stackable

IT0750 SERIES

| MODEL | ICE TYPE | COOLING | ELECTRICAL | SHIPPING WEIGHT | SUGGESTED LIST PRICE | REPLACES MODEL |
|---------------|----------|---------|-----------------|-----------------|----------------------|----------------|
| IDT0750A-261 | Dice | Air | 208-230v/60hz/1 | 194 lbs / 88 kg | \$10,460★ | IDF0600A-261 |
| IDT0750W-261 | Dice | Water | 208-230v/60hz/1 | 194 lbs / 88 kg | \$10,983 | IDF0600W-261 |
| IYT0750A-261 | 1/2 Dice | Air | 208-230v/60hz/1 | 208 lbs / 94 kg | \$10,460★ | IYF0600A-261 |
| IYT0750A-261X | 1/2 Dice | Air | 208-230v/60hz/1 | 213 lbs / 97 kg | \$11,283 | IYF0600A-261X |
| IYT0750W-261 | 1/2 Dice | Water | 208-230v/60hz/1 | 195 lbs / 88 kg | \$10,983 | IYF0600W-261 |
| IDT0750A-251 | Dice | Air | 230v/50hz/1 | 194 lbs / 88 kg | \$10,520 | IDF0600A-251 |
| IDT0750A-251X | Dice | Air | 230v/50hz/1 | 198 lbs / 90 kg | \$11,343 | IDF0600A-251X |
| IYT0750A-251 | 1/2 Dice | Air | 230v/50hz/1 | 208 lbs / 94 kg | \$10,520 | IYF0600A-251 |
| IYT0750A-251X | 1/2 Dice | Air | 230v/50hz/1 | 213 lbs / 97 kg | \$11,343 | IYF0600A-251X |
| IYT0750W-251 | 1/2 Dice | Water | 230v/50hz/1 | 195 lbs / 88 kg | \$11,046 | IYF0600W-251 |

If factory installed LuminIce II not offered, use aftermarket kit found on page 24.


RECOMMENDED BINS: D570, D970 or LB730 (see page 19-20).

See pages 22-23 for required adapters, deflectors, and dispenser baffles.

Kit K00347 ice deflector must be ordered separately if used with: non-Manitowoc bins, Manitowoc LB-Style bins.

Price list performance rating is 60hz data. Refer to individual 50hz spec sheets for 50hz performance rating.

MODULAR CUBE (CONTINUED)



W 30 in D 24.5 in H 26.5 in
W 76.2 D 62.2 H 67.3 cm

*830 lbs/376 kg daily
at 70/50°F
*740 lbs/336 kg daily
at 90/70°F



Not Stackable

IF0900 SERIES

| MODEL | ICE TYPE | COOLING | ELECTRICAL | SHIPPING WEIGHT | SUGGESTED LIST PRICE | REPLACES MODEL |
|---------------|----------|---------|-----------------|------------------|----------------------|----------------|
| IYF0900A-263A | 1/2 Dice | Air | 208-230v/60Hz/3 | 219 lbs / 99 kg | \$13,990 | IYF0900A-263 |
| IDF0900N-261A | Dice | Remote | 208-230v/60Hz/1 | 221 lbs / 100 kg | \$13,250 | IDF0900N-261 |
| IYF0900N-261A | 1/2 Dice | Remote | 208-230v/60Hz/1 | 218 lbs / 99 kg | \$13,250 | IYF0900N-261 |
| IYF0900N-263A | 1/2 Dice | Remote | 208-230v/60Hz/3 | 218 lbs / 99 kg | \$13,550 | IYF0900N-263 |
| IDF0900N-251A | Dice | Remote | 230v/50/Hz/1 | 221 lbs / 100 kg | \$13,475 | IDF0900N-251 |
| IYF0900N-251A | 1/2 Dice | Remote | 230v/50/Hz/1 | 218 lbs / 99 kg | \$13,475 | IYF0900N-251 |


If factory installed LuminIce II not offered, use aftermarket kit found on page 24.

RECOMMENDED BINS: D570, D970 and LB0730 (See page 19-20).

See pages 22-23 for required adapters, deflectors, and dispenser baffles.

¹Use JCF0900 remote condenser and RT()R-404A tubing kit (see page 10).

Kit K00347 ice deflector must be ordered separately if used with: non-Manitowoc bins, Manitowoc LB-Style bins. Price list performance rating is 60hz data. Refer to individual 50hz spec sheets for 50hz performance rating.



W 30 in D 24.5 in H 26.5 in
W 76.2 D 62.2 H 67.3 cm

*865 lbs / 392 kg daily at
70/50°F
*750 lbs / 340 kg daily at
90/70°F



Not Stackable

IT0900 SERIES

| MODEL | ICE TYPE | COOLING | ELECTRICAL | SHIPPING WEIGHT | SUGGESTED LIST PRICE | REPLACES MODEL |
|---------------|----------|---------|-----------------|------------------|----------------------|----------------|
| IRT0900A-261 | Regular | Air | 208-230v/60hz/1 | 213 lbs / 97 kg | \$13,889 | IRF0900A-261 |
| IRT0900W-261 | Regular | Water | 208-230v/60hz/1 | 232 lbs / 105 kg | \$14,583 | IRF0900W-261 |
| IDT0900A-261 | Dice | Air | 208-230v/60hz/1 | 214 lbs / 97 kg | \$13,589★ | IDF0900A-261 |
| IDT0900A-261X | Dice | Air | 208-230v/60hz/1 | 219 lbs / 99 kg | \$14,412 | IDF0900A-261X |
| IDT0900W-261 | Dice | Water | 208-230v/60hz/1 | 212 lbs / 96 kg | \$14,268 | IDF0900W-261 |
| IYT0900A-261 | 1/2 Dice | Air | 208-230v/60hz/1 | 218 lbs / 99 kg | \$13,589★ | IYF0900A-261 |
| IYT0900A-261X | 1/2 Dice | Air | 208-230v/60hz/1 | 223 lbs / 101 kg | \$14,412 | IYF0900A-261X |
| IYT0900W-261 | 1/2 Dice | Water | 208-230v/60hz/1 | 218 lbs / 99 kg | \$14,268 | IYF0900W-261 |
| IRT0900A-251 | Regular | Air | 230v/50hz/1 | 213 lbs / 97 kg | \$14,114 | IRF0900A-251 |
| IRT0900W-251 | Regular | Water | 230v/50hz/1 | 212 lbs / 96 kg | \$14,819 | IRF0900W-251 |
| IDT0900A-251 | Dice | Air | 230V/50HZ/1 | 214 lbs / 97 kg | \$13,814 | IDF0900A-251 |
| IYT0900A-251 | 1/2 Dice | Air | 230v/50hz/1 | 218 lbs / 99 kg | \$13,814 | IYF0900A-251 |

If factory installed LuminIce II not offered, use aftermarket kit found on page 24.


RECOMMENDED BINS: D570, D970 or LB0730, LBCS1360 (see page 19-20).

See pages 22-23 for required adapters, deflectors, and dispenser baffles.

Kit K00347 ice deflector must be ordered separately if used with: non-Manitowoc bins, Manitowoc LB-Style bins. Price list performance rating is 60hz data. Refer to individual 50hz spec sheets for 50hz performance rating.


★**ENERGY STAR® QUALIFIED MODEL** | Air filter standard on self-contained air-cooled ice cube machines.
*Daily ice production based on Half-Dice air-cooled condenser model at air temperature/water temperature.

MODULAR CUBE (CONTINUED)



W 30 in D 24.5 in H 29.5 in
W 76.2 D 62.2 H 74.9 cm

*1213 lbs / 550 kg daily
at 70/50°F
*950 lbs / 431 kg daily
at 90/70°F



Not Stackable

IT1200 SERIES

| MODEL | ICE TYPE | COOLING | ELECTRICAL | SHIPPING WEIGHT | SUGGESTED LIST PRICE | REPLACES MODEL |
|---------------|----------|---------|-----------------|------------------|----------------------|----------------|
| IDT1200A-261 | Dice | Air | 208-230v/60hz/1 | 232 lbs / 105 kg | \$15,069 | ID1106A-261 |
| IDT1200W-261 | Dice | Water | 208-230v/60hz/1 | 228 lbs / 103 kg | \$15,822 | ID1106W-261 |
| IDT1200N-261 | Dice | Remote | 208-230v/60hz/1 | 228 lbs / 103 kg | \$14,875 | IDT1200N-261 |
| IYT1200A-261 | 1/2 Dice | Air | 208-230v/60hz/1 | 241 lbs / 109 kg | \$15,069 | IY1106A-261 |
| IYT1200A-261X | 1/2 Dice | Air | 208-230v/60hz/1 | 246 lbs / 112 kg | \$15,892 | IY1106A-261X |
| IYT1200A-263 | 1/2 Dice | Air | 208-230v/60hz/3 | 241 lbs / 109 kg | \$15,369 | IYT1200A-263 |
| IYT1200W-261 | 1/2 Dice | Water | 208-230v/60hz/1 | 238 lbs / 108 kg | \$15,822 | IY1106W-261 |
| IYT1200W-263 | 1/2 Dice | Water | 208-230v/60hz/3 | 238 lbs / 108 kg | \$16,122 | IYT1200W-263 |
| IYT1200N-261 | 1/2 Dice | Remote | 208-230v/60hz/1 | 236 lbs / 107 kg | \$14,875 | IYT1200N-261 |
| IYT1200N-263 | 1/2 Dice | Remote | 208-230v/60hz/3 | 236 lbs / 107 kg | \$15,175 | IY1196N3-263 |
| IDT1200A-251 | Dice | Air | 230v/50hz/1 | 232 lbs / 105 kg | \$15,294 | ID1106A-251 |
| IDT1200W-251 | Dice | Water | 230v/50hz/1 | 228 lbs / 103 kg | \$16,047 | ID1106W-251 |
| IDT1200N-251 | Dice | Remote | 230v/50hz/1 | 228 lbs / 103 kg | \$15,100 | IDT1200N-251 |
| IYT1200A-251 | 1/2 Dice | Air | 230v/50hz/1 | 241 lbs / 109 kg | \$15,294 | IY1106A-251 |
| IYT1200W-251 | 1/2 Dice | Water | 230v/50hz/1 | 238 lbs / 108 kg | \$16,047 | IY1106W-251 |
| IYT1200N-251 | 1/2 Dice | Remote | 230v/50hz/1 | 236 lbs / 107 kg | \$15,100 | IYT1200N-251 |

If factory installed LuminIce II not ordered, use aftermarket kit found on page 24.


RECOMMENDED BINS: D970, D570, LB1448, LB1460, LBSC1360 (see page 19-20)

See pages 22-23 for required adapters, deflectors, and dispenser baffles.

¹Use JCT1200 remote condenser and RT()R-410A tubing kit (see page 10).


Kit K00347 ice deflector must be ordered separately if used with: non-Manitowoc bins, Manitowoc LB-Style bins.

Price list performance rating is 60hz data. Refer to individual 50hz spec sheets for 50hz performance rating.



W 48 in D24.5 in H29.5 in
W 121.9 D 62.2 H 74.9 cm

*1660 lbs / 753 kg
at 70/50°F
*1412 lbs / 640 kg
at 90/70°F



Not Stackable

IT1500 SERIES

| MODEL | ICE TYPE | COOLING | ELECTRICAL | SHIPPING WEIGHT | SUGGESTED LIST PRICE | REPLACES MODEL |
|----------------|----------|---------|-----------------|------------------|----------------------|----------------|
| IDT1500A-261A | Dice | Air | 208-230v/60hz/1 | 292 lbs / 132 kg | \$17,464 | IDT1500A-261 |
| IDT1500A-263E | Dice | Air | 208-230v/60hz/3 | 292 lbs / 132 kg | \$17,814 | IDT1500A-263 |
| IDT1500W-261A | Dice | Water | 208-230v/60hz/1 | 298 lbs / 135 kg | \$18,337 | IDT1500W-261 |
| IDT1500W-263E | Dice | Water | 208-230v/60hz/3 | 298 lbs / 135 kg | \$18,687 | IDT1500W-263 |
| IDT1500N-261E | Dice | Remote | 208-230v/60hz/1 | 293 lbs / 133 kg | \$17,246★ | IDT1500N-261A |
| IYT1500A-261A | 1/2 Dice | Air | 208-230v/60hz/1 | 292 lbs / 132 kg | \$17,464 | IYT1500A-261 |
| IYT1500A-261AX | 1/2 Dice | Air | 208-230v/60hz/1 | 297 lbs / 135 kg | \$18,287 | IYT1500A-261X |
| IYT1500A-263E | 1/2 Dice | Air | 208-230v/60hz/3 | 292 lbs / 132 kg | \$17,814★ | IYT1500A-263 |
| IYT1500W-261A | 1/2 Dice | Water | 208-230v/60hz/1 | 294 lbs / 133 kg | \$18,337 | IYT1500W-261 |
| IYT1500W-263E | 1/2 Dice | Water | 208-230v/60hz/3 | 294 lbs / 133 kg | \$18,687 | IYT1500W-263 |
| IYT1500N-261E | 1/2 Dice | Remote | 208-230v/60hz/1 | 298 lbs / 135 kg | \$17,246★ | IYT1500N-261A |
| IYT1500N-261EX | 1/2 Dice | Remote | 208-230v/60hz/1 | 303 lbs / 137 kg | \$18,069 | IYT1500N-261X |
| IYT1500N-263E | 1/2 Dice | Remote | 208-230v/60hz/3 | 298 lbs / 135 kg | \$17,596★ | IYT1500N-263 |
| IDT1500A-251A | Dice | Air | 230v/50hz/1 | 292 lbs / 132 kg | \$17,689 | IDT1500A-251 |
| IDT1500W-251A | Dice | Water | 230v/50hz/1 | 292 lbs / 132 kg | \$18,562 | IDT1500W-251 |
| IDT1500N-251E | Dice | Remote | 230v/50hz/1 | 293 lbs / 133 kg | \$17,471 | IDT1500N-251 |
| IYT1500A-251A | 1/2 Dice | Air | 230V/50HZ/1 | 292 lbs / 132 kg | \$17,689 | IYT1500A-251 |
| IYT1500W-251A | 1/2 Dice | Water | 230v/50hz/1 | 294 lbs / 133 kg | \$18,562 | IYT1500W-251 |
| IYT1500N-251E | 1/2 Dice | Remote | 230V/50HZ/1 | 298 lbs / 135 kg | \$17,471 | IYT1500N-251 |

If factory installed LuminIce II not offered, use aftermarket kit found on page 24.

RECOMMENDED BINS: D970, LB1448, LB1460, LB1760, LBSC1360+S (See page 19-20s).

See pages 22-23 for required adapters and deflectors.


¹Use JCT1500 remote condenser and RL()R-410A tubing kit (see page 10).

Kit K0034900 ice deflector must be ordered separately if used with: non-Manitowoc bins, Manitowoc LB-Style bins.

Price list performance rating is 60hz data. Refer to individual 50hz spec sheets for 50hz performance rating.


★ENERGY STAR® QUALIFIED MODEL | Air filter standard on self-contained air-cooled ice cube machines.
* Daily ice production based on Half-Dice air-cooled condenser model at air temperature/water temperature.

MODULAR CUBE (CONTINUED)



W 48 in D 24.5 in H 29.5 in
W 121.9 D 62.2 H 74.9 cm

*1965 lbs / 891 kg
at 70/50°F
*1535 lbs / 696 kg
at 90/70°F



Not Stackable

IT1900 SERIES

| MODEL | ICE TYPE | COOLING | ELECTRICAL | SHIPPING WEIGHT | SUGGESTED LIST PRICE | REPLACES MODEL |
|----------------|----------|---------|-----------------|------------------|----------------------|----------------|
| IRT1900A-261E | Regular | Air | 208-230v/60hz/1 | 317 lbs / 144 kg | \$21,026 | IRT1900A-261 |
| IRT1900A-263E | Regular | Air | 208-230v/60hz/3 | 317 lbs / 144 kg | \$21,376 | IRT1900A-263 |
| IRT1900N-261E | Regular | Remote | 208-230v/60hz/1 | 324 lbs / 147 kg | \$20,838 | IRT1900N-261A |
| IRT1900N-263E | Regular | Remote | 208-230v/60hz/3 | 324 lbs / 147 kg | \$21,188 | IRT1900N-263 |
| IRT1900N-263EX | Regular | Remote | 208-230v/60hz/3 | 324 lbs / 147 kg | \$22,011 | IRT1900N-263X |
| IDT1900A-261E | Dice | Air | 208-230v/60hz/1 | 317 lbs / 144 kg | \$20,726 | IDT1900A-261 |
| IDT1900A-263E | Dice | Air | 208-230v/60hz/3 | 317 lbs / 144 kg | \$21,076 | IDT1900A-263 |
| IDT1900W-261E | Dice | Water | 208-230v/60hz/1 | 319 lbs / 145 kg | \$21,763 | IDT1900W-261A |
| IDT1900W-263E | Dice | Water | 208-230v/60hz/3 | 319 lbs / 145 kg | \$22,113 | IDT1900W-263 |
| IDT1900N-261E | Dice | Remote | 208-230v/60hz/1 | 324 lbs / 147 kg | \$20,538★ | IDT1900N-261A |
| IDT1900N-263E | Dice | Remote | 208-230v/60hz/3 | 324 lbs / 147 kg | \$20,888★ | IDT1900N-263 |
| IYT1900A-261E | 1/2 Dice | Air | 208-230v/60hz/1 | 321 lbs / 146 kg | \$20,726 | IYT1900A-261 |
| IYT1900A-263E | 1/2 Dice | Air | 208-230v/60hz/3 | 321 lbs / 146 kg | \$21,076 | IYT1900A-263 |
| IYT1900W-261E | 1/2 Dice | Water | 208-230v/60hz/1 | 322 lbs / 146 kg | \$21,763 | IYT1900W-261A |
| IYT1900W-263E | 1/2 Dice | Water | 208-230v/60hz/3 | 322 lbs / 146 kg | \$22,113 | IYT1900W-263 |
| IYT1900N-261E | 1/2 Dice | Remote | 208-230v/60hz/1 | 330 lbs / 150 kg | \$20,538★ | IYT1900N-261A |
| IYT1900N-261EX | 1/2 Dice | Remote | 208-230v/60hz/1 | 335 lbs / 152 kg | \$21,361 | IYT1900N-261X |
| IYT1900N-263E | 1/2 Dice | Remote | 208-230v/60hz/3 | 330 lbs / 150 kg | \$20,888★ | IYT1900N-263 |
| IYT1900N-263EX | 1/2 Dice | Remote | 208-230v/60hz/3 | 335 lbs / 152 kg | \$21,711 | IYT1900N-263X |
| IRT1900A-251E | Regular | Air | 230v/50hz/1 | 317 lbs / 144 kg | \$21,251 | IRT1900A-251 |
| IDT1900A-251E | Dice | Air | 230v/50hz/1 | 317 lbs / 144 kg | \$20,951 | IDT1900A-251 |
| IDT1900N-251E | Dice | Remote | 230v/50hz/1 | 324 lbs / 147 kg | \$20,763 | IDT1900N-251 |
| IYT1900A-251E | 1/2 Dice | Air | 230v/50hz/1 | 324 lbs / 146 kg | \$20,951 | IYT1900A-251 |

If factory installed LuminIce II not offered, use aftermarket kit found on page 24.


RECOMMENDED BINS: D970, LB1448, LB1460, LB1760, LBCS1360+S (See page 20).

See pages 22-23 for required adapters and deflectors.

¹Use JCT1500 remote condenser and RL()R-410A tubing kit (see page 10).

Kit K0034900 ice deflector must be ordered separately if used with: non-Manitowoc bins, Manitowoc LB-Style bins.

Price list performance rating is 60hz data. Refer to individual 50hz spec sheets for 50hz performance rating.




W 48 in D 31 in H 36 in
W 121.9 D 78.7 H 91.4 cm

*3200 lbs / 1451 kg daily
at 70/50°F
*2584 lbs / 1172 kg daily
at 90/70°F

S-3000 SERIES

| MODEL | ICE TYPE | COOLING | ELECTRICAL | SHIPPING WEIGHT | SUGGESTED LIST PRICE | REPLACES MODEL |
|---------------|----------|---------|------------------|------------------|----------------------|----------------|
| SDT3000W-263H | Dice | Water | 208-230v/60hz/31 | 501 lbs / 227 kg | \$36,325 | SD3303W3-263HP |
| SYT3000W-263H | 1/2 Dice | Water | 208-230v/60hz/3 | 516 lbs / 234 kg | \$36,325 | SY3305W3-263HP |



Not Stackable

RECOMMENDED BINS: LB1448, LB1460, LB1760, LBCS130+S (See page 20).

See pages 22-23 for required adapters and deflectors.

Not for use with iAuCS cleaning system or LuminIce II.

K00391 and K00396 Needed for the LB1448. Requires adapter that does not come with the bin.


KLB604800 with the LB1460 and LB1760 and the KLB614800 for the LBCS1360.

H = High pressure valve regulates from 20 psi to 350 psi or 137.9 kPa to 2413.2 kPa.

★ENERGY STAR® QUALIFIED MODEL | Air filter standard on self-contained air-cooled ice cube machines.

*Daily ice production based on Half-Dice air-cooled condenser model at air temperature/water temperature.

REMOTE



STANDARD REMOTE AIR-COOLED CONDENSER

| MODEL | FOR USE WITH REMOTE ICE MACHINE | ELECTRICAL | SHIPPING WEIGHT | SUGGESTED LIST PRICE | REPLACES MODEL |
|--------------|---------------------------------|-----------------|-----------------|----------------------|----------------------|
| JCF0500-161 | iF0500N | 115v/60hz/1 | 64 lbs / 29 kg | \$2,480 | JC0495-161 |
| JCF0500-161Q | iF0500N | 115v/60hz/1 | 65 lbs / 29 kg | \$2,780 | JC0495-161Q |
| JCF0900-261 | iF0600N & iF900N | 208-230v/60hz/1 | 78 lbs / 35 kg | \$2,796 | JC 0895 AND 0995-261 |
| JCF0900-261Q | iF0600N & iF900N | 208-230v/60hz/1 | 79 lbs / 36 kg | \$3,096 | JC0995-261Q |
| JCT1200-261 | iT1200N | 208-230v/60hz/1 | 78 lbs / 35 kg | \$2,971 | JC0995-261 |
| JCT1200-261Q | iT1200N | 208-230v/60hz/1 | 79 lbs / 36 kg | \$3,271 | N/A |
| JCT1500-261 | iT1500N and iT1900N | 208-230v/60hz/1 | 80 lbs / 36 kg | \$3,236 | JC1395-261 |
| JCT1500-261Q | iT1500N and iT1900N | 208-230v/60hz/1 | 81 lbs / 37 kg | \$3,536 | JC1395-261Q |
| JCF0900-251 | iF0600N and iF0900N | 230v/50hz/1 | 78 lbs / 35 kg | \$3,021 | JC0895 AND 0995-251 |
| JCT1200-251 | iT1200N | 230v/50hz/1 | 78 lbs / 35 kg | \$3,196 | JC0995-251 |
| JCT1500-251 | iT1500N and iT1900N | 230v/50hz/1 | 80 lbs / 36 kg | \$3,461 | JC1395-251 |

NOTE: Models with Q suffix are available with coated coils that provide extra corrosion protection in salt spray environments. Coated Coil models require longer lead time, please contact the factory.



STANDARD REMOTE TUBING KITS & ACCESSORIES

| KIT | FOR USE WITH SERIES | TUBING LENGTH | SHIPPING WEIGHT | SUGGESTED LIST PRICE |
|-----------|--|---------------|-----------------|----------------------|
| RT20R404 | iF0500, iF600 and iF900 Precharged with quick connects | 20ft / 6.1m | 10 lbs / 5 kg | \$606 |
| RT35R404 | iF0500, iF600 and iF900 Precharged with quick connects | 35ft / 10.7m | 15 lbs / 7 kg | \$745 |
| RT50R404 | iF0500, iF600 and iF900 Precharged with quick connects | 50ft / 15.2m | 22 lbs / 10 kg | \$898 |
| RT20R410A | iT500 and iT1200 Precharged with quick connects | 20ft / 6.1m | 10 lbs / 5 kg | \$623 |
| RT35R410A | iT500 and iT1200 Precharged with quick connects | 35ft / 10.7m | 15 lbs / 7 kg | \$768 |
| RT50R410A | iT500 and iT1200 Precharged with quick connects | 50ft / 15.2m | 22 lbs / 10 kg | \$923 |
| RL20R410A | iT1500 and iT1900 Precharged with quick connects | 20ft / 6.1m | 10 lbs / 5 kg | \$623 |
| RL35R410A | iT1500 and iT1900 Precharged with quick connects | 35ft / 10.7m | 15 lbs / 7 kg | \$768 |
| RL50R410A | iT1500 and iT1900 Precharged with quick connects | 50ft / 15.2m | 22 lbs / 10 kg | \$923 |

ACCESSORY

| | | | |
|--------|---|--------------|-------|
| K00129 | Remote Coupling Kit needed for non-Manitowoc Tubing | 2 lbs / 1 kg | \$210 |
|--------|---|--------------|-------|

NOTE: Manitowoc remote systems are only approved and warranted as a complete new package. Replacing an ice machine with an Indigo NXT, RNF or RNS model requires a NEW condenser and line set. Use of a new multi-circuited condenser is approved when sized and installed as outlined in Manitowoc Product Information. Rack system applications are not approved.


TOP AIR DISCHARGE KIT

| KIT | FOR USE WITH SERIES | SHIPPING WEIGHT | SUGGESTED LIST PRICE |
|---------|---|-----------------|----------------------|
| K00379 | Indigo NXT iT0450, iT0500, iF0600, iT0750 | 18 lbs / 9 kg | \$670 |
| K00438 | Indigo NXT iT0420 and iT0620 models | 17 lbs / 8 kg | \$670 |
| K00439 | Indigo NXT iF0900 and iT0900 | 17 lbs / 8 kg | \$670 |
| K00449 | Indigo NXT iT1200 | 18 lbs / 9 kg | \$670 |
| K00481B | Indigo NXT iT1500 and iT1900 models | 29 lbs / 13 kg | \$670 |


NOTE: Top air discharge kits are used when there is not sufficient clearance on the sides of an air cooled machine. These kits change the side panels and top panel so the air intake is from the back of the machine and the exhaust is re-routed out of the top of the machine rather than the sides.

QUIETQUBE ICE MACHINES


QUIETQUBE® ICE MACHINES



iF0600C
W 30 in D 24.5 in H 21.5 in
W 76.2 D 62.2 H 54.6 cm
iF0900C
W 30 in D 24.5 in H 26.5 in
W 76.2 D 62.2 H 67.3 cm
iT1200C
W 30 in D 24.5 in H 29.5 in
W 76.2 D 62.2 H 74.9 cm




iF1400C
W 30 in D 24.5 in H 25 in
W 76.2 D 62.2 H 63.5 cm
iF1800C/iF2100C
W 30 in D 24.5 in H 29.5 in
W 76.2 D 62.2 H 74.9 cm



SF3000C
W 48 in D 31 in H 36 in
W 121.9 D 78.7 H 91.4 cm

ICE/BEV ICE MACHINES



IBF0620
W 22 in D 14 in H 24 in
W 55.9 D 35.6 H 61.0 cm
IBF0820
W 22 in D 14 in H 26.5 in
W 55.9 D 35.6 H 67.3 cm
IBT1020C
W 22 in D 14 in H 30.5 in
W 55.9 D 35.6 H 77.5 cm

QUIETQUBE® AND ICE BEVERAGE MACHINES

| MODEL | ICE TYPE | COOLING | ELECTRICAL | SHIPPING WEIGHT | SUGGESTED LIST PRICE | REPLACES MODEL |
|----------------------|----------|---------|-------------|------------------|----------------------|---------------------|
| IDT1200C-161 | Dice | Remote | 115v/60Hz/1 | 171 lbs / 78 kg | \$13,830 | ID1176C-161 |
| IDF1400C-161 | Dice | Remote | 115v/60Hz/1 | 174 lbs / 79 kg | \$15,292 | ID1472C-161 |
| IDF1800C-161 | Dice | Remote | 115v/60Hz/1 | 210 lbs / 95 kg | \$19,357 | ID1872C-161 |
| IDF2100C-161 | Dice | Remote | 115v/60Hz/1 | 210 lbs / 95 kg | \$22,880 | ID2176C-161 |
| IYF0600C-161 | 1/2 Dice | Remote | 115v/60Hz/1 | 146 lbs / 66 kg | \$10,045★ | IY0686C-161 |
| IYF0900C-161 | 1/2 Dice | Remote | 115v/60Hz/1 | 161 lbs / 73 kg | \$12,712★ | IY0976C-161 |
| IYF0900C-161X | 1/2 Dice | Remote | 115v/60Hz/1 | 166 lbs / 75 kg | \$13,535 | IY0976C-161X |
| IYT1200C-161 | 1/2 Dice | Remote | 115v/60Hz/1 | 174 lbs / 79 kg | \$13,830 | IY1176C-161 |
| IYF1400C-161 | 1/2 Dice | Remote | 115v/60Hz/1 | 179 lbs / 81 kg | \$15,292 | IY1474C-161 |
| IYF1400C-161X | 1/2 Dice | Remote | 115v/60Hz/1 | 184 lbs / 83 kg | \$16,115 | IY1474C-161X |
| IYF1800C-161 | 1/2 Dice | Remote | 115v/60Hz/1 | 210 lbs / 95 kg | \$19,357 | IY1874C-161 |
| IYF1800C-161X | 1/2 Dice | Remote | 115v/60Hz/1 | 215 lbs / 98 kg | \$20,180 | IY1874C-161X |
| IYF2100C-161 | 1/2 Dice | Remote | 115v/60Hz/1 | 210 lbs / 95 kg | \$22,880 | IY2176C-161 |
| IYF2100C-161X | 1/2 Dice | Remote | 115v/60Hz/1 | 210 lbs / 95 kg | \$23,703 | IY2176-161X |
| SYF3000C-161 | 1/2 Dice | Remote | 115v/60Hz/1 | 423 lbs / 192 kg | \$33,517 | SY3074C-161 |
| IBF0620C-161 | 1/2 Dice | Remote | 115v/60Hz/1 | 122 lbs / 55 kg | \$11,404 | IB0696YC-161 |
| IBF0820C-161 | 1/2 Dice | Remote | 115v/60Hz/1 | 130 lbs / 59 kg | \$13,604★ | IB0894YC-161 |
| IBT1020C-161 | 1/2 Dice | Remote | 115v/60Hz/1 | 148 lbs / 67 kg | \$14,798 | IB1094YC-161 |
| IYF0600C-251 | 1/2 Dice | Remote | 230v/50hz/1 | 146 lbs / 66 kg | \$10,105 | IY0686C-251 |
| IYF1800C-251 | 1/2 Dice | Remote | 230v/50hz/1 | 210 lbs / 95 kg | \$19,582 | IY1874C-251 |
| IBT1020C-251 | 1/2 Dice | Remote | 230v/50hz/1 | 148 lbs / 67 kg | \$15,023 | IBF0820C-251 |

If factory installed LuminIce II not offered, use aftermarket kit found on page 24.
Price list performance rating is 60hz data. Refer to individual 50hz spec sheets for 50hz performance rating.

QUIETQUBE ICE MACHINES


| MODEL | 70/50°F | 90/70°F | MODEL | 70/50°F | 90/70 F |
|-----------------|--------------------|--------------------|-----------------|----------------------|----------------------|
| IDT1200C | 1,130 lbs / 513 kg | 930 lbs / 422 kg | IYF1400C | 1,425 lbs / 646 kg | 1,230 lbs / 558 kg |
| IDF1400C | 1,350 lbs / 612 kg | 1,120 lbs / 508 kg | IYF1800C | 1,660 lbs / 753 kg | 1,440 lbs / 653 kg |
| IDF1800C | 1,660 lbs / 573 kg | 1,375 lbs / 624 kg | IYF2100C | 1,800 lbs / 816 kg | 1,600 lbs / 726 kg |
| IDF2100C | 1,800 lbs / 816 kg | 1,575 lbs / 714 kg | SYF3000C | 2,910 lbs / 1,320 kg | 2,400 lbs / 1,089 kg |
| IYF0600C | 600 lbs / 272 kg | 530 lbs / 240 kg | IBF0620C | 675 lbs / 306 kg | 564 lbs / 256 kg |
| IYF0900C | 816 lbs / 370 kg | 675 lbs / 306 kg | IBF0820C | 825 lbs / 374 kg | 728 lbs / 330 kg |
| IYT1200C | 1,155 lbs / 525 kg | 955 lbs / 433 kg | IBT1020C | 1,206 lbs / 547 kg | 1,030 lbs / 467 kg |

Ice deflectors required for single machines on LB-style bins.
Two machines side by side require unique deflectors and adapters. (See page 22 for reference.)



ICE MAKER

+



CONDENSING UNIT

+



TUBING

=


**QUIETQUBE®
OR
ICE/BEVERAGE
ICE MAKING
COMPONENTS¹**

NOTE: Manitowoc remote systems are only approved and warranted as a complete new package. Replacing an ice machine with an Indigo remote model requires a NEW condenser and line set. Only Manitowoc CVD condensing units are approved with QQ and IB Series machines.

¹Appropriate adapter is required with ice dispensers or storage bin. For Quiet Qube machines other than IB machines, an optional K00477 bin dispenser thermostat kit maybe required for high humidity locations to reduce equipment sweating. IB ice machines come equipped from the factory with a built in bin dispenser thermostat.


★**ENERGY STAR® QUALIFIED MODEL** | Air filter standard on self-contained air-cooled ice cube machines.
*Daily ice production based on Half-Dice air-cooled condenser model at air temperature/water temperature.

CONDENSING UNITS



CVDF0600, CDVF0900,
CVDT1200, CVDF1400,
CVDF1800, RCU1000,
RCUF1200, RCUF2200
W 34 in D 24.13 in H 25.75 in
W 86.4 D 61.3 H 65.4 cm

RJC1275
W 45.5 in D 16.5 in H 31 in
W 115.6 D 42 H 78.5 cm



CVDF2100/CVDF3000
W 53 in D 26 in H 25.75 in
W 134.6 D 66 H 65.4 cm

RJC2375
W 51.4 in D 18.5 in H 45.7 in
W 130.6 D 47 H 116 cm

CONDENSING UNITS

| MODEL | COOLING | USE WITH | ELECTRICAL | SHIPPING WEIGHT | SUGGESTED LIST PRICE | REPLACES MODEL |
|----------------|---------|--------------------|-----------------|------------------|----------------------|----------------|
| CVDF0600-261A | Air | iF0600C, ibF0620C | 208-230v/60hz/1 | 178 lbs / 81 kg | \$4,261 | CVDF0600-261 |
| CVDF0600-263A | Air | iF0600C, ibF0620C | 208-230v/60hz/3 | 178 lbs / 81 kg | \$4,561 | CVDF0600-263 |
| CVDF0900-261A | Air | iF0900C, ibF0820C | 208-230v/60hz/1 | 183 lbs / 83 kg | \$4,825 | CVDF0900-261 |
| CVDF0900-263A | Air | iF0900C, ibF0820C | 208-230v/60hz/3 | 183 lbs / 83 kg | \$5,125 | CVDF0900-263 |
| CVDT1200-261 | Air | iT1200C, ibT1020C | 208-230v/60hz/1 | 208 lbs / 94 kg | \$5,228 | CVDT1200-261 |
| CVDT1200-263 | Air | iT1200C, ibT1020C | 208-230v/60hz/3 | 208 lbs / 94 kg | \$5,528 | CVDT1200-261 |
| CVDT1200-263Q | Air | iT1200C, ibT1020C | 208-230v/60hz/3 | 208 lbs / 94 kg | \$5,828 | CVDT1200-263Q |
| CVDF1400-261A | Air | iF1400C | 208-230v/60hz/1 | 190 lbs / 86 kg | \$5,870 | CVDF1400-261 |
| CVDF1400-261AQ | Air | iF1400C | 208-230v/60hz/1 | 190 lbs / 86 kg | \$6,170 | CVDF1400-261Q |
| CVDF1400-263A | Air | iF1400C | 208-230v/60hz/3 | 190 lbs / 86 kg | \$6,170 | CVDF1400-263 |
| CVDF1800-261A | Air | iF1800C | 208-230v/60hz/1 | 195 lbs / 88 kg | \$6,731 | CVDF1800-261 |
| CVDF1800-263A | Air | iF1800C | 208-230v/60hz/3 | 195 lbs / 88 kg | \$7,081 | CVDF1800-263 |
| CVDF2100-261 | Air | IF2100C | 208-230v/60hz/1 | 266 lbs / 121 kg | \$7,480 | ICVD2096-261 |
| CVDF2100-263 | Air | IF2100C | 208-230v/60hz/3 | 266 lbs / 121 kg | \$7,830 | ICVD2096-263 |
| CVDF3000-263 | Air | sF3000C | 208-230v/60hz/3 | 268 lbs / 122 kg | \$11,297 | CVDF30853-263 |
| RCUF1200-261 | Air | RFF1220C | 208-230v/60hz/1 | 201 lbs / 91 kg | \$4,774 | RCUF1200-261 |
| RCUF1000-261A | Air | RNF1020C | 208-230v/60hz/1 | 201 lbs / 91 kg | \$4,682 | RCUF1000-261 |
| RCUF2200-263 | Air | RFF2200C, RNF2000C | 208-230v/60hz/3 | 249 lbs / 113 kg | \$5,921 | RCU23753-263 |
| CVDF0600-251A | Air | iF0600C | 230v/50hz/1 | 178 lbs / 81 kg | \$4,321 | CVDF0600-251 |
| CVDT1200-251 | Air | iBT1200C | 230v/50hz/1 | 208 lbs / 94 kg | \$5,453 | N/A |
| CVDF1800-251A | Air | iF1800C | 230v/50hz/1 | 195 lbs / 88 kg | \$6,956 | ICVD1895-251 |
| RJC1275-453 | Air | RFS1278C | 380-415/50hz/3 | 315 lbs / 143 kg | \$8,973 | N/A |
| RJC2375-453 | Air | RFS2378C | 380-415/50hz/3 | 315 lbs / 143 kg | \$12,623 | N/A |

NOTE: Models with "Q" suffix are available with coated coils that provide extra corrosion protection in salt spray environments

QUIETQUBE® & IB REMOTE TUBING KITS & ACCESSORIES

| KIT | INDIGO NXT, FLAKE NUGGET REMOTE TUBING KITS | SHIPPING WEIGHT | SUGGESTED LIST PRICE |
|---|---|-----------------|----------------------|
| RC21 | 20 ft / 6.1 m tubing length for CVDF0600, CVDF0900, CVDT1200, RCUF and RJC condensing units. Not Precharged | 12 lbs / 5 kg | \$420 |
| RC31 | 30 ft / 9.1 m tubing length for CVDF0600, CDVF0900, CVDT1200, RCUF and RJC condensing units. Not Precharged | 17 lbs / 8 kg | \$604 |
| RC51 | 50 ft / 15.2 m tubing length for CVDF0600, CVDF0900, CVDT1200, RCUF and RJC condensing units. Not Precharged | 27 lbs / 12 kg | \$1,020 |
| RC20 | 20 ft / 6.1 m tubing length for CVDF-1400 and 1800. Not Precharged | 14 lbs / 6 kg | \$464 |
| RC30 | 30 ft / 9.1 m tubing length for CVDF-1400 and 1800. Not Precharged | 20 lbs / 9 kg | \$693 |
| RC50 | 50 ft / 15.2 m tubing length for CVD-1400 and 1800. Not Precharged | 31 lbs / 14 kg | \$1,096 |
| RC23 | 20 ft / 6.1 m tubing length for CVDF2100. Not Precharged | 17 lbs / 8 kg | \$700 |
| RC33 | 30 ft / 9.1 m tubing length for CVD2100. Not Precharged | 25 lbs / 11 kg | \$973 |
| RC53 | 50 ft / 15.2 m tubing length for the CVDF2100. Not Precharged | 39 lbs / 18 kg | \$1599 |
| K00166 | "S" Trap kit for CVDF1400, 1800, 2100 and CVDF3000 condensing units with line set rise over 20 ft / 6.1 m | | \$112 |
| K00172 | S-Trap kit for Indigo Series CVDF0600 and 0900 and CVDT1200 condensing units with lines set rise over 20 ft / 6.1 m | | \$108 |
| SF3000C TUBING KITS | | | |
| RC24 | 20 ft / 6.1 m Tubing length for CVDF3000 | 37 lbs / 17 kg | \$878 |
| RC34 | 30 ft / 9.1 m Tubing length for CVDF3000 | 47 lbs / 21 kg | \$1,279 |
| RC54 | 50 ft / 15.2 m Tubing length for CVDF3000 | 73 lbs / 33 kg | \$2,068 |
| *IB ADAPTER FOR CORNELIUS DISPENSER: ORDERED AND SHIPPED FROM MANITOWOC ICE | | | |
| K00340 | For 22 in / 55.9 cm wide Enduro 150 for McDonald's ABS unit | 27 lbs / 12 kg | \$1,459 |
| K00341 | 24.5 in / 62.2 cm Enduro 175 kit no longer available (use Cornelius 629007571) | | |
| K00342 | 30 in / 76.2 cm Enduro 200 / 250 | 31 lbs / 14 kg | \$1,812 |
| K00343 | 44 in / 111.8 cm Enduro 300 | 47 lbs / 21 kg | \$2,163 |


CONDENSING UNITS

QUIETQUBE® & IB REMOTE TUBING KITS & ACCESSORIES (CONTINUED)

IB ACCESSORY

K00436 IBT1020C Back Enclosure Kit (for IB1094YC and IBT1020C only) Hides electrical and water lines for pleasing appearance. 12 lbs / 5 kg **\$359**

SPECIALTY MODELS




Not Stackable


PRISON

| MODEL | ICE TYPE | COOLING | ELECTRICAL | SHIPPING WEIGHT | SUGGESTED LIST PRICE | REPLACES MODEL |
|-----------------------|----------|---------|-----------------|------------------|----------------------|----------------------|
| IDT0450A-161P | Dice | Air | 115v/60Hz/1 | 160 lbs / 73 kg | \$8,818 | ID0452A-161P |
| IDT0450W-161P | Dice | Water | 115v/60Hz/1 | 141 lbs / 64 kg | \$9,214 | ID0453W-161P |
| IDT0620A-161P | Dice | Air | 115v/60Hz/1 | 143 lbs / 65 kg | \$9,620 | ID0522A-161P |
| IDT0620W-161P | Dice | Water | 115v/60Hz/1 | 140 lbs / 63 kg | \$10,056 | ID0523W-161P |
| IDT0750A-261P | Dice | Air | 208-230v/60hz/1 | 194 lbs / 88 kg | \$11,360 | IDF0600A-261P |
| IDT1200A-261P | Dice | Air | 208-230v/60hz/1 | 232 lbs / 105 kg | \$15,969 | ID1106A-261P |
| IDT1200W-261P | Dice | Water | 208-230v/60hz/1 | 228 lbs / 103 kg | \$16,722 | ID1106W-261P |
| IDT1500A-261P | Dice | Air | 208-230v/60hz/1 | 292 lbs / 132 kg | \$18,364 | IDT1500A-261P |
| IDT1500N-261EP | Dice | Remote | 208-230v/60hz/1 | 293 lbs / 133 kg | \$18,146 | IDT1500N-261P |
| IDT1900A-261EP | Dice | Air | 208-230v/60hz/1 | 317 lbs / 144 kg | \$21,626 | IDT1900A-261P |
| IDT1900N-261EP | Dice | Remote | 208-230v/60hz/1 | 324 lbs / 147 kg | \$21,438 | IDT1900N-261P |
| IDT1900N-263EP | Dice | Remote | 208-230v/60hz/3 | 324 lbs / 147 kg | \$21,788 | IDT1900N-263P |

NOTE: For dimensions and performance see base model
Prison models require more lead time than normal, please contact the factory.
Luminice II is available as an after-market kit. Please see page 24.



Not Stackable



Not Stackable

MARINE

| MODEL | ICE TYPE | COOLING | ELECTRICAL | SHIPPING WEIGHT | SUGGESTED LIST PRICE | REPLACES MODEL |
|-----------------------|----------|---------|-----------------|------------------|----------------------|-----------------------|
| IDT0750W-261M | Dice | Water | 208-230v/60hz/1 | 194 lbs / 88 kg | \$13,793 | IDF0600W-261M |
| IDT0900W-261M | Dice | Water | 208-230v/60hz/1 | 212 lbs / 96 kg | \$17,809 | IDF0900W-261M |
| IDT1900W-261EM | Dice | Water | 208-230v/60hz/1 | 334 lbs / 151 kg | \$24,442 | IDT1900W-261AM |
| IYT0900W-261M | 1/2 Dice | Water | 208-230v/60hz/1 | 218 lbs / 99 kg | \$17,809 | IYF0900W-261M |
| IYT1900W-261EM | 1/2 Dice | Water | 208-230v/60hz/1 | 337 lbs / 153 kg | \$24,442 | IYT1900W-261AM |
| IYT1900W-263EM | 1/2 Dice | Water | 208-230v/60hz/3 | 337 lbs / 153 kg | \$24,792 | IYT1900W-263M |

NOTE: For dimensions and performance see base model
Marine models require more lead time than normal, please check with the factory.

| | | | | | | |
|-----------------------|----------|-------|-----------------|-----------------|-----------------|----------------------|
| IDT0900W-261V | Dice | Water | 208-230v/60hz/1 | 212 lbs / 96 kg | \$18,610 | IDF0900W-261V |
| IYT0900W-261V | 1/2 Dice | Water | 208-230v/60hz/1 | 218 lbs / 99 kg | \$18,610 | IYF0900W-261V |
| IDT1900W-261EV | Dice | Water | 208-230v/60hz/1 | 334 lbs / 151kg | \$25,175 | IDT1900W-261V |
| IYT1900W-261EV | 1/2 Dice | Water | 208-230v/60hz/1 | 337 lbs / 153kg | \$25,175 | IYT1900W-261V |

NOTE: For dimensions and performance see base model
Marine models require more lead time than normal, please check with the factory.

★ENERGY STAR® QUALIFIED MODEL | Air filter standard on self-contained air-cooled ice cube machines.
* Daily ice production based on Half-Dice air-cooled condenser model at air temperature/water temperature.

UNDERCOUNTER FLAKE



W 19.7 in D 26 in H 37.5 in
W 50.0 D 66.0 H 95.3 cm

*272 lbs / 123 kg daily at 70/50°F
*201 lbs / 91 kg daily at 90/70°F

UFP0200

| MODEL | ICE TYPE | COOLING | ELECTRICAL | SHIPPING WEIGHT | SUGGESTED LIST PRICE | REPLACES MODEL |
|---------------|----------|---------|-------------|-----------------|----------------------|----------------|
| UFP0200A-161 | Flake | Air | 115v/60hz/1 | 168 lbs / 76 kg | \$10,122★ | UFF0200A-161 |
| UFK0200AZ-251 | Flake | Air | 230v/50hz/1 | 168 lbs / 76 kg | \$10,182 | RF0266AZ-251 |

APPLICATION STORAGE CAPACITY: 50 lbs / 23 kg. Cubic volume 1.7. Storage capacity is AHRI certified.
Application storage capacity measured 90% of total volume in cu. ft x 22 lbs / ft³
Includes 6 ft / 1.8 m power cord with NEMA 5-15P plug.
Use cleaner (000000084) only with this model.
Not compatible with iAuCS® or LuminIce II.
Price list performance rating is 60hz data.
50 Hz Electric Connection: Add Z for Bare Lead cord.



W 29 in D 27 in H 39.5 in
W 73.8 D 69.0 H 100.4 cm


400 lbs / 181 kg at 70/50 F
321 lbs / 145 kg at 90/70 F

UFP0350

| MODEL | ICE TYPE | COOLING | ELECTRICAL | SHIPPING WEIGHT | SUGGESTED LIST PRICE | REPLACES MODEL |
|---------------|----------|---------|-------------|------------------|----------------------|----------------|
| UFP0350A-161 | Flake | Air | 115v/60hz/1 | 224 lbs / 102 kg | \$10,529★ | UFF0350A-161 |
| UFK0350AZ-251 | Flake | Air | 230v/50hz/1 | 224 lbs / 102 kg | \$10,589 | RF0385AZ-251 |

APPLICATION STORAGE CAPACITY: 60 lbs/27 kg. Measured cubic volume 2.04 Storage Capacity is AHRI certified
Application storage capacity measured 90% of total volume in cu. ft x 22 lbs / ft³
Includes 6 ft / 1.8 m power cord with NEMA 5-15P plug.
Use cleaner (000000084) only with this model.
Not compatible with iAuCS or LuminIce II.
Price list performance rating is 60hz data.
50 Hz Electric Connection: Add Z for Bare Lead cord.

MODULAR FLAKE MACHINES



W 22 in D 23.6 in H 26 in
W 55.9 D 59.9 H 66.0 cm

*365 lbs / 165 kg daily at 70/50°F
*287 lbs / 130 kg daily at 90/70°F


RFP0320

| MODEL | ICE TYPE | COOLING | ELECTRICAL | SHIPPING WEIGHT | SUGGESTED LIST PRICE | REPLACES MODEL |
|---------------|----------|---------|-------------|-----------------|----------------------|----------------|
| RFP0320A-161 | Flake | Air | 115v/60hz/1 | 174 lbs / 79 kg | \$9,167★ | RFF0320A-161 |
| RFK0320AZ-251 | Flake | Air | 230v/50hz/1 | 174 lbs / 79 kg | \$9,227 | RFS0300AZ-251 |



Not Stackable

RECOMMENDED BINS: D320 or D420 (See page 19-20).
See pages 22-23 for required adapters.
Use cleaner (000000084) only with this model.
Price list performance rating is 60hz data.
Not compatible with SPA/SFA dispensers, iAuCS, or LuminIce II.
50 Hz Electric Connection: Add Z for Bare Lead cord.



W 22 in D 23.6 in H 26 in
W 55.9 D 59.9 H 66.0 cm

*682 lbs / 309 kg daily at 70/50°F
*527 lbs / 239 kg daily at 90/70°F

RFP0620

| MODEL | ICE TYPE | COOLING | ELECTRICAL | SHIPPING WEIGHT | SUGGESTED LIST PRICE | REPLACES MODEL |
|---------------|----------|---------|-------------|------------------|----------------------|----------------|
| RFP0620A-161 | Flake | Air | 115v/60hz/1 | 230 lbs / 104 kg | \$11,375 | RFF0620A-161 |
| RFP0620W-161 | Flake | Water | 115v/60hz/1 | 230 lbs / 104 kg | \$11,943 | RFF0620W-161 |
| RFK0620AZ-251 | Flake | Air | 230v/50hz/1 | 230 lbs / 104 kg | \$11,435 | RFS0650AZ-251 |
| RFK0620WZ-251 | Flake | Water | 230v/50hz/1 | 230 lbs / 104 kg | \$12,003 | RFS0650WZ-251 |




Not Stackable

RECOMMENDED BINS: D320 or D420 (See page 19-20).
See pages 22-23 for required adapters.
Use cleaner (000000084) only with this model.
Price list performance rating is 60hz data.
Not compatible with SPA/SFA dispensers, iAuCS, or LuminIce II.
50 Hz Electric Connection: Add Z for Bare Lead cord.

★ENERGY STAR® QUALIFIED MODEL | Air filter standard on self-contained air-cooled ice cube machines.
* Daily ice production based on Half-Dice air-cooled condenser model at air temperature/water temperature.

MODULAR FLAKE



W 30 in D 23.6 in H 27.4 in
W 76.2 D 59.9 H 70.0 cm

*1264 lbs / 573 kg daily at 70/50°F
*951 lbs / 431 kg daily at 90/70°F


RFF1300

| MODEL | ICE TYPE | COOLING | ELECTRICAL | SHIPPING WEIGHT | SUGGESTED LIST PRICE | REPLACES MODEL |
|---------------|----------|---------|-----------------|------------------|----------------------|----------------|
| RFF1300A-261 | Flake | Air | 208-230v/60hz/1 | 263 lbs / 119 kg | \$16,795 | RFS1200A-261 |
| RFF1300W-261 | Flake | Water | 208-230v/60hz/1 | 263 lbs / 119 kg | \$17,635 | RFS1200W-261 |
| RFK1300AZ-251 | Flake | Air | 230v/50hz/1 | 263 lbs / 119 kg | \$17,020 | RFS1200AZ-251 |
| RFK1300WZ-251 | Flake | Water | 230v/50hz/1 | 263 lbs / 119 kg | \$17,860 | RFS1200WZ-251 |



Not Stackable

RECOMMENDED BINS: D570, D970 (See page 19-20)
See pages 22-23 for required adapters.
Use cleaner (000000084) only with this model.
Price list performance rating is 60hz data.
Not compatible with SPA/SFA dispensers, iAuCS, or LuminIce® II
50 Hz Electric Connection: Add Z for Bare Lead cord.



W 22 in D 23.6 in H 26 in
W 55.9 D 59.9 H 66.0 cm

*1092 lbs / 495 kg daily at 70/50°F
*958 lbs / 435 kg daily at 90/70°F


RFF1220/RFS1278

| MODEL | ICE TYPE | COOLING | ELECTRICAL | SHIPPING WEIGHT | SUGGESTED LIST PRICE | REPLACES MODEL |
|--------------|----------|---------|-----------------|-----------------|----------------------|----------------|
| RFF1220C-261 | Flake | Remote | 208-230v/60hz/1 | 186 lbs / 84 kg | \$14,522 | RFS1278C-261 |
| RFS1278C-251 | Flake | Remote | 230v/50hz/1 | 186 lbs / 84 kg | \$14,747 | N/A |



Not Stackable

**Requires RCUF1200 (60hz) or RJC 1275 (50hz) remote condensing unit and RC51 tubing kit. (see page 12)
RECOMMENDED BINS: D420, D970. (See page 19-20)
See pages 22-23 for required adapters.
Use cleaner (000000084) only with this model.
Price list performance rating is 60hz data.
Not compatible with SPA/SFA dispensers, iAuCS, or LuminIce II.



W 30 in D 23.6 in H 27.4 in
W 76.2 D 59.9 H 70.0 cm

* 2063 lbs / 936 kg daily at 70/50°F
1702 lbs / 772 kg daily at 90/70°F

RFF2200C/RFS2378C

| MODEL | ICE TYPE | COOLING | ELECTRICAL | SHIPPING WEIGHT | SUGGESTED LIST PRICE | REPLACES MODEL |
|--------------|----------|---------|-----------------|------------------|----------------------|----------------|
| RFF2200C-261 | Flake | Remote | 208-230v/60hz/1 | 279 lbs / 127 kg | \$24,564 | RFS2378C-261 |
| RFS2378C-251 | Flake | Remote | 230v/50hz/1 | 279 lbs / 127 kg | \$24,789 | N/A |



Not Stackable

**Requires RCUF2200 (60hz) or RJC2375 (50hz) remote condensing unit and RC51 tubing kit. (see page 12)
RECOMMENDED BINS: D970, LB1448, LB1460, LB1760, and LBCS1360
(See page 19-20)
See pages 22-23 for required adapters.
Use cleaner (000000084) only with this model.
Price list performance rating is 60hz data.
Not compatible with SPA/SFA dispensers, iAuCS, or LuminIce II.

★**ENERGY STAR® QUALIFIED MODEL** | Air filter standard on self-contained air-cooled ice cube machines.
* Daily ice production based on Half-Dice air-cooled condenser model at air temperature/water temperature.

COUNTERTOP NUGGET



CNF0201:

W 16.25 in D 24 in H 35 in
W 41.3 D 61 H 106.7 cm

*315 lbs / 143 kg daily at 70/50°F
*222 lbs / 101 kg daily at 90/70°F



CNF0202:

W 16.25 in D 24 in H 42 in
W 41.3 D 61 H 106.7 cm

*315 lbs / 143 kg daily at 70/50°F
*222 lbs / 101 kg daily at 90/70°F



K00453: CNF Stand

W 16.25 in D 24 in H 42 in
W 41.3 D 61 H 106.7 cm

*315 lbs / 143 kg daily at 70/50°F
*222 lbs / 101 kg daily at 90/70°F

CNF0201 / 202

| MODEL | ICE TYPE | COOLING | ELECTRICAL | SHIPPING WEIGHT | SUGGESTED LIST PRICE | REPLACES MODEL |
|---------------|----------|---------|-------------|------------------|----------------------|----------------|
| CNF0201A-161L | Nugget | Air | 115v/60hz/1 | 184 lbs / 127 kg | \$11,375 | RNS12A-161 |
| CNF0201A-161 | Nugget | Air | 115v/60hz/1 | 184 lbs / 127 kg | \$11,675 | RNS12AT-161 |
| CNF0201A-161N | Nugget | Air | 115v/60hz/1 | 184 lbs / 127 kg | \$11,675 | N/A |
| CNF0202A-161L | Nugget | Air | 115v/60hz/1 | 198 lbs / 90 kg | \$13,750 | RNS20A-161 |
| CNF0202A-161 | Nugget | Air | 115v/60hz/1 | 198 lbs / 90 kg | \$14,050 | RNS20AT-161 |
| CNF0202A-161N | Nugget | Air | 115v/60hz/1 | 198 lbs / 90 kg | \$14,050 | N/A |
| CNF0201A-251L | Nugget | Air | 230v/50hz/1 | 184 lbs / 127 kg | \$11,435 | RNS12A-251 |
| CNF0201A-251 | Nugget | Air | 230v/50hz/1 | 184 lbs / 127 kg | \$11,735 | RNS12AT-251 |
| CNF0202A-251L | Nugget | Air | 230v/50hz/1 | 198 lbs / 90 kg | \$13,810 | RNS20A-251 |
| CNF0202A-251 | Nugget | Air | 230v/50hz/1 | 198 lbs / 90 kg | \$14,110 | RNS20AT-251 |

NOTE DISPENSING TYPE: "-161L" is lever activated and "-161" is sensor activated.

3 dispensing options: ice, water, and ice/water together.

Bin capacity is 10 lbs / 4.5 kg for CNF0201 and 20 lbs / 9 kg for CNF0202.

Legs sold separately, see kit K00345001 below.

USE CLEANER (000000084) ONLY WITH THIS MODEL.

Not compatible with iAuCS. Price list performance rating is 60hz data.

161N is a solid front panel option, push buttons are covered to make machine completely touchless.

| KIT | DESCRIPTION | ELECTRICAL | SHIPPING WEIGHT | SUGGESTED LIST PRICE |
|-----------|---|------------|-------------------|----------------------|
| K00345001 | Leg Kit (Adjustable: 4.5 in – 6.5 in / 11.43 – 16.5 cm) | — | 3 lbs / 1.3 kg | \$179 |
| K00377 | Kit to convert from lever activated to touchless sensing dispensing option | 115/60/1 | 3 lbs / 1.3 kg | \$601 |
| K00524 | Kit to convert from touchless sensing to lever activated dispensing option | — | 3 lbs / 1.3 kg | \$601 |
| K00514 | Solid Front panel replacement for CNF0201 or RNS12, covers buttons to make machine completely touchless | — | 10 lbs / 5 kg | \$336 |
| K00515 | Solid Front panel replacement for the CNF0202 or RNS20, covers buttons to make machine completely touchless | — | 10 lbs / 5 kg | \$358 |
| K00453 | CNF Stand | — | 100 lbs / 45.4 kg | \$1,392 |

K00453 has been rated to accommodate weight of 850 lbs. Can be used with the S-150 (without the legs) with either the iT0420 or iT620 Indigo NXT ice machine.

UNDERCOUNTER NUGGET



W 19.69 in D 25.98 in H 33.17 in
W 50 D 66 H 84.3 cm

*220 lbs / 100 kg daily at 70/50°F
*164 lbs / 74 kg daily at 90/70°F

UNP0200

| MODEL | ICE TYPE | COOLING | ELECTRICAL | SHIPPING WEIGHT | SUGGESTED LIST PRICE | REPLACES MODEL |
|---------------|----------|---------|-------------|-----------------|----------------------|----------------|
| UNP0200A-161 | Nugget | Air | 115v/60hz/1 | 157 lbs / 72 kg | \$9,662★ | UNF0200A-161 |
| UNK0200AZ-251 | Nugget | Air | 230v/50hz/1 | 157 lbs / 72 kg | \$9,722 | RNS0244AZ-251 |

APPLICATION ICE STORAGE CAPACITY: 30 lbs / 14kg. Measured cubic volume 1.03. Storage capacity is AHRI certified.

Application storage capacity measured 90% of total volume in cu. ft x 22 lbs / ft³

Includes 6 ft / 1.8 m power cord with NEMA 5-15P plug.

Use cleaner (000000084) only with this model.

Not compatible with iAuCS, LuminIce II, or casters.

Price list performance rating is 60hz data.50 Hz Electric Connection:

Add Z for Bare Lead cord.



W 29.06 in D 27.17 in H 39.52 in
W 73.8 D 69 H 100.4 cm

*325 lbs / 148 kg daily at 70/50°F
*286 lbs / 130 kg daily at 90/70°F

UNP0300

| MODEL | ICE TYPE | COOLING | ELECTRICAL | SHIPPING WEIGHT | SUGGESTED LIST PRICE | REPLACES MODEL |
|---------------|----------|---------|-------------|------------------|----------------------|----------------|
| UNP0300A-161 | Nugget | Air | 115v/60hz/1 | 224 lbs / 102 kg | \$11,103★ | UNF0300A-161 |
| UNK0300AZ-251 | Nugget | Air | 230v/50hz/1 | 224 lbs / 102 kg | \$11,163 | RNS0385AZ-251 |

APPLICATION STORAGE CAPACITY: 60 lbs / 27kg. Measured cubic volume 2.04. Storage capacity is AHRI certified.

Application storage capacity measured 90% of total volume in cu. ft x 22 lbs / ft³

Includes 6 ft / 1.8 m power cord with NEMA 5-15P plug.

Use cleaner (000000084) only with this model.

Not compatible with iAuCS, LuminIce II, or casters.


Price list performance rating is 60hz data.

50 Hz Electric Connection: Add Z for Bare Lead cord.

★ENERGY STAR® QUALIFIED MODEL

* Daily ice production based on air-cooled condenser model at designated air temperature/water temperature.

MODULAR NUGGET



W 22 in D 23.6 in H 26 in
W 55.9 D 60 H 66 cm

*300 lbs / 136 kg daily at 70/50°F
*259 lbs / 117 kg daily at 90/70°F


RNP0320

| MODEL | ICE TYPE | COOLING | ELECTRICAL | SHIPPING WEIGHT | SUGGESTED LIST PRICE | REPLACES MODEL |
|---------------|----------|---------|-------------|-----------------|----------------------|----------------|
| RNP0320A-161 | Nugget | Air | 115v/60hz/1 | 174 lbs / 79 kg | \$9,386★ | RNF0320A-161 |
| RNK0320AZ-251 | Nugget | Air | 230v/50hz/1 | 174 lbs / 79 kg | \$9,446 | RNS0308AZ-251 |



Not Stackable

RECOMMENDED BINS: D320 or D420 (see page 19-20) See page 22-23 for required adapters.
Use cleaner (000000084) only with this model.
All dispenser manufacturers require a nugget ice adapter kit and ice level management kit.
Contact beverage dispenser manufacturer or use kit K00488 ice level management kit.
Not for use with SPA/SFA dispensers, iAuCS, or LuminIce II.
50 Hz Electric Connection: Add Z for Bare Lead cord.



W 22 in D 23.6 in H 26 in
W 55.8 D 60 H 66 cm

*575 lbs / 261 kg daily at 70/50°F
*463 lbs / 210 kg daily at 90/70°F


RNP0620

| MODEL | ICE TYPE | COOLING | ELECTRICAL | SHIPPING WEIGHT | SUGGESTED LIST PRICE | REPLACES MODEL |
|---------------|----------|---------|-------------|-----------------|----------------------|----------------|
| RNP0620A-161 | Nugget | Air | 115v/60hz/1 | 210 lbs / 95 kg | \$11,572 | RNF0620A-161 |
| RNP0620W-161 | Nugget | Water | 115v/60hz/1 | 210 lbs / 95 kg | \$12,151 | RNF0620W-161 |
| RNK0620AZ-251 | Nugget | Air | 230v/50hz/1 | 210 lbs / 95 kg | \$11,632 | RNS0608A-251 |
| RNK0620WZ-251 | Nugget | Water | 230v/50hz/1 | 210 lbs / 95 kg | \$12,211 | RNS0609W-251 |



Not Stackable

RECOMMENDED BINS: D420 or D570 (see page 19-20) D-570 will require an adapter, see pages 22-23
Use cleaner (000000084) only with this model.
All dispenser manufacturers require a nugget ice adapter kit and ice level management kit.
Contact beverage dispenser manufacturer or use kit K00488 ice level management kit.
Not compatible with SPA/SFA dispensers, iAuCS, or LuminIce II.
50 Hz Electric Connection: Add Z for Bare Lead cord.



RNF1100

W 30 in D 23.62 in H 27.36 in
W 76.2 D 60 H 69.5 cm

*1078 lb / 489 kg daily at 70/50°F
*825 lb / 374 kg daily at 90/70°F


RNF1020C

W 22 in D 23.62 in H 27.36 in
W 55.8 D 60 H 69.5 cm

*1116 lb / 506 kg daily at 70/50°F
*900 lb / 408 kg daily at 90/70°F


RNF1100 / RNF1020

| MODEL | ICE TYPE | COOLING | ELECTRICAL | SHIPPING WEIGHT | SUGGESTED LIST PRICE | REPLACES MODEL |
|---------------|----------|---------|-----------------|------------------|----------------------|----------------|
| RNF1100A-261 | Nugget | Air | 208-230v/60hz/1 | 275 lbs / 125 kg | \$17,413 | RNS1008A-261 |
| RNF1100W-261 | Nugget | Water | 208-230v/60hz/1 | 275 lbs / 125 kg | \$18,283 | RNS1009W-261 |
| RNF1020C-161 | Nugget | Remote | 115v/60Hz/1 | 195 lbs / 88 kg | \$16,446 | RNS1078C-161 |
| RNK1100AZ-251 | Nugget | Remote | 230v/50hz/1 | 275 lbs / 125 kg | \$17,638 | RNS1008AZ-251 |



Not Stackable

RECOMMENDED BINS: D970, LB0730, LB1448, LB1460, LB1760, LB0730 (see page 19-20)
See page 22-23 for required adapters.
**Requires RCUF1000 remote condensing unit and RC51 tubing kit.
Use cleaner (000000084) only with this model.
All dispenser manufacturers require a nugget ice adapter kit and ice level management kit.
Contact beverage dispenser manufacturer or use kit K00488 ice level management kit.
Not compatible with SPA/SFA dispensers, iAuCS, or LuminIce II.
50 Hz Electric Connection: Add Z for Bare Lead cord.




RNF2000C

W 30 in D 23.6 in H 27.4 in

*1915 lbs / 868 kgs at 70/50°F
*1475 lbs / 669 kgs at 90/70°F

RNF2000C

| MODEL | ICE TYPE | COOLING | ELECTRICAL | SHIPPING WEIGHT | SUGGESTED LIST PRICE | REPLACES MODEL |
|--------------|----------|---------|-----------------|------------------|----------------------|----------------|
| RNF2000C-261 | Nugget | Remote | 208-230v/60hz/1 | 279 lbs / 127 kg | \$23,564 | N/A |



Not Stackable

RECOMMENDED BINS: D970, LB0730, LB1448, LB1460, LB1760, LB0730 (see page 19-20).
**Requires RCUF2200 remote condensing unit and RC51 tubing kit.
Use cleaner 000000084 only with this model.
All dispenser manufacturer require a nugget ice adapter kit and ice level management kit.
Contact beverage dispenser manufacturers or use kit K00488 ice level management kit.
Not compatible with SPA/SFA dispensers, iAuCS, or LuminIce II.

★ENERGY STAR® QUALIFIED MODEL

* Daily ice production based on air-cooled condenser model at designated air temperature/water temperature.

HOTEL DISPENSERS



ADA Compliant

W 22" D 31.19" H* 54"
W 55.9 D 78.7 H* 137.2 cm

SPA 162 / SFA 192 SERIES

| MODEL | ICE TYPE | ELECTRICAL | SHIPPING WEIGHT | SUGGESTED LIST PRICE | REPLACES MODEL |
|-------------------|----------------------------|-----------------|-----------------|----------------------|--------------------|
| SPA162-161 | 120 lbs / 54 kg of storage | 115V/60HZ/1 | 165 lbs / 75 kg | \$8,185 | SPA160-161 |
| SPA162-261 | 120 lbs / 54 kg of storage | 208-230V/60HZ/1 | 165 lbs / 75 kg | \$8,260 | SPA 160-261 |
| SFA192-161 | 120 lbs / 54 kg of storage | 115V/60HZ/1 | 168 lbs / 76 kg | \$9,453 | SFA 191-161 |
| SPA162-251 | 120 lbs / 54 kg of storage | 230V/50HZ/1 | 165 lbs / 75 kg | \$8,245 | SPA160-251 |
| SFA192-251 | 120 lbs / 54 kg of storage | 230V/50HZ/1 | 165 lbs / 75 kg | \$9,513 | SFA191 -251 |

SPA162 and SFA192 has Touchless lever ice chute dispense mechanism with push rod. Height adjustable (6 to 7.5 in / 15.2 to 19cm) stainless steel legs included. Accepts single 22 in / 55.9cm Dice or Half -Dice size ice machines no larger than IT0620 (order separately) Indigo NXT 22 in / 55.9 cm requires K0034800 baffle (included with dispenser). Dispenser requires separate electrical outlet from the ice machine. SFA models include water valve. Touch-less lever kit K00497 and K00523 kit with push rod are available to upgrade older units (see page 23)



ADA Compliant

W 30" D 32" H* 60.5"
W 76.2 D 81.3 H* 153.7 cm

SPA 312 / SFA 292 SERIES

| MODEL | ICE TYPE | ELECTRICAL | SHIPPING WEIGHT | SUGGESTED LIST PRICE | REPLACES MODEL |
|-------------------|----------------------------|-----------------|-----------------|----------------------|-------------------|
| SPA312-161 | 180 lbs / 82 kg of storage | 115V/60HZ/1 | 209 lbs / 95 kg | \$9,647 | SPA310-161 |
| SPA312-261 | 180 lbs / 82 kg of storage | 208-230V/60HZ/1 | 209 lbs / 95 kg | \$9,722 | SPA310-261 |
| SFA292-161 | 180 lbs / 82 kg of storage | 115V/60HZ/1 | 214 lbs / 97 kg | \$10,697 | SFA291-161 |
| SPA312-251 | 180 lbs / 82 kg of storage | 230V/50HZ/1 | 209 lbs / 95 kg | \$9,707 | SPA310-251 |
| SFA292-251 | 180 lbs / 82 kg of storage | 230V/50HZ/1 | 214 lbs / 97 kg | \$10,757 | SFA291-251 |

SPA312 and SFA292 has Touchless lever ice chute dispense mechanism. Height adjustable (6 to 7.5 in / 15.2 to 19 cm) stainless steel legs included. Accepts single 22 in / 55.9cm (K00472 adapter required) or 30 in / 76.2 cm Dice or Half - Dice size ice machines no larger than IT0750 (order separately) Indigo NXT 30 in / 76.2 cm requires K00346 baffle (included with dispenser). Dispenser requires separate electrical outlet from the ice machine. SFA models includes water valve. Touch-less lever kit K00497 and K00523 kit with push rod are available to upgrade older units (see page 23)

*Includes 6"/15.2 cm adjustable leg

ICE STORAGE BINS



D320
W 22" D 34" H 38"
W 55.9 D 86.4 H 96.5 cm




D400
W 30" D 34" H 38"
W 76.2 D 86.4 H 96.5 cm



D420
W 22" D 34" H 50"
W 55.9 D 86.4 H 127.0 cm



D570
W 30" D 34" H 50"
W 76.2 D 86.4 H 127.0 cm



D970
W 48" D 34" H 50"
W 121.9 D 86.4 H 127.0 cm

D-STYLE BINS

| MODEL | APPLICATION CAPACITY | 2018 AHRI CAPACITY (CU FT / CU M) | SHIPPING WEIGHT | SUGGESTED LIST PRICE | REPLACES MODEL |
|-------------|----------------------|-----------------------------------|-----------------|----------------------|----------------|
| D320 | 264 lbs / 119 kg | 8.9 / .25 | 75 lbs / 34 kg | \$2,813 | B320 |
| D400 | 365 lbs / 165 kg | 12.3 / .37 | 91 lbs / 41 kg | \$2,926 | B400 |
| D420 | 383 lbs / 172 kg | 12.9 / .35 | 108 lbs / 49 kg | \$3,073 | B420 |
| D570 | 532 lbs / 241 kg | 17.9 / .51 | 115 lbs / 52 kg | \$3,376 | B570 |
| D970 | 882 lbs / 400 kg | 29.7 / .84 | 150 lbs / 68 kg | \$4,682 | B970 |



One set of stainless steel legs included in bin price for D-Series bin. Height includes bin legs set at 6 in / 15.2 cm. Legs adjust from 6 to 7.5 in / 15.2 to 19.7 cm. For bin adapters and ice deflectors, please see page 23.
Application Capacity - measured 90% of the total volume in cu. ft x 33 lbs/ft³.
2018 AHRI Capacity is the total internal volume measured in cu. ft.

ICE STORAGE BINS



LB0730
W 30" x D 34" x 58"
W 76.2 x 86.4 D x 147.3 cm



LB1448
W 48" x D 34" x 67"
W 121.9 x 86.4 D x 170.2 cm



LB1460
W 60" x D 34" x 55"
W 152.4 x 86.4 D x 139.7 cm



LB1760
W 60" x D 34" x 67"
W 152.4 x 86.4 D x 170.2 cm



LBSC1360
W 60" x D 36" x 71"
W 152.4 x 91.4 D x 180.34 cm

| MODEL | APPLICATION CAPACITY | 2018 AHRI CAPACITY (CU. FT. / CU. M.) | SHIPPING WEIGHT | SUGGESTED LIST PRICE | REPLACES MODEL |
|-----------------|----------------------|---------------------------------------|-----------------|----------------------|----------------|
| LB0730 | 683 (309.8) | 23 (.65) | 275 (124.7) | \$8,280 | F-700 |
| LB1448 | 1337 (606.5) | 45 (1.27) | 355 (161.0) | \$10,080 | F1300 |
| LB1460 | 1366 (619.6) | 46 (1.30) | 355 (161.0) | \$10,378 | F1325 |
| LB1760 | 1693 (619.6) | 57 (1.61) | 395 (179.2) | \$11,305 | F1650 |
| LBSC1360 | 772 (350.2) | 26 (.74) | 600 (272.2) | \$29,231 | FC-1350 |
| K00512 | 386 (175.1) | 13 (.37) | 175 (79.4) | \$5,596 | |

| MODEL | ACCESSORY DESCRIPTION | SHIPPING WEIGHT LBS (KG) | SUGGESTED LIST PRICE |
|---------------|---|--------------------------|----------------------|
| K00499 | 48" / 121.9 cm NSF Paddle | 5 lbs / 2 kg | \$533 |
| K00500 | 37" / 94 cm NSF Shovel | 10 lbs / 5 kg | \$510 |
| K00501 | Replacement Set of 6 NSF Totes (16 lb each) | 34 lbs / 15 kg | \$1,231 |
| K00502 | Replacement 207 lbs. NSF Ice Cart | 75 lbs / 34 kg | \$3,968 |
| K00503 | 60" / 152.4 cm NSF Paddle | 6 lbs / 3 kg | \$533 |
| K00504 | Replacement Storage Hook | 2 lbs / 1 kg | \$83 |

NOTES:
K00502 – replacement cart does not include totes or spacer. Totes and spacer sold separately.
Capacity without spacer and totes ~ 207 lbs. K00501 set of 6 totes, each hold 16 lbs. or 96 lbs total / cart.
LB and LBSC style bins available in Q2 2021

Door and snout ships inside the bin for easy door entry. Add 10.5 inches to the depth of the unit once installed. Guillotine on LBSC1360 can be removed for easy door entry. Adds 4.5 inches to the depth of the unit once installed. K00512 sleeve will add 12 inches of height to the LBSC1360 when installed.

NOTES:
LB0730, LB1448, LB1460, and LB1760 height includes the bin legs set at 6 in / 15.2 cm. Legs adjust from 6 to 7.13 in or 15.2 to 18 cm LB0730, LB1448, LB1460, and LB1760 includes – One set of stainless steel legs, ergonomic NSF ice scoop and a storage hook.
LB0730- no additional adapter required for standard 22" and 30" ice machines. Filler panels for a 22" machine included with bin. Additional deflectors required. LB's require additional adapter LB1448, LB1460, & LB1760-no additional adapter required for standard - 22", or 30" or 48" ice machines. Filler panels for 22" and 30" machines included. Additional deflectors required. For LB's and two machines additional adapter and deflectors needed.

LB1448 – when used with the SF3000 or ST300, requires filler panel K00386.

LBSC1360 includes- stainless flange legs, ergonomic NSF ice scoop, 2- storage hooks, 48" NSF paddle, 2- 207 lbs. NSF carts, 6 NSF ice totes (16 lbs capacity) with spacer for each cart LBSC1360- no additional adapter required for one standard -22, 30 or 48" ice machine. Filler panels included for 22" and 30" machines. Additional deflectors required. For LB, S3000 or 2 machines, additional adapter and deflectors needed.

K00512: 12" Sleeve- fits on top of the LBSC1360 for 386 lbs. of additional capacity. Adds 12" in height to bin. Sold separately
See page 22 for adapters and deflectors. If using 2 machines on top, additional adapter and deflectors needed.
Adapters and deflectors designed for Manitowoc ice machines only.



Application Capacity – measured 90% of the total volume in cu. ft x 33 lbs/ft³. AHRI certifies total internal volume measured in cu. ft.

NOTE: Application or Max capacity for ice storage bins varies by manufacturer. For realistic measurement of how much ice a bin will hold without manual intervention, use the AHRA storage capacity. Compare internal cubic volume for an accurate comparison of size.

INTERNATIONAL ONLY




W45 D47.5 H65 cm
UGP00200A
 22 kg daily at 21/10°C
 16.6 kg daily at 32/21°C
UGP0030A
 31 kg daily at 21/10°C
 25.3 kg daily at 32/21°C

UG30 / UG20

| MODEL | ICE TYPE | COOLING | ELECTRICAL | SHIPPING WEIGHT | SUGGESTED LIST PRICE | REPLACES MODEL |
|----------------------|----------|---------|-----------------|-----------------|----------------------|-------------------|
| UGP0020A-251Z | Gourmet | Air | 230V/50/HZ/1 | 45 kg / 99 lbs | \$2,993 | UG020A-251 |
| UGP0030A-251Z | Gourmet | Air | 230V/50/HZ/1 | 45 kg / 99 lbs | \$3,090 | UG030A-251 |
| UGE0020A-261Z | Gourmet | Air | 208-230V/60HZ/1 | 45 kg / 99 lbs | \$2,993 | N/A |

Ice Storage Capacity 10 kg. 50 Hz Electric Connection Options: Add letter to end of model number – Z for Bare Lead, F for Schuko Plug, G for Blade Plug and I for Oblique Flat Blade Plug. 60 Hz models offered in Z for Bare Lead. 60Hz 115v add B for grounded power cord. Price list performance rating is 50hz data. Refer to individual 60hz spec sheets for 60hz performance rating. Use cleaner (000006036) only with this model. Not for use with iAuCS cleaning system. Optional Leg Kit K00345001 **Contact your local distributor for pricing.**




W55 D55 H80 cm
UGP0040A
 45 kg daily at 21/10°C
 36 kg daily at 32/21°C
UGP0050A
 55.3 kg daily at 21/10°C
 43 kg daily at 32/21°C

UG40 / UG50

| MODEL | ICE TYPE | COOLING | ELECTRICAL | SHIPPING WEIGHT | SUGGESTED LIST PRICE | REPLACES MODEL |
|----------------------|----------|---------|-----------------|-----------------|----------------------|-------------------|
| UGP0040A-251Z | Gourmet | Air | 230V/50/HZ/1 | 59 kg / 130 lbs | \$3,717 | UG040A-251 |
| UGP0050A-251Z | Gourmet | Air | 230V/50/HZ/1 | 60 kg / 132 lbs | \$3,857 | UG050A-251 |
| UGF0040A-261Z | Gourmet | Air | 208-230V/60HZ/1 | 59 kg / 130 lbs | \$3,717 | N/A |
| UGF0050A-161B | Gourmet | Air | 115V/60HZ/1 | 60 kg / 132 lbs | \$3,857 | N/A |
| UGF0050A-261Z | Gourmet | Air | 208-230V/60HZ/1 | 60 kg / 132 lbs | \$3,857 | N/A |

Ice Storage Capacity 25 kg. 50 Hz Electric Connection Options: Add letter to end of model number – Z for Bare Lead, F for Schuko Plug, G for Blade Plug and I for Oblique Flat Blade Plug. 60 Hz models offered in Z for Bare Lead. 60Hz 115v add B for grounded power cord. Price list performance rating is 50hz data. Refer to individual 60hz spec sheets for 60hz performance rating. Use cleaner (000006036) only with this model. Not for use with iAuCS cleaning system. Optional Leg Kit K00345001 **Contact your local distributor for pricing.**




W70 D60 H90cm
UGP0080A
 86.4 kg daily at 21/10°C
 67.5 kg daily at 32/21°C

UG80

| MODEL | ICE TYPE | COOLING | ELECTRICAL | SHIPPING WEIGHT | SUGGESTED LIST PRICE | REPLACES MODEL |
|----------------------|----------|---------|-----------------|-----------------|----------------------|-------------------|
| UGP0080A-251Z | Gourmet | Air | 230V/50/HZ/1 | 72 kg / 159 lbs | \$4,566 | UG080A-251 |
| UGF0080A-261Z | Gourmet | Air | 208-230V/60HZ/1 | 72 kg / 159 lbs | \$4,566 | N/A |

Ice Storage Capacity 44 kg. 50 Hz Electric Connection Options: Add letter to end of model number – Z for Bare Lead, F for Schuko Plug, G for Blade Plug and I for Oblique Flat Blade Plug. 60 Hz models offered in Z for Bare Lead. Price list performance rating is 50hz data. Refer to individual 60hz spec sheets for 60hz performance rating. Use cleaner (000006036) only with this model. Not for use with iAuCS cleaning system. Optional Leg Kit K00345001 **Contact your local distributor for pricing.**




iDP0320
 W 55.9 D 62.2 H 54.6 cm
 145 kg daily at 21/10°C
 108 kg daily at 32/21°C

iP0320A / iP0500A

| MODEL | ICE TYPE | COOLING | ELECTRICAL | SHIPPING WEIGHT | SUGGESTED LIST PRICE | REPLACES MODEL |
|----------------------|----------|---------|--------------|-----------------|----------------------|---------------------|
| IDP0320A-251* | Dice | Air | 230V/50/HZ/1 | 62 kg / 137 lbs | \$8,818 | N/A |
| IYP0320A-251 | 1/2 Dice | Air | 230V/50/HZ/1 | 64 kg / 138 lbs | \$8,818 | IYP0324A-251 |

R290 Propane Refrigerant



iDP0500
 W 76.2 D 62.2 H 54.6
 200 kg daily at 21/10°C
 163 kg daily at 32/21°C

| | | | | | | |
|----------------------|----------|-----|--------------|-----------------|----------------|---------------------|
| IDP0500A-251* | Dice | Air | 230V/50/HZ/1 | 65 kg / 144 lbs | \$9,843 | N/A |
| IYP0500A-251 | 1/2 Dice | Air | 230V/50/HZ/1 | 66 kg / 146 lbs | \$9,843 | IYP0504A-251 |

R290 Propane Refrigerant

*Daily ice production estimated based on 50 Hz, 1/2 dice air cooled condenser model at air temperature/ water temperature indicated. For actual, reference spec sheet.

BIN ADAPTERS & ICE DEFLECTOR KITS

| KIT | ADAPTION | SHIPPING WEIGHT | SUGGESTED LIST PRICE |
|------------------|--|-----------------|----------------------|
| K00195 | Bin Adapter: for 22"/55.9 cm IB series ice machines on a 22"/55.9 cm D320 or D420 or 22"/55.9 cm Hotel Dispenser | 10 lbs / 5 g | \$492 |
| K00196 | Bin Adapter: for 22"/55.9 cm IB series ice machines on a 30"/72.6 cm D400 or D570 or a 30"/72.6 cm Hotel Dispenser | 15 lbs / 7 g | \$533 |
| K00472 | Bin Adapter: for 22"/55.9 cm Indigo NXT, RFF, RNF ice machines on a 30"/70.6 cm D 400, 570 or 30"/72.6 cm Hotel Dispenser. Not for IB | 8 lbs / 4 kg | \$442 |
| K00473 | Bin Adapter: for 22"/55.9 cm Indigo NXT, RFF, RNF on a D970 bin. Not for IB | 35 lbs / 16 kg | \$741 |
| K00371 | Bin Adapter for two 22"/55.9 cm RFP,RNP (water or QQ) or Indigo NXT (with Top air discharge or water cooled) on a D970 bin. | 8 lbs / 4 kg | \$397 |
| K00470 | Bin Adapter: for 30"/76.2 cm Indigo NXT, RFF, RNF ice machines on a 48"/121.9 cm D970 Bin | 34 lbs / 15 kg | \$741 |
| K00471 | Front and center deflector for 30"/76.2 dual ice machines, IIF1400C, 1800C or 2100C on a 48" /121.9 cm D970 Bin. (Must also use the K00470) Remove the existing deflector in the D970 prior to installing | 13 lbs / 6 kg | \$442 |
| K00382 | Ice Deflector required for: 30" (72.6 cm) for IF1400C, 1800C or 2100C on non-Manitowoc LB & F-style Bin | 8 lbs / 4kg | \$273 |
| K00383 | Ice Deflector required for: two 30"/72.6 cm for IF1400C, 1800C or 2100C on a non-Manitowoc or LB & F-style Bin | 18 lbs / 8 kg | \$456 |
| K00347 | Ice Deflector required for: 30"/76.2 cm Indigo NXT with front facing evaporators on a non-Manitowoc or LB & F-style Bin | 5 lbs / 3 kg | \$271 |
| K0034900 | Ice Deflector required for: 48"/121.9 cm Indigo NXT on a non-Manitowoc or LB & F-style Bin | 10 lbs / 5 kg | \$319 |
| K00391 | Ice Deflector set required for S3000 ice machine on a non-Manitowoc or 48"/121.9 cm or 60" /152.4 cm LB & F-style Bin | 18 lbs / 8 kg | \$885 |
| K00420 | Filler Panel Kit allows 22"/55.9 cm RNF1020C to be places on a F-style bin with 48" and 60" opening (for use with adapter included with bin) | 5 lbs / 3 kg | \$277 |
| K00421 | Filler Panel Kit allows for two side by side 22" /55.9 cm RNF1020C to be place on a F -style bins with 60"/152.4 cm opening | 5 lbs / 3 kg | \$277 |
| K302200 | Bin Adapter for 22" /55.9 cm RFF or RNF on a F700 Bin | 40 lbs / 18 kg | \$1,317 |
| K303000 | Replacement Bin Adapter for 30"/76.2 cm Indigo NXT Series Cuber on a F700 Bin (Included with bin) | 45 lbs / 20 kg | \$1,415 |
| K483048 | Replacement Bin Adapter for 30"/76.2 cm and 48"/121.9 cm Indigo NXT Series Cuber on a F1300 Bin (Included with bin) | 45 lbs / 20 kg | \$1,414 |
| K603048 | Replacement Bin Adapter for 30"/76.2 cm and 48"/121.9 cm Indigo NXT Series Cuber on a F1325 or F1650 Bin (included with the bin) | 52 lbs / 24 kg | \$1,639 |
| K604800 | Bin Adapter for SF3000C & ST3000W on a F1325 or F1650 Bin | 52 lbs / 24 kg | \$1,849 |
| K603030 | Bin Adapter for two 30"/ 76.2 cm Indigo NXT Series Cubers Side by Side on a F1325 or F1650 Bin (remote or water cooled) | 52 lbs / 24 kg | \$1,639 |
| K00396 | Filler Panel for SF3000C or ST3000W on a LB1448 | 5 lbs / 3 kg | \$277 |
| K00513 | Required Ice Deflector required for: 30" (72.6cm) for IF1400C, 1800C or 2100C on non-Manitowoc LB1448, 1460, 1760 | 5 lbs / 3 kg | \$277 |
| K00506 | Replacement Filler Panels for 22 inch machine on a LB0730 (included with bin) | 5 lbs / 3 kg | \$323 |
| K00507 | Replacement Filler Panels for 30 inch machine on a LB1448/1460/1760 (included with bin) | 5 lbs / 3 kg | \$359 |
| K00508 | Replacement Filler Panels for 22 inch machine on a LB1448/1460/1760 (included with bin) | 5 lbs / 3 kg | \$323 |
| K00509 | Replacement Filler Panels for 30 inch machine on a LB1360 (included with bin) | 5 lbs / 3 kg | \$359 |
| K00510 | Replacement Filler Panels for 22 inch machine on a LB1360 (included with bin) | 5 lbs / 3 kg | \$323 |
| KLB302230 | Replacement Bin Adapter for 22" /55.9 cm and 30"/76.2 cm Indigo NXT, RFF or RNF on a LB730 Bin (included with bin) (adapter is included with bin- the replacement consist of the poly top adapter and the metal under frame) | 40 lbs / 18 kg | \$1,473 |
| KLB483048 | Replacement Bin Adapter for 22"/55.9 cm, 30" / 76.2 cm or 48" /121.9 cm Indigo NXT Cuber RFF, RNF on LB1448 (included with bin) (adapter is included with bin- the replacement consist of the poly top adapter and the metal under frame) | 45 lbs / 20 kg | \$1,594 |
| KLB482214 | Required Bin Adapter for 2-22"/ 55.9 Ice Beverage (IB) side by side on a LB1448 | 45 lbs / 20 kg | \$2,089 |
| KLB603048 | Replacement Bin Adapter for 22"/55.9 cm or 30"/76.2 cm Indigo NXT, RFF and RNF and 48"/121.9 cm Indigo NXT cuber on LB1460 or LB1760 (included with bin) (adapter is included with bin- the replacement consist of the poly top adapter and the metal under frame) | 52 lbs / 24 kg | \$1,594 |
| KLB604800 | Required Bin Adapter for SF3000C & ST3000W on a LB1460 or LB1760 Bin | 74 lbs / 34 kg | \$2,089 |
| KLB602222 | Required Bin Adapter for 2-22" / 55.9 cm side by side Quite Qube Indigo NXT, RFF or RNF, water cooled Indigo NXT, RFF or RNF or Indigo NXT air cooled with top air discharge on a LB1460 or LB1760 | 52 lbs / 24 kg | \$2,089 |
| KLB602214 | Required Bin Adapter for 2-22" / 55.9 cm Ice Beverage (IB) side by side on a LB1460 or LB1760 | 52 lbs / 24 kg | \$2,089 |
| KLB603030 | Required Bin Adapter for 2-30"/76.2 cm Indigo NXT side by side on LB1460 or LB1760 Bins (remote, water cooled or Top Air discharge) | 60 lbs / 27 kg | \$2,089 |
| KLB613048 | Replacement Bin Adapter for 22"/55.9 cm 30"/76.2 cm or 48"/121.9 cm Indigo NXT RNF or RNF on a LB1360 (included with bin) (adapter is included with bin- the replacement consist of the poly top adapter and the metal under frame) | 60 lbs / 27 kg | \$1,594 |
| KLB614800 | Required Bin Adapter for SF3000C & ST3000W on a LB1360 Bin | 77 lbs / 35 kg | \$2,208 |
| KLB612214 | Required Bin Adapter for 2-22" / 55.9 cm side by side Ice Beverage (IB) on a LB1360 | 60 lbs / 27 kg | \$2,208 |
| KLB612222 | Required Bin Adapter for 2-22" / 55.9 cm side by side Quite Qube Indigo NXT, RFF or RNF, water cooled Indigo NXT, RFF or RNF or Indigo NXT air cooled with top air discharge on a LB1360 | 60 lbs / 27 kg | \$2,208 |
| KLB613030 | Required Bin Adapter for 2- 30"/76.2 cm Indigo NXT, RFF or RNF side by side on a LB1360 Bins (remote, water cooled or Indigo NXT with Top Air Discharge) | 60 lbs / 27 kg | \$2,208 |

MISCELLANEOUS

| KIT | DESCRIPTION | SHIPPING WEIGHT | SUGGESTED LIST PRICE |
|----------|--|-----------------|----------------------|
| K00457 | DISPENSER THERMOSTAT KIT — For use with S-Series. For use on Soda dispensers only. An ice dispenser thermostat kit may be required for high humidity locations to reduce equipment sweating. Replaces K00364. | 3 lbs / 1 kg | \$503 |
| K00446 | DISPENSER THERMOSTAT KIT — For use with Indigo Series only on Soda dispensers. An ice dispenser thermostat kit may be required for high humidity locations to reduce equipment sweating. | 4 lbs / 2 kg | \$325 |
| K00477 | DISPENSER THERMOSTAT KIT — For use with Indigo NXT Series only on soda dispensers. An ice dispenser thermostat kit may be required for high humidity locations to reduce equipment sweating. | 4 lbs / 2 kg | \$325 |
| K00456 | DISPENSER THERMOSTAT KIT — For use with Indigo Series only on Freestyle beverage dispensers. An ice dispenser thermostat kit may be required for high humidity locations to reduce equipment sweating. | 3 lbs / 1 kg | \$314 |
| K00478 | DISPENSER THERMOSTAT KIT — For use with Indigo NXT Series only on Freestyle beverage dispensers. An ice dispenser thermostat kit may be required for high humidity locations to reduce equipment sweating. | 3 lbs / 1 kg | \$314 |
| K00488 | DISPENSER THERMOSTAT KIT — For use with nugget machines on soda dispensers. An ice dispenser thermostat kit may be required for high humidity locations to reduce equipment sweating. | 3 lbs / 1 kg | \$503 |
| K00210 | DISPENSER BAFFLE — required for 30" / 76.2 cm Q-Series Manitowoc ice machine on non-Manitowoc and Q-dispensers. (Q-dispensers include this adapter.) | 3 lbs / 1 kg | \$110 |
| K00346 | DISPENSER BAFFLE — required for use with any Manitowoc 30" / 76.2 cm Indigo NXT Series ice machine in a Soda dispensers application. Dispenser baffle is included with S-Series Hotel dispensers, no need to order NOT required for IF1400C and IF1800C. | 3 lbs / 1 kg | \$110 |
| K0034800 | DISPENSER BAFFLE — required for use with any Manitowoc 22" / 55.9 cm Indigo NXT Series ice machine in a Soda dispensers application. Dispenser baffle is included with S-Series Hotel dispensers, no need to order. | 3 lbs / 1 kg | \$123 |
| K00395 | S3000 BIN THERMOSTAT KIT — For use with S3000. | 3 lbs / 1 kg | \$727 |
| K00483 | DISPENSER THERMOSTAT KIT — for use with nugget machines on Freestyle 9000. An ice dispenser thermostat kit may be required for high humidity locations to reduce equipment sweating. | 4 lbs / 2 kg | \$1,064 |
| K00487 | DISPENSER THERMOSTAT KIT - for use with nugget machines on Freestyle 9100. An ice dispenser thermostat kit may be required for high humidity locations to reduce equipment sweating. | 4 lbs / 2 kg | \$672 |
| K00497 | TOUCHLESS LEVER ACTIVATED ICE CHUTE — Updates the Push to Touch SPA's and SFA's to Touchless. Use for buckets, tumblers and water bottles. | 3 lbs / 1 kg | \$230 |
| K00522 | SPA TO SFA CONVERSION KIT — Converts a SPA to an SFA Hotel Dispenser. Works with 22" and 30" SPA Hotel Dispensers | 5 lbs / 2 kg | \$696 |
| K00523 | Use to update "Push for ice" chutes to Touchless lever activated chute for SPA and SFA hotel Dispenser. Use with ice buckets and water bottles | 3 lbs / 1 kg | \$248 |

BIN ADAPTERS & ICE DEFLECTORS

| ICE STORAGE BINS | BIN | MACHINES | IT0420, IT0620 | IT0300 | IT0450, IT0500, IF0500N | IF0600N, IT0750, IF0900N, IT0900 | IT1200 | IT1500, IT1900 |
|------------------|--------------------------|----------|-------------------|-----------------|-------------------------|----------------------------------|-----------------|----------------|
| | D320 | 1 | | N.A. | N.A. | N.A. | N.A. | N.A. |
| | D400 | 1 | K00472 | | | | | N.A. |
| | D420 | 1 | | N.A. | N.A. | N.A. | N.A. | N.A. |
| | D570 | 1 | K00472 | | | | | N.A. |
| | D970 | 1 | K00473 | K00470 | K00470 | K00470 | K00470 | N.A. |
| | | 2 | K00371 | N.A. | N.A. | N.A. | N.A. | N.A. |
| | F700 / LB0730 | 1 | N.A. | N.A. | N.A. | K00347 | K00347 | N.A. |
| | F1300 / LB1448 | 1 | N.A. | N.A. | N.A. | K00347 | K00347 | K0034900 |
| | F1325 / LB1460 | 1 | N.A. | N.A. | N.A. | K00347 | K00347 | K0034900 |
| ICE STORAGE BINS | F1650 / LB1760 | 1 | N.A. | N.A. | N.A. | K00347 | K00347 | K0034900 |
| | FC1350 / LB031360 | 1 | N.A. | N.A. | N.A. | K00347 | K00347 | K0034900 |
| | SPA162, SFA192 | 1 | | N.A. | N.A. | N.A. | N.A. | N.A. |
| | SPA312, SFA292 | 1 | K0034800 & K00472 | | | | N.A. | N.A. |
| | NON-MANITOWOC DISPENSERS | 1 | K0034800 (baffle) | K00346 (baffle) | K00346 (baffle) | K00346 (baffle) | K00346 (baffle) | N.A. |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |

N.A. means not a practical application or no adapter option available

| ICE STORAGE BINS | BIN | MACHINES | IF0600C, IF0900C, IT1200C | IF1400C, IF1800C, IF2100C | IBF0620C, IFB0820C, IBT1020C | RNF,RFF0320, RNF, RFF0620, RNF1020C, RFF1220C | RFF1300, RNF1100, RNF2000C, RFF2200C | ST3000W, SF3000C |
|------------------|--------------------------|----------|---------------------------|---------------------------|------------------------------|---|--------------------------------------|-------------------|
| | D320 | 1 | N.A. | N.A. | K00195 | | N.A. | N.A. |
| | D400 | 1 | | N.A. | K00196 | K00472 | N.A. | N.A. |
| | D420 | 1 | N.A. | N.A. | K00195 | | N.A. | N.A. |
| | D570 | 1 | | N.A. | K00196 | K00472 | N.A. | N.A. |
| | D970 | 1 | K00470 | K00470, K00471 | N.A. | K00473 | K00470 | N.A. |
| | | 2 | N.A. | N.A. | N.A. | K00371 | N.A. | N.A. |
| | F700 | 1 | K00347 | K00382 | N.A. | K302200 | | N.A. |
| | LB0730 | 1 | K00347 | K00382 | N.A. | | | N.A. |
| | F1300 | 1 | K00347 | K00382 | N.A. | N.A. | | K00391 |
| ICE STORAGE BINS | LB1448 | 1 | K00347 | K00513 | N.A. | | | K00391, K00396 |
| | | 2 | N.A. | N.A. | KLB482214 | N.A. | N.A. | N.A. |
| | F1325, F1650 | 1 | K00347 | K00382 | N.A. | | | K00391, K604800 |
| | | 2 | K00347(2), K603030 | K00383, K603030 | N.A. | K00421 & K603030 | K603030 | N.A. |
| | LB1460, LB1760 | 1 | K00347 | K00513 | N.A. | | | K00391, KLB604800 |
| | | 2 | K00347(2), KLB603030 | K00383, KLB603030 | KLB602214 | KLB602222 | KLB603030 | N.A. |
| | FC1350 | 1 | K00347 | K00382 | N.A. | | | K00391, K614800 |
| | | 2 | K00347(2), K613030 | K00383, K613030 | N.A. | K00421, K613030 | K613030 | N.A. |
| | LB031360 | 1 | K00347 | K00382 | N.A. | | | K00391, KLB614800 |
| | | 2 | K00347(2), KLB613030 | K00383, KLB613030 | KLB612214 | KLB612222 | KLB613030 | N.A. |
| ICE STORAGE BINS | SPA162, SFA192 | 1 | N.A. | N.A. | K00195 | N.A. | N.A. | N.A. |
| | SPA312, SFA292 | 1 | N.A. | N.A. | K00196 | N.A. | N.A. | N.A. |
| | NON-MANITOWOC DISPENSERS | 1 | K00346 (baffle) | N.A. | N.A. | N.A. | N.A. | N.A. |

NOTE: Adapter included with single head application unless otherwise indicated. Deflectors are required for F and LB bins. N.A. means not a practical application or no adapter option available.

ACCESSORY PRICES ARE NOW INCLUDED IN THE STANDARD EQUIPMENT SUGGESTED PRICE LIST.

IAUCS® AUTOMATIC CLEANING SYSTEM

| KIT | DESCRIPTION | SHIPPING WEIGHT | SUGGESTED LIST PRICE |
|--------------------------------------|---|-----------------|----------------------|
| IAUCS-161 IAUCS-261 | Automatic Cleaning System Accessory for all Indigo and Indigo NXT Series ice machines 300 to 2100. Cannot be used with Indigo IB Series, S-Series, nugget, flake and undercounter units. This option is installed on the outside of the machine and works in conjunction with cleaner and sanitizer bottle numbers 000005162 or 000005164. Installed outside of machine but electrical is supplied from the machine. When ordering, indicate electrical requirements; 115 volt 60 Hz -iAuCS-161, and 230 volt 60 Hz - iAuCS-261. | 11 lbs / 5 kg | \$1,164 |
| IBAUCS-161 | Automatic Cleaning System Accessory for Indigo IB Series ice machines: IBF0620C, IBF0820C, IBT1020C. Cannot be used with Indigo Series ice machines 300 to 2100, S-Series, nugget, flake and undercounter units. This option is installed on the outside of the machine and works in conjunction with cleaner and sanitizer bottle numbers 000005162 or 000005164. Installed outside of machine. Electrical requirements 115 volt 60 Hz. Includes 10' power cord with NEMA 5-15P plug. | 11 lbs / 5 kg | \$1,164 |

NOTE: iAuCS Automatic Cleaning System cannot be used with flake and nugget ice machines.

LUMINICE® II VIRUS AND BACTERIA INHIBITOR

| KIT | DESCRIPTION | SHIPPING WEIGHT | SUGGESTED LIST PRICE |
|---------------|---|-----------------|----------------------|
| K00450 | LuminIce II Virus and Bacteria Inhibitor kit for Indigo units i300 to i1106 and QQ models | 5 lbs / 2.2 kg | \$823 |
| K00519 | LuminIce II Virus and Bacteria Inhibitor kit for NEO Undercounters UF0140 to UF0310 (Replaces K00452) | 5 lbs / 2.2 kg | \$823 |
| K00464 | LuminIce II Virus and Bacteria Inhibitor kit for Indigo NXT models: iT0300, iT420, iT620, iT450, iT500, iF0600, iT0750, iF0900, iT1200 and QQ iF0600C, iF0900C, iT1200C | 5 lbs / 2.2 kg | \$823 |
| K00465 | LuminIce II Virus and Bacteria Inhibitor kit for Indigo NXT models: iT1500 & iT1900 and IBF0620C, IBF0820C, IBT1020C and iF1400C, iF1800C (Indigo NXT 48 in, IB's, Duals) | 5 lbs / 2.2 kg | \$823 |
| K00474 | Converts K00450 or K00451 to work with appropriate Indigo NXT model | .5 lbs / .23 kg | \$26 |
| K00425 | Replacement LuminIce bulb for LuminIce first generation only (bulb with white end caps) Indigos built prior to July 1, 2015 | .5 lbs / .23 kg | \$138 |
| K00454 | Replacement LuminIce II bulb for LuminIce II only (bulb with blue end caps) Indigos and Indigo NXT built after July 1, 2015 | .5 lbs / .23 kg | \$138 |
| K00455 | Remote LuminIce II external LED indicator- for LuminIce II and Indigo only | .5 lbs / .23 kg | \$75 |
| K00528 | High intensity LuminIce II bulb (Use for larger machines and challenging conditions | .5 lbs / .23 kg | \$161 |

Selected models can be ordered from the factory with the kit already installed. (See model price pages) Other Indigo® NXT models and all Neo® models can have the LuminIce II kit added after market. Parts (non "K" kits) must be ordered through distributors.

LIQUID DESCALER AND SANITIZER FOR CUBER MACHINES

| KIT | DESCRIPTION | SHIPPING WEIGHT | SUGGESTED LIST PRICE |
|--------------------------------------|---|----------------------------------|----------------------|
| 000005162 000005164 | Liquid Descaler: 16 oz / .47 liter bottle (sold in cases of 12) Liquid Sanitizer: 16 oz / .47 liter bottle (sold in cases of 12) | 16 lbs / 7 kg 16 lbs / 7 kg | SEE PARTS |
| 94-0580-3 94-0581-3 | Liquid Descaler: 1 gallon / 3.78 L (sold in cases of 4) Liquid Sanitizer: 1 gallon / 3.78L (sold in cases of 4) | 42 lbs / 19 kg 42 lbs / 19 kg | SEE PARTS |

LIQUID DESCALER AND SANITIZER FOR SM-50, CONTINUOUS MACHINES (FLAKE, NUGGET, CNF)

| KIT | DESCRIPTION | SHIPPING WEIGHT | SUGGESTED LIST PRICE |
|------------------|--|--------------------------------|----------------------|
| 000006036 | Liquid Metal-safe Descaler 16 oz / .47 Liter bottle (sold in cases of 12) Hazardous labeling for International Shipments | 16 lbs / 7 kg 16 lbs / 7 kg | SEE PARTS |
| 000000084 | Liquid Metal-safe Descaler 16 oz / .47 Liter bottle (sold in cases of 12) Non-Hazardous labeling for US Shipments only | 16 lbs / 7 kg 16 lbs / 7 kg | SEE PARTS |
| 000005164 | Liquid Sanitizer: 16 oz / .47 Liter bottle (sold in case of 12) Hazardous labeling for International Shipments | 16 lbs / 7 kg | SEE PARTS |

POWDER DESCALER AND RINSE FOR CUBER MACHINES AMERICAS MARKETS

| KIT | DESCRIPTION | SHIPPING WEIGHT | SUGGESTED LIST PRICE |
|--------------------------------------|---|-------------------------------|----------------------|
| 000016265 000016278 | Powder Descaler: 3 oz / 85 g (sold in cases of 48 packets) E/S/F Powder Rinse: 1.2 oz / 34 g (sold in cases of 48 packets) E/S/F | 11 lbs / 4 kg 6 lbs / 3 kg | SEE PARTS |
| 000016287 000016291 | Powder Descaler Starter Kit (Sold in cases of 6 boxes) Powder Rinse Starter kit: (Sold in cases of 6 boxes) | 7 lbs / 3 kg 5 lbs / 2 kg | SEE PARTS |

STARTER KITS INCLUDE: 8 packets, Mixing vessel with lid, instruction sheet. Language: English/Spanish/French

POWDER DESCALER AND RINSE FOR CUBER MACHINES ASIAN MARKETS

| KIT | DESCRIPTION | SHIPPING WEIGHT | SUGGESTED LIST PRICE |
|--------------------------------------|---|-------------------------------|----------------------|
| 000016272 000016283 | Powder Descaler: 3 oz / 85 g (sold in cases of 48 packets) C/K/E Powder Rinse: 1.2 oz / 34 g (sold in cases of 48 packets) C/K/E Hazardous labeling for Air Shipments – Language Chinese/Korean/English | 11 lbs / 4 kg 6 lbs / 3 kg | SEE PARTS |
| 000016525 000016528 | Powder Descaler: 3 oz / 85 g (sold in cases of 48 packets) E/C/K Powder Rinse: 1.2 oz / 34 g (sold in cases of 48 packets) E/C/K Hazardous labeling for Air Shipments – Language English/ Chinese/Korean | 11 lbs / 4 kg 6 lbs / 3 kg | SEE PARTS |

ACCESSORIES



CLEANAIR™ PACK

| KIT | DESCRIPTION | SHIPPING WEIGHT | SUGGESTED LIST PRICE |
|--------|---|-----------------|----------------------|
| K00206 | 6 ea. replacement packets, 1 ea basket, zip ties. For use in Q and S-Series ice machines only. Cannot be used with SF3000C, S3000, Indigo, nugget, flake, or undercounter ice machines. | 1 lb / .5 kg | \$392 |



ARCTIC PURE PLUS - WATER FILTER

| KIT | DESCRIPTION | SHIPPING WEIGHT | SUGGESTED LIST PRICE |
|--|---|-----------------|----------------------|
| AR-PRE-P | Arctic Pure Plus: Pre-filter assembly includes head, shroud, hardware, mounting assembly and one filter cartridge. Use on all machines (<i>Price is for one system, sold in case of 6</i>). | 21 lbs / 10 kg | \$393 |
| AR-10000-P | Arctic Pure Plus: Primary filter assembly includes head, shroud, hardware, mounting assembly and one filter cartridge. See sizing guide. (<i>Price is for one system, sold in case of 6</i>). | 25 lbs / 11 kg | \$545 |
| AR-20000-P | Arctic Pure Plus: Primary filter assembly includes head, shroud, hardware, mounting assembly and one filter cartridge. See sizing guide. (<i>Price is for one system, sold in case of 6</i>). | 20 lbs / 9 kg | \$663 |
| AR-40000-P | Arctic Pure Plus: Primary filter assembly includes head, shroud, hardware, mounting assembly and one filter cartridge. See sizing guide. (<i>Price is for one system, sold in case of 6</i>). | 24 lbs / 11 kg | \$912 |
| ARCTIC PURE PLUS REPLACEMENT CARTRIDGES SOLD IN CASES QUANTITIES INDICATED BELOW: | | | |
| K00496 | AR-PRE-P replacement cartridge (<i>Price is for case of 12</i>). | 22 lbs / 10 kg | \$1,391 |
| K00493 | AR-10000-P replacement cartridge (<i>Price is for case of 12</i>). | 29 lbs / 13 kg | \$1,865 |
| K00494 | AR-20000-P replacement cartridge (<i>Price is for case of 12</i>). | 19 lbs / 9 kg | \$3,157 |
| K00495 | AR-40000-P replacement cartridge (<i>Price is for case of 12</i>). | 27 lbs / 12 kg | \$4,901 |



ARCTIC PURE REPLACEMENT CARTRIDGES

| KIT | DESCRIPTION | SHIPPING WEIGHT | SUGGESTED LIST PRICE |
|---|---|-----------------|----------------------|
| ARCTIC PURE REPLACEMENT CARTRIDGES SOLD IN CASES QUANTITIES INDICATED BELOW: | | | |
| K00374001 | AR2800 replacement cartridge (<i>Price is for case of 12</i>) Use on SMS50A / UCP50A / USE50A | 11 lbs / 5 kg | \$1,404 |
| K00337 | AR-PRE replacement cartridge (<i>Price is for case of 12</i>). | 22 lbs / 10 kg | \$1,391 |
| K00338 | AR-10000 replacement cartridge (<i>Price is for case of 12</i>). | 33 lbs / 15 kg | \$1,865 |
| K00339 | AR-20000 replacement cartridge (<i>Price is for case of 6</i>). | 10 lbs / 4 kg | \$1,579 |
| K00344 | Bin bracket for hanging water filters on the side of a D-bin. Works for Arctic Pure and Arctic Pure Plus Water Filter Systems | 5 lbs / 2 kg | \$123 |

WATER FILTER SIZING GUIDE


| FILTER SYSTEMS - (REPLACEMENT CARTRIDGES) | AR-PRE (K00337) AR-PRE-P (K00496) | AR-10000 (K00338) AR-10000-P (K00493) | AR-20000 (K00339) AR-20000-P (K00494) | AR-40000 (2-K00339) AR-40000-P (K00495) |
|---|--------------------------------------|--|--|--|
| ALL UNDER COUNTERS | | | | |
| (CUBERS, FLAKERS & NUGGETS) | X | X | | |
| COUNTER TOP NUGGET | | | | |
| MODULAR CUBERS: IT0300-IT750, IBF0620 | | | | |
| MODULAR FLAKER: RFP0320 | X | X | | |
| MODULAR NUGGET: RNP0320 | | | | |
| MODULAR CUBERS: IT0900, IBF0820C & IBT1020C | | | | |
| MODULAR FLAKER: RFP0620, RFF1220C, RFF1300 | X | | X | |
| MODULAR NUGGETS: RNF0620, RNF1020C, RNF1100 | | | | |
| MODULAR CUBERS: IT1200, IT1500 & IT1900, IF1400C, IF1800C & IF2100C | | | | |
| MODULAR FLAKER: RFF2200C | X | | | X |
| MODULAR NUGGET: RNF2000C | | | | |

NOTE: ARCTIC PURE PLUS AND ARCTIC PURE CARTRIDGES ARE NOT COMPATIBLE


ACCESSORIES




| CONVENIENT ICE BAGGER | KIT | DESCRIPTION | SHIPPING WEIGHT | SUGGESTED LIST PRICE |
|-----------------------|--------|---|-----------------|----------------------|
| | K00146 | Ice bagger assembly, includes bagger, B-Model bin adapter, and 250 bags and ties. Stainless steel finish. | 25 lbs / 11 kg | \$1,008 |
| | K00068 | Replacement Bags/Ties Bag Kit - Includes 1,000 bags (4 wickets of 250) and ties. | 34 lbs / 15 kg | \$577 |



| ICE SCOOPS | KIT | DESCRIPTION | SHIPPING WEIGHT | SUGGESTED LIST PRICE |
|------------|-----------|--|------------------|----------------------|
| | 3302583 | 6 oz./18L clear scoop for QM and SM Series (each) | 2 lbs / 1 kg | SEE PARTS PRICE LIST |
| | 40002930 | 22 oz./65L blue scoop (Used with Neo undercounter units.) | 3 lbs / 1 kg | |
| | 040004889 | 32 oz./95L white scoop (each) (Used for B170 and Q-Series undercounter units.) | 3 lbs / 1 kg | |
| | 3302593 | 82 oz./2.4L white scoop (each) (Used for ice bin D320 and up.) | 5 lbs / 2 kg | |
| | 000015595 | 5.3 lb / 2.4 kg capacity, NSF approved, blue ABS plastic with knuckle guard, works inside D-Bin or with optional K00461 External Scoop Holder | 5.3 lbs / 2.4 kg | |
| | K00463 | 5.3/lbs/2.4kg capacity NSF approved aluminum with knuckle guard. Has limited lifetime guarantee. Works inside D-bins or with optional K00461 External scoop holder | 11 lbs / 5 kg | \$178 |



| EXTERNAL SCOOP HOLDER | KIT | DESCRIPTION | SHIPPING WEIGHT | SUGGESTED LIST PRICE |
|-----------------------|--------|---|-----------------|----------------------|
| | K00461 | Protects the ice scoop outside the bin. NFS versatile holder can be configured 7 ways on the bin or wall. Use with 000015595 scoop that comes with D-Bins, aluminum scoop K00463 (To use K00461 with LB Style bins, you must also purchase the K00482 hanger) | 11 lbs / 5 kg | \$221 |
| | K00482 | Hanger for LB-Style bins to be used with the K00461 External scoop holder | 5 lbs / 2 kg | \$53 |
| | K00485 | Merchandising kit. Includes 6- K00461 External scoop holders and 4-K00463 Metal Scoops with a pop up merchandiser all in one package | 42 lbs / 19 kg | \$2,043 |
| | K00511 | Cardboard Merchandiser only "Sanitation Station" for retail display of sanitation products | 12 lbs / 6 kg | \$54 |



| CASTERS/ LEGS/ FEET | KIT | DESCRIPTION | SHIPPING WEIGHT | SUGGESTED LIST PRICE |
|---------------------|-----------|---|-----------------|----------------------|
| | K00063 | 2.5" / 6.35 cm Casters. For use with NEO, Q-Series (not QM or UDE), and B170 bin. 4 ea. non-locking swivel. | 2 lbs / 1 kg | \$438 |
| | K00064 | 2.5" / 6.35 cm Casters. For use with NEO, Q-Series (not QM or UDE), and B170 bin. 2 ea. locking swivel and 2 ea. non-locking swivel. | 2 lbs / 1 kg | \$475 |
| | K00153 | 4.625" / 11.75 cm Adjustable Flange Foot - stainless steel (Use with Bins only) | 5 lbs / 2 kg | \$373 |
| | K00176 | 4" / 10.16 cm leg for UDE0065/80 - black painted | 3 lbs / 1 kg | \$200 |
| | K00215 | UDE Series leveler legs, adjusts from .5"-1.25" / 1.27-3.175 cm - 1/2-13 thread | 1 lb / 1 kg | \$97 |
| | K00137 | 6" / 15.24 cm Adjustable Flange Foot - stainless steel for S, B and D Series bins | 6 lbs / 3 kg | \$373 |
| | K00151 | 6" / 15.24 cm Adjustable Flange Foot- Gray painted for S bins and Neo under counters | 5 lbs / 2 kg | \$218 |
| | K00145 | 6" / 15.24 cm Adjustable Secured Flange Foot - stainless steel (Use with B-Bins only) includes latch bracket #6072421 | 6 lbs / 3 kg | \$507 |
| | K00144 | 12" / 30.48 cm Adjustable Flange Foot - stainless steel. Can use with Neo undercounter machines and B170 and B&D 400 Bin. Not for use with 22" / 52.9 cm unit, stacked units, dispensers, or the QM or UDE series. | 8 lbs / 4 kg | \$507 |
| | K00138 | Adjustable Caster Legs, 7.625-8.625" / 19.4 - 21.9 cm - stainless steel. Not for use with 22" / 52.9 cm unit, or any stacked units, dispensers, QM's, UDE or UFP or UNP. 2-locking casters and 2 non-locking per set. | 16 lbs / 7 kg | \$1,041 |
| | K00350 | 6" / 15.24 cm Adjustable Legs - stainless steel standard on B&D Series bins. | 5 lbs / 2 kg | \$177 |
| | K00345001 | Leg kit for SM50 & CNF201/202 series ice machines. Adjustable 4.5" to 6.4" / 11.43-16.51 cm. | 3 lbs / 1 kg | \$179 |
| | K00445 | 1.125" / 2.9 cm Non-adjustable foot. For use with NEO. | 2 lbs / 1 kg | \$98 |
| | K00462 | Secure fastening kit, includes 6" / 15.24cm adjustable flanged foot, stainless steel with latching hardware. Use with D-Bins and Indigo units only | 6 lbs / 3 kg | \$629 |

Parts (non "K" kits) must be ordered through distributors.

ABOUT MANITOWOC ICE MACHINES



AHRI CERTIFIED — Manitowoc Ice Machines and D-Bins are certified by The American Heating and Refrigeration Institute. (AHRI) This means the data we published is validated to be true based on ASHRAE standards. Our certified products are continually tested by an independent third party laboratory to validate our products perform to the ratings or specifications published. Rest assured, products that carry the AHRI label comply to their publish specification. AHRI rates ice machine performance is rated at the 90 ambient temperature and 70 water temperature. Bin capacity rating is measured by the cubic volume of the interior of the bin.



ENERGY STAR — Manitowoc Ice is an avid supporter of the EPA's voluntary ENERGY STAR program. We believe in making ENERGY STAR approved ice machines are not only good for the environment but it makes good business sense. In fact, we have more ENERGY STAR models than any other ice machine manufacture. Moreover, Manitowoc Ice has been recognized by the ENERGY STAR program as a Sustained Excellence Partner, winning "Partner of the Year" for 13 consecutive years. Look for the * next to the price to indicate whether a model is ENERGY STAR qualified, then check with your local dealer if it is rebate eligible.



BEST IN CLASS — Foodservice Equipment & Supplies (FE&S) magazine conducts an annual survey among its subscribing foodservice operators, dealers, and consultants asking them to evaluate ice machines in the categories of: quality, value, design, service and support, sales and support, inventory and availability. For 17 consecutive years Manitowoc Ice has been voted best in class. Don't take our word for it; take it from the people who know ice machines.



KITCHEN INNOVATION AWARD 2019 — Indigo NXT, was awarded the 2019 Kitchen Innovation Award from the National Restaurant Association . This prestigious award recognizes Indigo NXT for its innovation, efficiencies and productivity.



KITCHEN INNOVATION AWARD 2021 — CrystalCraft Premier was awarded the 2021 Kitchen Innovation Award from the National Restaurant Association. This prestigious award recognizes the CrystalCraft Premier for its innovative design and perfectly formed crystal clear square cube.



INTELLIGENT ICE MACHINE — Manitowoc Indigo NXT with its easyTouch display is the only ice machine that offers a touch display providing the user and service agent with vital information to facilitate the set up and operation of the equipment. The display provides 4 main statuses: Making Ice, Bin Full, Machine Off or Program Mode. All the asset information can be obtained with one touch of an icon. Set up reminders to clean, change the air and water filters can be programmed easily into the machine. You can program the machine NOT to make ice when the store is closed or during the hours of the day of higher energy costs. The self diagnostic feature stores vital information for the service agent to access, so when they arrive, they have a good idea of the problem. This makes servicing easier, reduces labor costs and reduces machine down time.



EASY TO CLEAN — Manitowoc Indigo Machines are the easiest ice machines in the industry to clean. All the component parts that require a deep cleaning can be removed without the use of tools. This includes the water trough as well as the water pump. Selected components contain Alpha San- Antimicrobial compound molded into the plastic to reduce slime build up.



ENERGY EFFICIENT — Having the most ENERGY STAR models is a result of advance technologies that allow the Indigo NXT ice machine to work efficiently. Innovations like Air Assist which accelerates the ice harvest process and the Acoustical Ice Sensing probe allows for reliable operation in challenging water conditions. Air Assist and Acoustical Ice sensing are patent technologies only found on Manitowoc Indigo machines.



LUMINICE II VIRUS AND BACTERIA INHIBITOR — Manitowoc Indigo NXT and Neo machines offer the LuminIce II Virus and Bacteria Inhibitor device that runs quietly 24/7 keeping your ice machine cleaner longer. Less frequent cleanings saves labor, reduces cost and machine downtime. The device is particularly effective in environments where yeast is in the air (sandwich shops, bakeries, pizzerias, micro-breweries) because the LuminIce II device uses a UV bulb to create active air that inhibits the growth of viruses, bacteria, mold and yeast inside the machine. The device is mounted inside the machine, and is integrated with the easy Touch Display with an icon that lets you know the operational status.



AUTOMATIC CLEANING SYSTEM – (IAUCS) — Manitowoc Ice automatic cleaning system is a perfect complement to the LuminIce II virus and bacteria inhibitor. Using the easyTouch display on the Indigo NXT Ice machine, program the time interval to either clean or sanitize the food zone automatically. No manual intervention is required. This is especially effective in areas of hard water, where periodic cleaning of the evaporator will keep the evaporator free of lime scale build up. (Note, iAUCS will not eliminate the need to do a deep cleaning periodically) but will keep your machine running at peak efficiency and cleaner longer).

SCAN THE CODE BELOW TO LOCATE A DEALER, DISTRIBUTOR OR
SALES REPRESENTATIVE IN YOUR AREA.



OR GO TO
WWW.MANITOWOCICE.COM/SALES/SALES-LOCATORS

