



SUGGESTED LIST PRICE STANDARD EQUIPMENT AND ACCESSORIES

2024 PRICE LIST



ENGINEERED  
FOR EASE

UPDATED DECEMBER 7, 2023

EFFECTIVE JANUARY 1, 2024

## TABLE OF CONTENTS

<b>3-9</b>	CUBE ICE MACHINES
<b>10</b>	STANDARD REMOTES AND TOP AIR DISCHARGE
<b>11-12</b>	QUIETQUBE® REMOTES & ICE BEVERAGE
<b>13</b>	SPECIALTY: PRISON AND MARINE
<b>14-15</b>	FLAKE ICE MACHINES
<b>16-17</b>	NUGGET ICE MACHINES

<b>18</b>	DISPENSERS
<b>19-20</b>	ICE STORAGE BINS
<b>21</b>	INTERNATIONAL ONLY
<b>22-23</b>	BIN ADAPTERS & DEFLECTOR KITS
<b>24-26</b>	ACCESSORIES

### NOTATIONS

Shipping weights are approximate.

### TERMS

#### TERMS

Terms are as Company may extend to purchaser.

#### TERMS FOR PARTS

C.O.D. (Deviation on authorization of Credit Department only.)


#### PRICES

Prices are Ex-works Covington Tennessee. All prices and specifications are subject to change without notice.

### DIMENSION DRAWINGS

Height includes legs set at 6 in/15.2 cm.

Legs adjust from 6 in/15.2 cm to 7.5 in/19.1 cm



### COMMERCIAL WARRANTY

#### WARRANTY – CUBE ICE MACHINE

- 5-year parts-and-labor coverage on Indigo NXT, S, U, QQ and IB-model ice machine evaporators.
- 5-year parts and 3-year labor coverage on Indigo NXT, S, U, QQ and IB-model ice machine compressor.
- 3-year parts-and-labor coverage on all dispensers, storage bins, and Indigo NXT, S, U, QQ and IB-model ice cube machines.

#### WARRANTY – UE SERIES ICE MACHINE

- 3-year parts-and-labor coverage on all components.

#### WARRANTY – UCP AND USP SERIES ICE MACHINES

- 3-year parts-and-labor coverage on all components.

#### WARRANTY – RFF/RFP, RNF/RNP ICE MACHINES

- 3-year parts.
- 3-year labor.
- Compressor parts for 5 years and labor for 3 years.

#### WARRANTY – COUNTERTOP NUGGET DISPENSER ICE MACHINES (RNS12/20 AND CNF201/202)

- 2-year parts-and-labor coverage on all components.
- Compressor parts for 5 years and labor for 2 years.

#### WARRANTY – RELATED ACCESSORIES

- \* If not stated, kits carry the same basic warranty as the machine they are used on.

### RESIDENTIAL WARRANTY

- 1-year parts-and-labor.


### ICE STYLES

<b>DICE CUBE:</b>	7/8 in x 7/8 in x 7/8 in / 2.22 x 2.22 x 2.22 cm 100% ice to water ratio.
<b>HALF DICE CUBE:</b>	3/8 in x 1 -1/8 in x 7/8 in / 0.95 x 2.86 x 2.22 cm 100% ice to water ratio.
<b>REGULAR CUBE:</b>	1-1/8 in x 1-1/8 in x 7/8 in / 2.86 x 2.86 x 2.22 cm 100% ice to water ratio.
<b>GOURMET CUBE:</b>	1-3/8 in x 1-3/8 in / 3.94 x 3.94 octagon shape cube. 100% ice to water ratio.
<b>NUGGET ICE:</b>	3/8 in to 1/2 in / 0.76 x 0.76 x 1.27 cm pieces. 85% ice to water ratio.
<b>FLAKE ICE:</b>	Flake ice is smaller bits of ice. 73% ice to water ratio.
<b>SQUARE CUBE:</b>	1" square shaped ice. 100% ice to water ratio.
<b>LARGE SQUARE CUBE:</b>	40g, 1.5" x 1.5" 1.5" square shaped ice. 100% ice to water ratio.

### ICE STORAGE CAPACITY

The calculation used to determine actual ice storage capacity varies among manufacturers, most use the AHRI standard. When the AHRI standard is not referenced, use cubic meters capacity for accurate comparison between manufacturer's models.

## HOW TO READ THE NEW MODEL NUMBERS



## UNDERCOUNTER CUBE



W 14.75 in D 22.75 in H 33.5 in  
W 37.5 D 57.8 H 85.1 cm

\*53lbs/24 kg daily at 70/50°F  
\*44lbs/20 kg daily at 90/70°F

UCP0050

MODEL	ICE TYPE	COOLING	ELECTRICAL	SHIPPING WEIGHT	SUGGESTED LIST PRICE	REPLACES MODEL
UCP0050A-161	Gourmet	Air	115v/60Hz/1	114 lbs / 52 kg	\$5,725	SMS050A002-161

Ice storage capacity 25 lbs / 11.3 kg.  
Includes AR-2800 water filter.  
Drain pump available as accessory (K00376).  
Includes 6ft / 1.8m power cord with NEMA 5-15P plug.  
Not compatible with iAuCS®.  
**IMPORTANT NOTE:** Use only Metal Safe Cleaner 000000084 on this product.  
Other cleaners will damage the evaporator and will not be covered under warranty.

KIT	MODEL	DESCRIPTION	SHIPPING WEIGHT	SUGGESTED LIST PRICE
	K00376	Drain pump for use when floor drain is not available	7 lbs / 3 kg	\$841



W 19.69 in D 22.34 in H 36 in  
W 50.0 D 56.7 H 91.4 cm

UE0065:  
\*57 lbs/26 kg daily at 70/50°F  
\*46 lbs/21 kg daily at 90/70°F

UE0080:  
\*193 lbs/88 kg daily at 70/50°F  
\*71 lbs/32 kg daily at 90/70°F

UE65 / UE80

MODEL	ICE TYPE	COOLING	ELECTRICAL	SHIPPING WEIGHT	SUGGESTED LIST PRICE	REPLACES MODEL
UDE0065A-161B	Dice	Air	115v/60Hz/1	109 lbs / 49 kg	\$4,697	QM30A-161
UDE0080A-161B	Dice	Air	115v/60Hz/1	114 lbs / 52 kg	\$5,387	QM45A-161
UDE0065A-251Z	Dice	Air	230v/50/Hz/1	109 lbs / 49 kg	\$4,757	QM30A-251
UDP0080A-251Z	Dice	Air	230v/50/Hz/1	114 lbs / 52 kg	\$5,447	QM45A-251

Ice storage capacity 30lbs / 14 kg. Storage capacity is AHRI certified, measured at 1.059 cu ft..  
Includes 6ft / 1.8 m power cord with NEMA 5-15P plug. Price list performance rating is 60hz data.  
Refer to individual 50hz spec sheets for 50hz performance rating. Not compatible with iAuCS or LuminIce II.  
Application storage capacity measured at 90% of total volume cu. ft x 33 lbs / ft³



W 26 in D 28.5 in H 38.5 in  
W 66 D 72.4 H 97.8 cm

UF-140:  
\*137lbs/62 kg daily at 70/50°F  
\*100lbs/45 kg daily at 90/70°F

UF-190:  
\*193 lbs/88 kg daily at 70/50°F  
\*140lbs/64 kg daily at 90/70°F

UF140 / UF190

MODEL	ICE TYPE	COOLING	ELECTRICAL	SHIPPING WEIGHT	SUGGESTED LIST PRICE	REPLACES MODEL
URF0140A-161B	Regular	Air	115v/60Hz/1	153 lbs / 69 kg	\$5,615	UR0140A-161B
UDF0140A-161B	Dice	Air	115v/60Hz/1	153 lbs / 69 kg	\$5,415	UD0140A-161B
UYF0140A-161B	1/2 Dice	Air	115v/60Hz/1	153 lbs / 69 kg	\$5,415	UY0140A-161B
UDF0190A-161B	Dice	Air	115v/60Hz/1	153 lbs / 69 kg	\$5,888	UD0190A-161B
UYF0190A-161B	1/2 Dice	Air	115v/60Hz/1	153 lbs / 69 kg	\$5,888	UY0190A-161B
UDP0140A-251Z	Dice	Air	230v/50hz/1	153 lbs / 69 kg	\$5,475	UD0140A-251Z
UYF0140A-251Z	1/2 Dice	Air	230v/50hz/1	153 lbs / 69 kg	\$5,475	UY0140A-251Z
UDF0190A-251Z	Dice	Air	230v/50hz/1	153 lbs / 69 kg	\$5,948	UD0190A-251Z
UYF0190A-251Z	1/2 Dice	Air	230v/50hz/1	153 lbs / 69 kg	\$5,948	UY0190A-251Z

Application storage capacity 90 lbs / 40 kg. Includes 6 ft / 1.8 m power cord with NEMA 5-15P plug ("B" Plug).  
Cubic Volume 3.037. Storage capacity is AHRI certified.  
Price list performance rating is 60hz data. Refer to individual 50hz spec sheets for 50hz performance rating.  
Not compatible with iAuCS. LuminIce® II compatible as accessory.  
Application storage capacity measured 90% of total volume in cu. ft. x 33 lbs / ft³.



W 26 in D 28.5 in H 38.5 in  
W 66 D 72.4 H 97.8 cm

\*219lbs/99 kg daily at 70/50°F  
\*160lbs/73 kg daily at 90/70°F

UF240


MODEL	ICE TYPE	COOLING	ELECTRICAL	SHIPPING WEIGHT	SUGGESTED LIST PRICE	REPLACES MODEL
UDF0240A-161B	Dice	Air	115v/60Hz/1	157 lbs / 72kg	\$6,436	UD0240A-161B
UDF0240A-261Z	Dice	Air	208-230v/60hz/1	157 lbs / 72kg	\$6,511	UD0240A-261Z
UDF0240W-161B	Dice	Water	115v/60Hz/1	160 lbs / 73 kg	\$6,757	UD0240W-161B
UYF0240A-161B	1/2 Dice	Air	115v/60Hz/1	159 lbs / 72 kg	\$6,436	UY0240A-161B
UYF0240W-161B	1/2 Dice	Water	115v/60Hz/1	159 lbs / 72 kg	\$6,757	UY0240W-161B
UDP0240A-251Z	Dice	Air	230v/50hz/1	157 lbs / 72kg	\$6,496	UD0240A-251Z
UYF0240A-251Z	1/2 Dice	Air	230v/50hz/1	159 lbs / 72 kg	\$6,496	UY0240A-251Z
UYF0240W-251Z	1/2 Dice	Water	230v/50hz/1	159 lbs / 72 kg	\$6,817	UY0240W-251Z

Application storage capacity 90 lbs/40 kg.  
Cubic Volume 3.037. Storage Capacity is AHRI certified.  
Includes 6 ft / 1.8 m power cord with NEMA 5-15P plug ("B" Plug).  
Price list performance rating is 60hz data. Refer to individual 50hz spec sheets for 50hz performance rating.  
Not compatible with iAuCS. LuminIce II compatible as accessory.  
Application storage capacity measured 90% of total volume in cu. ft. x 33 lbs / ft³.

★ENERGY STAR® QUALIFIED MODEL | Air filter standard on self-contained air-cooled ice cube machines.  
\*Daily ice production based on Half-Dice air-cooled condenser model at air temperature/water temperature.



## UNDERCOUNTER CUBE (CONTINUED)



W 30 in D 28.5 in H 38.5 in  
W 76.2 D 72.4 H 97.8 cm

\*290lbs/132 kg daily  
at 70/50°F  
\*235 lbs/107 kg daily  
at 90/70°F

UF310

MODEL	ICE TYPE	COOLING	ELECTRICAL	SHIPPING WEIGHT	SUGGESTED LIST PRICE	REPLACES MODEL
URF0310A-161B	Regular	Air	115v/60Hz/1	208 lbs / 94 kg	<b>\$8,034</b>	UR0310A-161B
UDF0310A-161B	Dice	Air	115v/60Hz/1	208 lbs / 94 kg	<b>\$7,834</b>	UD0310A-161B
UDF0310A-261Z	Dice	Air	208-230v/60hz/1	208 lbs / 94 kg	<b>\$7,909</b>	UD0310A-261Z
UDF0310W-161B	Dice	Water	115v/60Hz/1	211 lbs / 96 kg	<b>\$8,226</b>	UD0310W-161B
UYF0310A-161B	1/2 Dice	Air	115v/60Hz/1	209 lbs / 95 kg	<b>\$7,834</b>	UY0310A-161B
UYF0310W-161B	1/2 Dice	Water	115v/60Hz/1	211 lbs / 96 kg	<b>\$8,226</b>	UY0310W-161B
URF0310A-251Z	Regular	Air	230v/50hz/1	208 lbs / 94 kg	<b>\$8,094</b>	UR0310A-251Z
UDP0310A-251Z	Dice	Air	230v/50hz/1	208 lbs / 94 kg	<b>\$7,894</b>	UD0310A-251Z
UYP0310A-251Z	1/2 Dice	Air	230v/50hz/1	209 lbs / 95 kg	<b>\$7,894</b>	UY0310A-251Z

Application ice storage capacity 119 lbs/54 kg. Cubic Volume 3.99. Storage Capacity is AHRI Certified.  
Includes 6 in/1.8 m power cord with NEMA 5-15P plug ("B" Plug).  
Price list performance rating is 60hz data. Refer to individual 50hz spec sheets for 50hz performance rating.  
Not compatible with iAuCS. LuminIce® II compatible as accessory.  
Application storage capacity measured 90% of total volume in cu. ft. x 33 lbs/ft3.

## SQUARE CUBE




W 19.68 in D 22.83 in H 37.5 in  
\*100 lbs / 45.5 kgs at 70/50  
\*85 lbs / 38.5 kgs at 90/70

USP0100A

MODEL	ICE TYPE	COOLING	ELECTRICAL	SHIPPING WEIGHT	SUGGESTED LIST PRICE	REPLACES MODEL
USP0100A-161	Square	Air	115v/60Hz/1	209 lbs / 94 kg	<b>\$6,000</b>	N/A

Application storage capacity 38 lbs/17.2 kgs. Measured cubic volume is 2. Storage Capacity is AHRI certified.  
Includes 6 ft / 1.8m power cord with NEMA 5-15 plug  
Refer to Install Use and Care manual for proper cleaning instructions.  
Not compatible with iAuCS or LuminIce II.



W 14.75 in D 22.75 in H 33.5 in  
W 37.5 D 57.8 H 85.1 cm

\*45 lbs / 20 kg at 70/50  
\*35 lbs / 15 kg at 90/70

USE0050A


MODEL	ICE TYPE	COOLING	ELECTRICAL	SHIPPING WEIGHT	SUGGESTED LIST PRICE	REPLACES MODEL
USE0050A-161	Square	Air	115v/60Hz/1	121 lbs / 54.4 kg	<b>\$7,700</b>	N/A

Ice storage capacity 25 lbs / 11.3 kg  
Includes AR-2800 water filter  
Includes 6' / 1.8m power cord with NEMA 5-15P plug  
Not compatible with iAuCS or LuminIce  
Use only metal safe cleaner 00000084

KITS

MODEL	DESCRIPTION	SHIPPING WEIGHT	SUGGESTED LIST PRICE
K00516	Drain pump for use when floor drain is not available	7 lbs / 3 kg	<b>\$841</b>
K00517	Left door hinge kit	20 lbs / 9 kg	<b>\$901</b>

## MODULAR CUBE



W 30 in D 24.5 in H 16.50 in  
W 76.2 D 62.2 H 41.9 cm

\*310 lbs / 141 kg daily  
at 70/50°F  
\*230 lbs / 104 kg daily  
at 90/70°F



Not Stackable

IT300 SERIES

MODEL	ICE TYPE	COOLING	ELECTRICAL	SHIPPING WEIGHT	SUGGESTED LIST PRICE	REPLACES MODEL
IDT0300A-161	Dice	Air	115v/60Hz/1	142 lbs / 64 kg	<b>\$7,541★</b>	IDF0300A-161
IDT0300A-161X	Dice	Air	115v/60Hz/1	147 lbs / 67 kg	<b>\$8,364</b>	IDF0300A-161X
IDT0300A-261	Dice	Air	208-230/60Hz/1	142 lbs / 64 kg	<b>\$7,616★</b>	IDF0300A-261
IDT0300W-161	Dice	Water	115v/60Hz/1	139 lbs / 63 kg	<b>\$7,918</b>	IDF0300W-161
IYT0300A-161	1/2 Dice	Air	115v/60Hz/1	147 lbs / 67 kg	<b>\$7,541★</b>	IYF0300A-161
IYT0300A-161X	1/2 Dice	Air	115v/60Hz/1	152 lbs / 69 kg	<b>\$8,364</b>	IYF0300A-161X
IYT0300A-261	1/2 Dice	Air	208-230/60Hz/1	147 lbs / 67 kg	<b>\$7,616★</b>	IYF0300A-261
IYT0300W-161	1/2 Dice	Water	115v/60Hz/1	144 lbs / 65 kg	<b>\$7,918</b>	IYF0300W-161
IYT0300W-161X	1/2 Dice	Water	115v/60Hz/1	149 lbs / 68 kg	<b>\$8,741</b>	IYF0300W-161X
IDT0300A-251	Dice	Air	230v/50Hz/1	142 lbs / 64 kg	<b>\$7,601</b>	IDF0300A-251
IYT0300A-251	1/2 Dice	Air	230/50Hz/1	147 lbs / 67 kg	<b>\$7,601</b>	IYF0300A-251

If factory installed LuminIce II not offered, use aftermarket kit found on page 24.


**RECOMMENDED BINS:** D400 or D570 ( See page 19)

See pages 22-23 for required adapters, deflectors, and dispenser baffles.

Price list performance rating is 60hz data. Refer to individual 50hz spec sheets for 50hz performance rating.

★**ENERGY STAR® QUALIFIED MODEL** | Air filter standard on self-contained air-cooled ice cube machines.  
\* Daily ice production based on Half-Dice air-cooled condenser model at air temperature/water temperature.

## MODULAR CUBE (CONTINUED)




W 22 in D 24.5 in H 21.5 in  
W 55.9 D 62.2 H 54.6 cm

\*460 lbs/209 kg daily  
at 70/50°F  
\*375 lbs/170 kg daily  
at 90/70°F



Not Stackable




W 30 in D 24.5 in H 21.5 in  
W 76.2 D 62.2 H 54.6 cm

\*490 lbs/222 kgs daily  
at 70/50°F  
\*378 lbs/171 kg daily  
at 90/70°F



Not Stackable



W 30 in D 24.5 in H 21.5 in  
W 76.2 D 62.2 H 54.6 cm

\*550 lbs/249 kg daily  
at 70/50°F  
\*440 lbs/200 kg daily  
at 90/70°F



Not Stackable

### IT0420 SERIES

MODEL	ICE TYPE	COOLING	ELECTRICAL	SHIPPING WEIGHT	SUGGESTED LIST PRICE	REPLACES MODEL
IDT0420A-161	Dice	Air	115v/60Hz/1	137 lbs / 62 kg	\$8,242★	ID0322A-161
IDT0420A-161X	Dice	Air	115v/60Hz/1	142 lbs / 64 kg	\$9,065	ID0322A-161X
IDT0420A-261	Dice	Air	208-230v/60Hz/1	137 lbs / 62 kg	\$8,317★	ID0322A-261
IDT0420W-161	Dice	Water	115v/60Hz/1	131 lbs / 59 kg	\$8,654	ID0323W-161
IYT0420A-161	1/2 Dice	Air	115v/60Hz/1	136 lbs / 62 kg	\$8,242★	IY0324A-161
IYT0420A-161X	1/2 Dice	Air	115v/60Hz/1	141 lbs / 64 kg	\$9,065	IY0324A-161X
IYT0420W-161	1/2 Dice	Water	115v/60Hz/1	135 lbs / 61 kg	\$8,654	IY0325W-161
IYT0420W-261	1/2 Dice	Water	208-230v/60Hz/1	135 lbs / 61 kg	\$8,729	IY0325W-261
IDT0420A-251	Dice	Air	230v/50Hz/1	137 lbs / 62 kg	\$8,302	ID0322A-251
IYT0420A-251	1/2 Dice	Air	230v/50Hz/1	136 lbs / 62 kg	\$8,302	IY0324A-251

If factory installed LuminIce II not offered, use aftermarket kit found on page 24.

**RECOMMENDED BINS:** D320 or D420 (see page 19-20). See pages 22-23 for required adapters, deflectors, and dispenser baffles. Price list performance rating is 60hz data. Refer to individual 50hz spec sheets for 50hz performance rating.

### IT0450 SERIES

MODEL	ICE TYPE	COOLING	ELECTRICAL	SHIPPING WEIGHT	SUGGESTED LIST PRICE	REPLACES MODEL
IDT0450A-161	Dice	Air	115v/60Hz/1	160 lbs / 73 kg	\$7,918★	ID0452A-161
IDT0450A-161X	Dice	Air	115v/60Hz/1	165 lbs / 75 kg	\$8,741	ID0452A-161X
IDT0450A-261	Dice	Air	208-230v/60Hz/1	160 lbs / 73 kg	\$7,993★	ID0452A-261
IDT0450W-161	Dice	Water	115v/60Hz/1	141 lbs / 64 kg	\$8,314	ID0453W-161
IDT0450W-161X	Dice	Water	115v/60Hz/1	146 lbs / 66 kg	\$9,137	ID0453W-161X
IDT0450W-261	Dice	Water	208-230v/60Hz/1	141 lbs / 64 kg	\$8,389	ID0453W-261
IYT0450A-161	1/2 Dice	Air	115v/60Hz/1	170 lbs / 77 kg	\$7,918★	IY0454A-161
IYT0450A-161X	1/2 Dice	Air	115v/60Hz/1	175 lbs / 79 kg	\$8,741	IY0454A-161X
IYT0450A-261	1/2 Dice	Air	208-230v/60Hz/1	170 lbs / 77 kg	\$7,993★	IY0454A-261
IYT0450W-161	1/2 Dice	Water	115v/60Hz/1	155 lbs / 70 kg	\$8,314	IY0455W-161
IYT0450W-161X	1/2 Dice	Water	115v/60Hz/1	160 lbs / 73 kg	\$9,137	IY0455W-161X
IDT0450A-251	Dice	Air	230v/50Hz/1	160 lbs / 73 kg	\$7,978	ID0452A-251
IDT0450W-251	Dice	Water	230v/50Hz/1	141 lbs / 64 kg	\$8,374	ID0453W-251
IYT0450A-251	1/2 Dice	Air	230v/50Hz/1	170 lbs / 77 kg	\$7,978	IY0454A-251

If factory installed LuminIce II not offered, use aftermarket kit found on page 24.

**RECOMMENDED BINS:** D400 or D570 (see page 19-20). See pages 22-23 for required adapters, deflectors, and dispenser baffles. Price list performance rating is 60hz data. Refer to individual 50hz spec sheets for 50hz performance rating.

### IT0500 / iF0500N SERIES

MODEL	ICE TYPE	COOLING	ELECTRICAL	SHIPPING WEIGHT	SUGGESTED LIST PRICE	REPLACES MODEL
IRT0500A-161	Regular	Air	115v/60Hz/1	162 lbs / 73 kg	\$9,278★	IR0500A-161
IRT0500A-261	Regular	Air	208-230v/60Hz/1	162 lbs / 73 kg	\$9,353★	IR0500A-261
IRT0500W-161	Regular	Water	115v/60Hz/1	158 lbs / 72 kg	\$9,730	IR0501W-161
IDT0500A-161	Dice	Air	115v/60Hz/1	157 lbs / 72kg	\$9,028★	ID0502A-161
IDT0500A-161X	Dice	Air	115v/60Hz/1	162 lbs / 73 kg	\$9,851	ID0502A-161X
IDT0500A-261	Dice	Air	208-230v/60Hz/1	157 lbs / 72kg	\$9,103★	ID0502A-261
IDT0500W-161	Dice	Water	115v/60Hz/1	163 lbs / 74 kg	\$9,480	ID0503W-161
IDF0500N-161A	Dice	Remote	115v/60Hz/1	164 lbs / 74 kg	\$8,820	IDT0500N-161
IDF0500N-161AX	Dice	Remote	115v/60Hz/1	169 lbs / 77 kg	\$9,643	IDT0500N-161X
IYT0500A-161	1/2 Dice	Air	115v/60Hz/1	159 lbs / 72 kg	\$9,028★	IY0504A-161
IYT0500A-161X	1/2 Dice	Air	115v/60Hz/1	164 lbs / 74 kg	\$9,851	IY0504A-161X
IYT0500A-261	1/2 Dice	Air	208-230v/60Hz/1	159 lbs / 72 kg	\$9,103	IY0504A-261
IYT0500W-161	1/2 Dice	Water	115v/60Hz/1	161 lbs / 73 kg	\$9,480	IY0505W-161
IYF0500N-161A	1/2 Dice	Remote	115V/60HZ/1	161 lbs / 73 kg	\$8,820	IYT0500N-161
IYF0500N-161AX	1/2 Dice	Remote	115V/60HZ/1	166 lbs / 75 kg	\$9,643	IYT0500N-161X
IRT0500A-251	Regular	Air	230V/50HZ/1	162 lbs / 73 kg	\$9,338	IR0500A-251
IDT0500A-251	Dice	Air	230V/50HZ/1	157 lbs / 72kg	\$9,088	ID0502A-251
IYT0500A-251	1/2 Dice	Air	230v/50Hz/1	159 lbs / 72 kg	\$9,088	IY0504A-251


If factory installed LuminIce II not offered, use aftermarket kit found on page 24.

**RECOMMENDED BINS:** D400, D570 or LB0730 (see page 19-20). See pages 22-23 for required adapters, deflectors, and dispenser baffles.

<sup>1</sup>Use JCF0500 remote condenser and RT( ) R404A tubing kit (see page 10).

Price list performance rating is 60hz data. Refer to individual 50hz spec sheets for 50hz performance rating.

## MODULAR CUBE (CONTINUED)



W 22 in D 24.5 in H 21.5 in  
W 55.9 D 62.2 H 54.6 cm

\*575 lbs/262 kg daily at  
70/50 °F

\*465 lbs / 211 kg daily at  
90/70 °F



Not Stackable

### IT0620 SERIES


MODEL	ICE TYPE	COOLING	ELECTRICAL	SHIPPING WEIGHT	SUGGESTED LIST PRICE	REPLACES MODEL
IRT0620A-161	Regular	Air	115v/60Hz/1	143 lbs / 65 kg	\$8,970★	IR0520A-161
IDT0620A-161	Dice	Air	115v/60Hz/1	143 lbs / 65 kg	\$8,720★	ID0522A-161
IDT0620A-161X	Dice	Air	115v/60Hz/1	148 lbs / 67 kg	\$9,543	ID0522A-161X
IDT0620A-261	Dice	Air	208-230v/60hz/1	143 lbs / 65 kg	\$8,795★	ID0522A-261
IDT0620W-161	Dice	Water	115v/60Hz/1	140 lbs / 63 kg	\$9,156	ID0523W-161
IYT0620A-161	1/2 Dice	Air	115v/60Hz/1	145 lbs / 66 kg	\$8,720★	IY0524A-161
IYT0620A-161X	1/2 Dice	Air	115v/60Hz/1	150 lbs / 68 kg	\$9,543	IY0524A-161X
IYT0620A-261	1/2 Dice	Air	208-230v/60hz/1	145 lbs / 66 kg	\$8,795★	IY0524A-261
IYT0620W-161	1/2 Dice	Water	115v/60Hz/1	140 lbs / 63 kg	\$9,156	IY0525W-161
IYT0620W-261	1/2 Dice	Water	208-230v/60hz/1	140 lbs / 63 kg	\$9,231	IY0525W-261
IRT0620A-251	Regular	Air	230v/50hz/1	143 lbs / 65 kg	\$9,030	IR0520A-251
IRT0620W-251	Regular	Water	230v/50hz/1	140 lbs / 63 kg	\$9,478	IR0521W-251
IDT0620A-251	Dice	Air	230v/50hz/1	143 lbs / 65 kg	\$8,780	ID0522A-251
IDT0620W-251	Dice	Water	230V/50HZ/1	140 lbs / 63 kg	\$9,216	ID0523W-251
IYT0620A-251	1/2 Dice	Air	230V/50HZ/1	145 lbs / 66 kg	\$8,780	IY0524A-251
IYT0620W-251	1/2 Dice	Water	230V/50HZ/1	140 lbs / 63 kg	\$9,216	IY0525W-251

If factory installed LuminIce II not offered, use aftermarket kit found on page 24.

**RECOMMENDED BINS:** D320 or D420 (see page 19-20).

See pages 22-23 for required adapters, deflectors, and dispenser baffles.

Price list performance rating is 60hz data. Refer to individual 50hz spec sheets for 50hz performance rating.



W 30 in D 24.5 in H 21.5 in  
W 76.2 D 62.2 H 54.6 cm

\*715 lbs / 324 kg daily at  
70/50 °F

\*575 lbs / 261 kg daily at  
90/70 °F



Not Stackable

### IT0750 SERIES

MODEL	ICE TYPE	COOLING	ELECTRICAL	SHIPPING WEIGHT	SUGGESTED LIST PRICE	REPLACES MODEL
IDT0750A-261	Dice	Air	208-230v/60hz/1	194 lbs / 88 kg	\$10,460★	IDF0600A-261
IDT0750W-261	Dice	Water	208-230v/60hz/1	194 lbs / 88 kg	\$10,983	IDF0600W-261
IDT0750N-261	Dice	Remote	208-230v/60Hz/1	214 lbs / 97 kg	\$9,864★	IDF0600N-261A
IYT0750A-261	1/2 Dice	Air	208-230v/60hz/1	208 lbs / 94 kg	\$10,460★	IYF0600A-261
IYT0750A-261X	1/2 Dice	Air	208-230v/60hz/1	213 lbs / 97 kg	\$11,283	IYF0600A-261X
IYT0750W-261	1/2 Dice	Water	208-230v/60hz/1	195 lbs / 88 kg	\$10,983	IYF0600W-261
IYT0750N-261	1/2 Dice	Remote	208-230v/60Hz/1	221 lbs / 100 kg	\$9,864★	IYF0600N-261A
IYT0750N-261X	1/2 Dice	Remote	208-230v/60Hz/1	226 lbs / 103 kg	\$10,687★	IYF0600N-261AX
IDT0750A-251	Dice	Air	230v/50hz/1	194 lbs / 88 kg	\$10,520	IDF0600A-251
IDT0750A-251X	Dice	Air	230v/50hz/1	198 lbs / 90 kg	\$11,343	IDF0600A-251X
IYT0750A-251	1/2 Dice	Air	230v/50hz/1	208 lbs / 94 kg	\$10,520	IYF0600A-251
IYT0750A-251X	1/2 Dice	Air	230v/50hz/1	213 lbs / 97 kg	\$11,343	IYF0600A-251X
IYT0750W-251	1/2 Dice	Water	230v/50hz/1	195 lbs / 88 kg	\$11,046	IYF0600W-251
IYT0750N-251	1/2 Dice	Remote	230v/50hz/1	221 lbs / 100 kg	\$9,864	IYF0600N-251

If factory installed LuminIce II not offered, use aftermarket kit found on page 24.

**RECOMMENDED BINS:** D570, D970 or LB730 (see page 19-20).


See pages 22-23 for required adapters, deflectors, and dispenser baffles.

Use JCT1200 remote condenser and RT (JR-410A tubing kit (see page 10).

Kit K00347 ice deflector must be ordered separately if used with: non-Manitowoc bins, Manitowoc LB-Style bins.

Price list performance rating is 60hz data. Refer to individual 50hz spec sheets for 50hz performance rating.

## MODULAR CUBE (CONTINUED)



W 30 in D 24.5 in H 26.5 in  
W 76.2 D 62.2 H 67.3 cm

\*830 lbs/376 kg daily  
at 70/50°F  
\*740 lbs/336 kg daily  
at 90/70°F


### iF0900 SERIES



Not Stackable

If factory installed LuminIce II not offered, use aftermarket kit found on page 24.  
**RECOMMENDED BINS:** D570, D970 and LB0730 (See page 19-20).  
See pages 22-23 for required adapters, deflectors, and dispenser baffles.  
¹Use JCF0900 remote condenser and RT( )R-404A tubing kit (see page 10).  
Kit K00347 ice deflector must be ordered separately if used with: non-Manitowoc bins, Manitowoc LB-Style bins. Price list performance rating is 60hz data. Refer to individual 50hz spec sheets for 50hz performance rating.

MODEL	ICE TYPE	COOLING	ELECTRICAL	SHIPPING WEIGHT	SUGGESTED LIST PRICE	REPLACES MODEL
IYF0900A-263A	1/2 Dice	Air	208-230v/60Hz/3	219 lbs / 99 kg	<b>\$13,990</b>	IYF0900A-263
IYF0900N-263A	1/2 Dice	Remote	208-230v/60Hz/3	218 lbs / 99 kg	<b>\$13,550</b>	IYF0900N-263



W 30 in D 24.5 in H 26.5 in  
W 76.2 D 62.2 H 67.3 cm

\*865 lbs / 392 kg daily at  
70/50°F  
\*750 lbs / 340 kg daily at  
90/70°F

### iT0900 SERIES




Not Stackable

MODEL	ICE TYPE	COOLING	ELECTRICAL	SHIPPING WEIGHT	SUGGESTED LIST PRICE	REPLACES MODEL
IRT0900A-261	Regular	Air	208-230v/60hz/1	213 lbs / 97 kg	<b>\$13,889</b>	IRF0900A-261
IRT0900W-261	Regular	Water	208-230v/60hz/1	232 lbs / 105 kg	<b>\$14,583</b>	IRF0900W-261
IDT0900A-261	Dice	Air	208-230v/60hz/1	214 lbs / 97 kg	<b>\$13,589★</b>	IDF0900A-261
IDT0900A-261X	Dice	Air	208-230v/60hz/1	219 lbs / 99 kg	<b>\$14,412</b>	IDF0900A-261X
IDT0900W-261	Dice	Water	208-230v/60hz/1	212 lbs / 96 kg	<b>\$14,268</b>	IDF0900W-261
IDT0900N-261	Dice	Remote	208-230v/60Hz/1	221 lbs / 100 kg	<b>\$13,250★</b>	IDF0900N-261A
IYT0900A-261	1/2 Dice	Air	208-230v/60hz/1	218 lbs / 99 kg	<b>\$13,589★</b>	IYF0900A-261
IYT0900A-261X	1/2 Dice	Air	208-230v/60hz/1	223 lbs / 101 kg	<b>\$14,412</b>	IYF0900A-261X
IYT0900W-261	1/2 Dice	Water	208-230v/60hz/1	218 lbs / 99 kg	<b>\$14,268</b>	IYF0900W-261
IYT0900N-261	1/2 Dice	Remote	208-230v/60Hz/1	218 lbs / 99 kg	<b>\$13,250★</b>	IYF0900N-261A
IRT0900A-251	Regular	Air	230v/50hz/1	213 lbs / 97 kg	<b>\$14,114</b>	IRF0900A-251
IRT0900W-251	Regular	Water	230v/50hz/1	212 lbs / 96 kg	<b>\$14,819</b>	IRF0900W-251
IDT0900A-251	Dice	Air	230V/50HZ/1	214 lbs / 97 kg	<b>\$13,814</b>	IDF0900A-251
IDT0900N-251	Dice	Remote	230v/50/HZ/1	221 lbs / 100 kg	<b>\$13,475</b>	IDF0900N-251A
IYT0900A-251	1/2 Dice	Air	230v/50hz/1	218 lbs / 99 kg	<b>\$13,814</b>	IYF0900A-251
IYT0900N-251	1/2 Dice	Remote	230v/50/HZ/1	218 lbs / 99 kg	<b>\$13,475</b>	IYF0900N-251A

If factory installed LuminIce II not offered, use aftermarket kit found on page 24.  
**RECOMMENDED BINS:** D570, D970 or LB0730, LBCS1360 (see page 19-20).  
See pages 22-23 for required adapters, deflectors, and dispenser baffles.  
Use JCT1200 remote condenser and RT( )R-410A tubing kit (see page 10).  
Kit K00347 ice deflector must be ordered separately if used with: non-Manitowoc bins, Manitowoc LB-Style bins.  
Price list performance rating is 60hz data. Refer to individual 50hz spec sheets for 50hz performance rating.


★ENERGY STAR® QUALIFIED MODEL | Air filter standard on self-contained air-cooled ice cube machines.  
\*Daily ice production based on Half-Dice air-cooled condenser model at air temperature/water temperature.

## MODULAR CUBE (CONTINUED)



W 30 in D 24.5 in H 29.5 in  
W 76.2 D 62.2 H 74.9 cm

\*1213 lbs / 550 kg daily  
at 70/50°F  
\*950 lbs / 431 kg daily  
at 90/70°F



Not Stackable

### IT1200 SERIES

MODEL	ICE TYPE	COOLING	ELECTRICAL	SHIPPING WEIGHT	SUGGESTED LIST PRICE	REPLACES MODEL
IDT1200A-261	Dice	Air	208-230v/60hz/1	232 lbs / 105 kg	\$15,069	ID1106A-261
IDT1200W-261	Dice	Water	208-230v/60hz/1	228 lbs / 103 kg	\$15,822	ID1106W-261
IDT1200N-261	Dice	Remote	208-230v/60hz/1	228 lbs / 103 kg	\$14,875	IDT1200N-261
IYT1200A-261	1/2 Dice	Air	208-230v/60hz/1	241 lbs / 109 kg	\$15,069	IY1106A-261
IYT1200A-261X	1/2 Dice	Air	208-230v/60hz/1	246 lbs / 112 kg	\$15,892	IY1106A-261X
IYT1200A-263	1/2 Dice	Air	208-230v/60hz/3	241 lbs / 109 kg	\$15,369	IYT1200A-263
IYT1200W-261	1/2 Dice	Water	208-230v/60hz/1	238 lbs / 108 kg	\$15,822	IY1106W-261
IYT1200W-263	1/2 Dice	Water	208-230v/60hz/3	238 lbs / 108 kg	\$16,122	IYT1200W-263
IYT1200N-261	1/2 Dice	Remote	208-230v/60hz/1	236 lbs / 107 kg	\$14,875	IYT1200N-261
IYT1200N-263	1/2 Dice	Remote	208-230v/60hz/3	236 lbs / 107 kg	\$15,175	IY1196N3-263
IDT1200A-251	Dice	Air	230v/50hz/1	232 lbs / 105 kg	\$15,294	ID1106A-251
IDT1200W-251	Dice	Water	230v/50hz/1	228 lbs / 103 kg	\$16,047	ID1106W-251
IDT1200N-251	Dice	Remote	230v/50hz/1	228 lbs / 103 kg	\$15,100	IDT1200N-251
IYT1200A-251	1/2 Dice	Air	230v/50hz/1	241 lbs / 109 kg	\$15,294	IY1106A-251
IYT1200W-251	1/2 Dice	Water	230v/50hz/1	238 lbs / 108 kg	\$16,047	IY1106W-251
IYT1200N-251	1/2 Dice	Remote	230v/50hz/1	236 lbs / 107 kg	\$15,100	IYT1200N-251

If factory installed LuminIce II not ordered, use aftermarket kit found on page 24.


**RECOMMENDED BINS:** D970, D570, LB1448, LB1460, LBCS1360 (see page 19-20)

See pages 22-23 for required adapters, deflectors, and dispenser baffles.

<sup>1</sup>Use JCT1200 remote condenser and RT( )R-410A tubing kit (see page 10).


Kit K00347 ice deflector must be ordered separately if used with: non-Manitowoc bins, Manitowoc LB-Style bins.

Price list performance rating is 60hz data. Refer to individual 50hz spec sheets for 50hz performance rating.



W 48 in D 24.5 in H 29.5 in  
W 121.9 D 62.2 H 74.9 cm

\*1660 lbs / 753 kg  
at 70/50°F  
\*1412 lbs / 640 kg  
at 90/70°F



Not Stackable

### IT1500 SERIES

MODEL	ICE TYPE	COOLING	ELECTRICAL	SHIPPING WEIGHT	SUGGESTED LIST PRICE	REPLACES MODEL
IDT1500A-261A	Dice	Air	208-230v/60hz/1	292 lbs / 132 kg	\$17,464	IDT1500A-261
IDT1500A-263E	Dice	Air	208-230v/60hz/3	292 lbs / 132 kg	\$17,814	IDT1500A-263
IDT1500W-261A	Dice	Water	208-230v/60hz/1	298 lbs / 135 kg	\$18,337	IDT1500W-261
IDT1500W-263E	Dice	Water	208-230v/60hz/3	298 lbs / 135 kg	\$18,687	IDT1500W-263
IDT1500N-261E	Dice	Remote	208-230v/60hz/1	293 lbs / 133 kg	\$17,246★	IDT1500N-261A
IYT1500A-261A	1/2 Dice	Air	208-230v/60hz/1	292 lbs / 132 kg	\$17,464	IYT1500A-261
IYT1500A-261AX	1/2 Dice	Air	208-230v/60hz/1	297 lbs / 135 kg	\$18,287	IYT1500A-261X
IYT1500A-263E	1/2 Dice	Air	208-230v/60hz/3	292 lbs / 132 kg	\$17,814★	IYT1500A-263
IYT1500W-261A	1/2 Dice	Water	208-230v/60hz/1	294 lbs / 133 kg	\$18,337	IYT1500W-261
IYT1500W-263E	1/2 Dice	Water	208-230v/60hz/3	294 lbs / 133 kg	\$18,687	IYT1500W-263
IYT1500N-261E	1/2 Dice	Remote	208-230v/60hz/1	298 lbs / 135 kg	\$17,246★	IYT1500N-261A
IYT1500N-261EX	1/2 Dice	Remote	208-230v/60hz/1	303 lbs / 137 kg	\$18,069	IYT1500N-261X
IYT1500N-263E	1/2 Dice	Remote	208-230v/60hz/3	298 lbs / 135 kg	\$17,596★	IYT1500N-263
IDT1500A-251A	Dice	Air	230v/50hz/1	292 lbs / 132 kg	\$17,689	IDT1500A-251
IDT1500W-251A	Dice	Water	230v/50hz/1	292 lbs / 132 kg	\$18,562	IDT1500W-251
IDT1500N-251E	Dice	Remote	230v/50hz/1	293 lbs / 133 kg	\$17,471	IDT1500N-251
IYT1500A-251A	1/2 Dice	Air	230V/50HZ/1	292 lbs / 132 kg	\$17,689	IYT1500A-251
IYT1500W-251A	1/2 Dice	Water	230v/50hz/1	294 lbs / 133 kg	\$18,562	IYT1500W-251
IYT1500N-251E	1/2 Dice	Remote	230V/50HZ/1	298 lbs / 135 kg	\$17,471	IYT1500N-251

If factory installed LuminIce II not offered, use aftermarket kit found on page 24.

**RECOMMENDED BINS:** D970, LB1448, LB1460, LB1760, LBCS1360+S ( See page 19-20s).

See pages 22-23 for required adapters and deflectors.

<sup>1</sup>Use JCT1500 remote condenser and RL( )R-410A tubing kit (see page 10).

Kit K0034900 ice deflector must be ordered separately if used with: non-Manitowoc bins, Manitowoc LB-Style bins.


Price list performance rating is 60hz data. Refer to individual 50hz spec sheets for 50hz performance rating.

★ENERGY STAR® QUALIFIED MODEL | Air filter standard on self-contained air-cooled ice cube machines.

\* Daily ice production based on Half-Dice air-cooled condenser model at air temperature/water temperature.




## MODULAR CUBE (CONTINUED)



W 48 in D 24.5 in H 29.5 in  
W 121.9 D 62.2 H 74.9 cm

\*1965 lbs / 891 kg  
at 70/50°F  
\*1535 lbs / 696 kg  
at 90/70°F



Not Stackable

### IT1900 SERIES

MODEL	ICE TYPE	COOLING	ELECTRICAL	SHIPPING WEIGHT	SUGGESTED LIST PRICE	REPLACES MODEL
IRT1900A-261E	Regular	Air	208-230v/60hz/1	317 lbs / 144 kg	\$21,026	IRT1900A-261
IRT1900A-263E	Regular	Air	208-230v/60hz/3	317 lbs / 144 kg	\$21,376	IRT1900A-263
IRT1900N-261E	Regular	Remote	208-230v/60hz/1	324 lbs / 147 kg	\$20,838	IRT1900N-261A
IRT1900N-263E	Regular	Remote	208-230v/60hz/3	324 lbs / 147 kg	\$21,188	IRT1900N-263
IRT1900N-263EX	Regular	Remote	208-230v/60hz/3	324 lbs / 147 kg	\$22,011	IRT1900N-263X
IDT1900A-261E	Dice	Air	208-230v/60hz/1	317 lbs / 144 kg	\$20,726	IDT1900A-261
IDT1900A-263E	Dice	Air	208-230v/60hz/3	317 lbs / 144 kg	\$21,076	IDT1900A-263
IDT1900W-261E	Dice	Water	208-230v/60hz/1	319 lbs / 145 kg	\$21,763	IDT1900W-261A
IDT1900W-263E	Dice	Water	208-230v/60hz/3	319 lbs / 145 kg	\$22,113	IDT1900W-263
IDT1900N-261E	Dice	Remote	208-230v/60hz/1	324 lbs / 147 kg	\$20,538★	IDT1900N-261A
IDT1900N-263E	Dice	Remote	208-230v/60hz/3	324 lbs / 147 kg	\$20,888★	IDT1900N-263
IYT1900A-261E	1/2 Dice	Air	208-230v/60hz/1	321 lbs / 146 kg	\$20,726	IYT1900A-261
IYT1900A-263E	1/2 Dice	Air	208-230v/60hz/3	321 lbs / 146 kg	\$21,076	IYT1900A-263
IYT1900W-261E	1/2 Dice	Water	208-230v/60hz/1	322 lbs / 146 kg	\$21,763	IYT1900W-261A
IYT1900W-263E	1/2 Dice	Water	208-230v/60hz/3	322 lbs / 146 kg	\$22,113	IYT1900W-263
IYT1900N-261E	1/2 Dice	Remote	208-230v/60hz/1	330 lbs / 150 kg	\$20,538★	IYT1900N-261A
IYT1900N-261EX	1/2 Dice	Remote	208-230v/60hz/1	335 lbs / 152 kg	\$21,361	IYT1900N-261X
IYT1900N-263E	1/2 Dice	Remote	208-230v/60hz/3	330 lbs / 150 kg	\$20,888★	IYT1900N-263
IYT1900N-263EX	1/2 Dice	Remote	208-230v/60hz/3	335 lbs / 152 kg	\$21,711	IYT1900N-263X
IRT1900A-251E	Regular	Air	230v/50hz/1	317 lbs / 144 kg	\$21,251	IRT1900A-251
IDT1900A-251E	Dice	Air	230v/50hz/1	317 lbs / 144 kg	\$20,951	IDT1900A-251
IDT1900N-251E	Dice	Remote	230v/50hz/1	324 lbs / 147 kg	\$20,763	IDT1900N-251
IYT1900A-251E	1/2 Dice	Air	230v/50hz/1	324 lbs / 146 kg	\$20,951	IYT1900A-251

If factory installed LuminIce II not offered, use aftermarket kit found on page 24.


**RECOMMENDED BINS:** D970, LB1448, LB1460, LB1760, LBCS1360+S (See page 20).

See pages 22-23 for required adapters and deflectors.

<sup>1</sup>Use JCT1500 remote condenser and RL( )R-410A tubing kit (see page 10).

Kit K0034900 ice deflector must be ordered separately if used with: non-Manitowoc bins, Manitowoc LB-Style bins.

Price list performance rating is 60hz data. Refer to individual 50hz spec sheets for 50hz performance rating.




W 48 in D 31 in H 36 in  
W 121.9 D 78.7 H 91.4 cm

\*3200 lbs / 1451 kg daily  
at 70/50°F  
\*2584 lbs / 1172 kg daily  
at 90/70°F

### S-3000 SERIES

MODEL	ICE TYPE	COOLING	ELECTRICAL	SHIPPING WEIGHT	SUGGESTED LIST PRICE	REPLACES MODEL
SDT3000W-263H	Dice	Water	208-230v/60hz/31	501 lbs / 227 kg	\$36,325	SD3303W3-263HP
SYT3000W-263H	1/2 Dice	Water	208-230v/60hz/3	516 lbs / 234 kg	\$36,325	SY3305W3-263HP



Not Stackable

**RECOMMENDED BINS:** LB1448, LB1460, LB1760, LBCS130+S (See page 20).

See pages 22-23 for required adapters and deflectors.

Not for use with iAuCS cleaning system or LuminIce II.


K00391 and K00396 Needed for the LB1448. Requires adapter that does not come with the bin. KLB604800 with the LB1460 and LB1760 and the KLB614800 for the LBCS1360.

H = High pressure valve regulates from 20 psi to 350 psi or 137.9 kPa to 2413.2 kPa.

★ENERGY STAR® QUALIFIED MODEL | Air filter standard on self-contained air-cooled ice cube machines.

\*Daily ice production based on Half-Dice air-cooled condenser model at air temperature/water temperature.


## REMOTE



### STANDARD REMOTE AIR-COOLED CONDENSER

MODEL	FOR USE WITH REMOTE ICE MACHINE	ELECTRICAL	SHIPPING WEIGHT	SUGGESTED LIST PRICE	REPLACES MODEL
JCF0500-161	iF0500N	115v/60hz/1	64 lbs / 29 kg	\$2,480	JC0495-161
JCF0500-161Q	iF0500N	115v/60hz/1	65 lbs / 29 kg	\$2,780	JC0495-161Q
JCF0900-261	iF0600N & iF900N	208-230v/60hz/1	78 lbs / 35 kg	\$2,796	JC 0895 AND 0995-261
JCF0900-261Q	iF0600N & iF900N	208-230v/60hz/1	79 lbs / 36 kg	\$3,096	JC0995-261Q
JCT1200-261	IT0750N, IT0900N and iT1200N	208-230v/60hz/1	78 lbs / 35 kg	\$2,971	JC0995-261
JCT1200-261Q	IT0750N, IT0900N and iT1200N	208-230v/60hz/1	79 lbs / 36 kg	\$3,271	N/A
JCT1500-261	iT1500N and iT1900N	208-230v/60hz/1	80 lbs / 36 kg	\$3,236	JC1395-261
JCT1500-261Q	iT1500N and iT1900N	208-230v/60hz/1	81 lbs / 37 kg	\$3,536	JC1395-261Q
JCF0900-251	iF0600N and iF0900N	230v/50hz/1	78 lbs / 35 kg	\$3,021	JC0895 AND 0995-251
JCT1200-251	iT1200N	230v/50hz/1	78 lbs / 35 kg	\$3,196	JC0995-251
JCT1500-251	iT1500N and iT1900N	230v/50hz/1	80 lbs / 36 kg	\$3,461	JC1395-251

NOTE: Models with Q suffix are available with coated coils that provide extra corrosion protection in salt spray environments. Coated Coil models require longer lead time, please contact the factory.



### STANDARD REMOTE TUBING KITS & ACCESSORIES

KIT	FOR USE WITH SERIES	TUBING LENGTH	SHIPPING WEIGHT	SUGGESTED LIST PRICE
RT20R404	iF0500, iF600 and iF900 Precharged with quick connects	20ft / 6.1m	10 lbs / 5 kg	\$606
RT35R404	iF0500, iF600 and iF900 Precharged with quick connects	35ft / 10.7m	15 lbs / 7 kg	\$745
RT50R404	iF0500, iF600 and iF900 Precharged with quick connects	50ft / 15.2m	22 lbs / 10 kg	\$898
RT20R410A	iT500, IT0750N, IT0900N and iT1200 Precharged with quick connects	20ft / 6.1m	10 lbs / 5 kg	\$623
RT35R410A	iT500, IT0750N, IT0900N and iT1200 Precharged with quick connects	35ft / 10.7m	15 lbs / 7 kg	\$768
RT50R410A	iT500, IT0750N, IT0900N and iT1200 Precharged with quick connects	50ft / 15.2m	22 lbs / 10 kg	\$923
RL20R410A	iT1500 and iT1900 Precharged with quick connects	20ft / 6.1m	10 lbs / 5 kg	\$623
RL35R410A	iT1500 and iT1900 Precharged with quick connects	35ft / 10.7m	15 lbs / 7 kg	\$768
RL50R410A	iT1500 and iT1900 Precharged with quick connects	50ft / 15.2m	22 lbs / 10 kg	\$923

#### ACCESSORY

K00129	Remote Coupling Kit needed for non-Manitowoc Tubing	2 lbs / 1 kg	\$210
--------	---	--------------	-------

NOTE: Manitowoc remote systems are only approved and warranted as a complete new package. Replacing an ice machine with an Indigo NXT, RNF or RNS model requires a NEW condenser and line set. Use of a new multi-circuited condenser is approved when sized and installed as outlined in Manitowoc Product Information. Rack system applications are not approved.


#### TOP AIR DISCHARGE KIT

KIT	FOR USE WITH SERIES	SHIPPING WEIGHT	SUGGESTED LIST PRICE
K00379	Indigo NXT iT0450, iT0500, iF0600, iT0750	18 lbs / 9 kg	\$670
K00438	Indigo NXT iT0420 and iT0620 models	17 lbs / 8 kg	\$670
K00439	Indigo NXT iF0900 and iT0900	17 lbs / 8 kg	\$670
K00449	Indigo NXT iT1200	18 lbs / 9 kg	\$670
K00481B	Indigo NXT iT1500 and iT1900 models	29 lbs / 13 kg	\$670


NOTE: Top air discharge kits are used when there is not sufficient clearance on the sides of an air cooled machine. These kits change the side panels and top panel so the air intake is from the back of the machine and the exhaust is re-routed out of the top of the machine rather than the sides.

## QUIETQUBE ICE MACHINES


### QUIETQUBE® ICE MACHINES



**IF0600C**  
W 30 in D 24.5 in H 21.5 in  
W 76.2 D 62.2 H 54.6 cm  
**IF0900C**  
W 30 in D 24.5 in H 26.5 in  
W 76.2 D 62.2 H 67.3 cm  
**IT1200C**  
W 30 in D 24.5 in H 29.5 in  
W 76.2 D 62.2 H 74.9 cm




**IT1430C**  
W 30 in D 24.5 in H 25 in  
W 76.2 D 62.2 H 63.5 cm  
**IT1830C/IF2100C**  
W 30 in D 24.5 in H 29.5 in  
W 76.2 D 62.2 H 74.9 cm



**SF3000C**  
W 48 in D 31 in H 36 in  
W 121.9 D 78.7 H 91.4 cm

### ICE/BEV ICE MACHINES



**IBF0620**  
W 22 in D 14 in H 24 in  
W 55.9 D 35.6 H 61.0 cm  
**IBF0820**  
W 22 in D 14 in H 26.5 in  
W 55.9 D 35.6 H 67.3 cm  
**IBT1020C**  
W 22 in D 14 in H 30.5 in  
W 55.9 D 35.6 H 77.5 cm

### QUIETQUBE® AND ICE BEVERAGE MACHINES

MODEL	ICE TYPE	COOLING	ELECTRICAL	SHIPPING WEIGHT	SUGGESTED LIST PRICE	REPLACES MODEL
<b>IDT1200C-161</b>	Dice	Remote	115v/60Hz/1	171 lbs / 78 kg	<b>\$13,830</b>	<b>ID1176C-161</b>
<b>IDT1430C-161</b>	Dice	Remote	115v/60Hz/1	174 lbs / 79 kg	<b>\$15,292</b>	<b>IDF1400C-161</b>
<b>IDT1830C-161</b>	Dice	Remote	115v/60Hz/1	210 lbs / 95 kg	<b>\$19,357★</b>	<b>IDF1800C-161</b>
<b>IDF2100C-161</b>	Dice	Remote	115v/60Hz/1	210 lbs / 95 kg	<b>\$22,880</b>	<b>ID2176C-161</b>
<b>IYF0600C-161</b>	1/2 Dice	Remote	115v/60Hz/1	146 lbs / 66 kg	<b>\$10,045★</b>	<b>IY0686C-161</b>
<b>IYF0900C-161</b>	1/2 Dice	Remote	115v/60Hz/1	161 lbs / 73 kg	<b>\$12,712★</b>	<b>IY0976C-161</b>
<b>IYF0900C-161X</b>	1/2 Dice	Remote	115v/60Hz/1	166 lbs / 75 kg	<b>\$13,535</b>	<b>IY0976C-161X</b>
<b>IYT1200C-161</b>	1/2 Dice	Remote	115v/60Hz/1	174 lbs / 79 kg	<b>\$13,830</b>	<b>IY1176C-161</b>
<b>IYT1430C-161</b>	1/2 Dice	Remote	115v/60Hz/1	179 lbs / 81 kg	<b>\$15,292★</b>	<b>IYF1400C-161</b>
<b>IYT1430C-161X</b>	1/2 Dice	Remote	115v/60Hz/1	184 lbs / 83 kg	<b>\$16,115★</b>	<b>IYF1400C-161X</b>
<b>IYT1830C-161</b>	1/2 Dice	Remote	115v/60Hz/1	210 lbs / 95 kg	<b>\$19,357★</b>	<b>IYF1800C-161</b>
<b>IYT1830C-161X</b>	1/2 Dice	Remote	115v/60Hz/1	215 lbs / 98 kg	<b>\$20,180★</b>	<b>IYF1800C-161X</b>
<b>IYF2100C-161</b>	1/2 Dice	Remote	115v/60Hz/1	210 lbs / 95 kg	<b>\$22,880</b>	<b>IY2176C-161</b>
<b>IYF2100C-161X</b>	1/2 Dice	Remote	115v/60Hz/1	210 lbs / 95 kg	<b>\$23,703</b>	<b>IY2176-161X</b>
<b>SYF3000C-161</b>	1/2 Dice	Remote	115v/60Hz/1	423 lbs / 192 kg	<b>\$33,517</b>	<b>SY3074C-161</b>
<b>IBF0620C-161</b>	1/2 Dice	Remote	115v/60Hz/1	122 lbs / 55 kg	<b>\$11,404</b>	<b>IB0696YC-161</b>
<b>IBF0820C-161</b>	1/2 Dice	Remote	115v/60Hz/1	130 lbs / 59 kg	<b>\$13,604★</b>	<b>IB0894YC-161</b>
<b>IBT1020C-161</b>	1/2 Dice	Remote	115v/60Hz/1	148 lbs / 67 kg	<b>\$14,798</b>	<b>IB1094YC-161</b>
<b>IYF0600C-251</b>	1/2 Dice	Remote	230v/50hz/1	146 lbs / 66 kg	<b>\$10,105</b>	<b>IY0686C-251</b>
<b>IYT1830C-251</b>	1/2 Dice	Remote	230v/50hz/1	210 lbs / 95 kg	<b>\$19,582</b>	<b>IYF1800C-251</b>
<b>IBT1020C-251</b>	1/2 Dice	Remote	230v/50hz/1	148 lbs / 67 kg	<b>\$15,023</b>	<b>IBF0820C-251</b>

If factory installed LuminIce II not offered, use aftermarket kit found on page 24.


Price list performance rating is 60hz data. Refer to individual 50hz spec sheets for 50hz performance rating.

### QUIETQUBE ICE MACHINES


MODEL	70/50°F	90/70°F	MODEL	70/50°F	90/70 F
<b>IDT1200C</b>	1,130 lbs / 513 kg	930 lbs / 422 kg	<b>IYT1430C</b>	1,437 lbs / 652 kg	1,210 lbs / 549 kg
<b>IDT1430C</b>	1,320 lbs / 599 kg	1,120 lbs / 508 kg	<b>IYT1830C</b>	1,874 lbs / 850 kg	1,560 lbs / 708 kg
<b>IDT1830C</b>	1,771 lbs / 803 kg	1,500 lbs / 680 kg	<b>IYF2100C</b>	1,800 lbs / 816 kg	1,600 lbs / 726 kg
<b>IDF2100C</b>	1,800 lbs / 816 kg	1,575 lbs / 714 kg	<b>SYF3000C</b>	2,910 lbs / 1,320 kg	2,400 lbs / 1,089 kg
<b>IYF0600C</b>	600 lbs / 272 kg	530 lbs / 240 kg	<b>IBF0620C</b>	675 lbs / 306 kg	564 lbs / 256 kg
<b>IYF0900C</b>	816 lbs / 370 kg	675 lbs / 306 kg	<b>IBF0820C</b>	825 lbs / 374 kg	728 lbs / 330 kg
<b>IYT1200C</b>	1,155 lbs / 525 kg	955 lbs / 433 kg	<b>IBT1020C</b>	1,206 lbs / 547 kg	1,030 lbs / 467 kg

Ice deflectors required for single machines on LB-style bins.

Two machines side by side require unique deflectors and adapters. (See page 22 for reference.)



ICE MAKER



CONDENSING UNIT



TUBING




QUIETQUBE®  
OR  
ICE/BEVERAGE  
ICE MAKING  
COMPONENTS¹

NOTE: Manitowoc remote systems are only approved and warranted as a complete new package. Replacing an ice machine with an Indigo remote model requires a NEW condenser and line set. Only Manitowoc CVD condensing units are approved with QQ and IB Series machines.

¹Appropriate adapter is required with ice dispensers or storage bin. For Quiet Qube machines other than IB machines, an optional K00477 bin dispenser thermostat kit maybe required for high humidity locations to reduce equipment sweating. IB ice machines come equipped from the factory with a built in bin dispenser thermostat.


★ENERGY STAR® QUALIFIED MODEL | Air filter standard on self-contained air-cooled ice cube machines.  
\* Daily ice production based on Half-Dice air-cooled condenser model at air temperature/water temperature.

## CONDENSING UNITS



CVDF0600, CDVF0900,  
CVDT1200, CVDF1400,  
CVDF1800, RCU1000,  
RCUF1200, RCUF2200  
W 34 in D 24.13 in H 25.75 in  
W 86.4 D 61.3 H 65.4 cm

RJC1275  
W 45.5 in D 16.5 in H 31 in  
W 115.6 D 42 H 78.5 cm



CVDF2100/CVDF3000  
W 53 in D 26 in H 25.75 in  
W 134.6 D 66 H 65.4 cm

RJC2375  
W 51.4 D 18.5 in H 45.7 in  
W 130.6 D 47 H 116 cm

### CONDENSING UNITS

MODEL	COOLING	USE WITH	ELECTRICAL	SHIPPING WEIGHT	SUGGESTED LIST PRICE	REPLACES MODEL
CVDF0600-261A	Air	IF0600C, IbF0620C	208-230v/60hz/1	178 lbs / 81 kg	\$4,261	CVDF0600-261
CVDF0600-263A	Air	IF0600C, IbF0620C	208-230v/60hz/3	178 lbs / 81 kg	\$4,561	CVDF0600-263
CVDF0900-261A	Air	IF0900C, IbF0820C	208-230v/60hz/1	183 lbs / 83 kg	\$4,825	CVDF0900-261
CVDF0900-263A	Air	IF0900C, IbF0820C	208-230v/60hz/3	183 lbs / 83 kg	\$5,125	CVDF0900-263
CVDT1200-261	Air	IT1200C, IbT1020C	208-230v/60hz/1	208 lbs / 94 kg	\$5,228	CVDT1200-261
CVDT1200-263	Air	IT1200C, IbT1020C	208-230v/60hz/3	208 lbs / 94 kg	\$5,528	CVDT1200-261
CVDT1200-263Q	Air	IT1200C, IbT1020C	208-230v/60hz/3	208 lbs / 94 kg	\$5,828	CVDT1200-263Q
CVDT1400-261	Air	IT1430C	208-230v/60hz/1	190 lbs / 86 kg	\$5,870	CVDF1400-261A
CVDT1400-261Q	Air	IT1430C	208-230v/60hz/1	190 lbs / 86 kg	\$6,170	CVDF1400-261A
CVDT1400-263	Air	IT1430C	208-230v/60hz/3	190 lbs / 86 kg	\$6,170	CVDF1400-263A
CVDT1800-261	Air	IT1830C	208-230v/60hz/1	195 lbs / 88 kg	\$6,731	CVDF1800-261A
CVDT1800-263	Air	IT1830C	208-230v/60hz/3	195 lbs / 88 kg	\$7,081	CVDF1800-263A
CVDT1800-261Q	Air	IT1830C	208-230v/60hz/1	195 lbs / 88 kg	\$7,031	CVDF1800-261
CVDT1800-263Q	Air	IT1830C	208-230v/60hz/3	195 lbs / 88 kg	\$7,381	CVDF1800-263Q
CVDF2100-261	Air	IF2100C	208-230v/60hz/1	266 lbs / 121 kg	\$7,480	ICVD2096-261
CVDF2100-263	Air	IF2100C	208-230v/60hz/3	266 lbs / 121 kg	\$7,830	ICVD2096-263
CVDF3000-263	Air	sF3000C	208-230v/60hz/3	268 lbs / 122 kg	\$11,297	CVDF30853-263
RCUF1200-261	Air	RFF1220C	208-230v/60hz/1	201 lbs / 91 kg	\$4,774	RCUF1200-261
RCUF1000-261A	Air	RNF1020C	208-230v/60hz/1	201 lbs / 91 kg	\$4,682	RCUF1000-261
RCUF2200-263	Air	RFF2200C, RNF2000C	208-230v/60hz/3	249 lbs / 113 kg	\$5,921	RCU23753-263
CVDF0600-251A	Air	IF0600C	230v/50hz/1	178 lbs / 81 kg	\$4,321	CVDF0600-251
CVDT1200-251	Air	IBT1200C	230v/50hz/1	208 lbs / 94 kg	\$5,453	N/A
CVDF1800-251A	Air	IF1800C	230v/50hz/1	195 lbs / 88 kg	\$6,956	ICVD1895-251
RJC1275-453	Air	RFS1278C	380-415/50hz/3	315 lbs / 143 kg	\$8,973	N/A
RJC2375-453	Air	RFS2378C	380-415/50hz/3	315 lbs / 143 kg	\$12,623	N/A

NOTE: Models with "Q" suffix are available with coated coils that provide extra corrosion protection in salt spray environments

## QUIETQUBE® & IB REMOTE TUBING KITS & ACCESSORIES

KIT	INDIGO NXT, FLAKE NUGGET REMOTE TUBING KITS	SHIPPING WEIGHT	SUGGESTED LIST PRICE
RC21	20 ft / 6.1 m tubing length for CVD0600, CVD0900, CVD1200, CVDT1400, RCUF and RJC condensing units. Not Precharged	12 lbs / 5 kg	\$420
RC31	30 ft / 9.1 m tubing length for CVD0600, CVD0900, CVD1200, CVDT1400, RCUF and RJC condensing units. Not Precharged	17 lbs / 8 kg	\$604
RC51	50 ft / 15.2 m tubing length for CVD0600, CVD0900, CVD1200, CVDT1400, RCUF and RJC condensing units. Not Precharged	27 lbs / 12 kg	\$1,020
RC20	20 ft / 6.1 m tubing length for CVDT1800. Not Precharged	14 lbs / 6 kg	\$464
RC30	30 ft / 9.1 m tubing length for CVDT1800. Not Precharged	20 lbs / 9 kg	\$693
RC50	50 ft / 15.2 m tubing length for CVDT1800. Not Precharged	31 lbs / 14 kg	\$1,096
RC23	20 ft / 6.1 m tubing length for CVD2100. Not Precharged	17 lbs / 8 kg	\$700
RC33	30 ft / 9.1 m tubing length for CVD2100. Not Precharged	25 lbs / 11 kg	\$973
RC53	50 ft / 15.2 m tubing length for the CVD2100. Not Precharged	39 lbs / 18 kg	\$1599
K00166	"S" Trap kit for CVD1400, 1800, 2100 and CVD3000 condensing units with line set rise over 20 ft / 6.1 m		\$112
K00172	S-Trap kit for Indigo Series CVD0600 and 0900 and CVD1200 condensing units with lines set rise over 20 ft / 6.1 m		\$108
SF3000C TUBING KITS			
RC24	20 ft / 6.1 m Tubing length for CVD3000	37 lbs / 17 kg	\$878
RC34	30 ft / 9.1 m Tubing length for CVD3000	47 lbs / 21 kg	\$1,279
RC54	50 ft / 15.2 m Tubing length for CVD3000	73 lbs / 33 kg	\$2,068
*IB ADAPTER FOR CORNELIUS DISPENSER: ORDERED AND SHIPPED FROM MANITOWOC ICE			
K00340	For 22 in / 55.9 cm wide Enduro 150 for McDonald's ABS unit	27 lbs / 12 kg	\$1,459
K00341	24.5 in / 62.2 cm Enduro 175 kit no longer available (use Cornelius 629007571)		
K00342	30 in / 76.2 cm Enduro 200 / 250	31 lbs / 14 kg	\$1,812
K00343	44 in / 111.8 cm Enduro 300	47 lbs / 21 kg	\$2,163




## CONDENSING UNITS

### QUIETQUBE® & IB REMOTE TUBING KITS & ACCESSORIES (CONTINUED)

#### IB ACCESSORY

**K00436** IBT1020C Back Enclosure Kit (for IB1094YC and IBT1020C only) Hides electrical and water lines for pleasing appearance. 12 lbs / 5 kg **\$359**

## SPECIALTY MODELS




Not Stackable

### PRISON

MODEL	ICE TYPE	COOLING	ELECTRICAL	SHIPPING WEIGHT	SUGGESTED LIST PRICE	REPLACES MODEL
<b>IDT0450A-161P</b>	Dice	Air	115v/60Hz/1	160 lbs / 73 kg	<b>\$8,818</b>	<b>ID0452A-161P</b>
<b>IDT0450W-161P</b>	Dice	Water	115v/60Hz/1	141 lbs / 64 kg	<b>\$9,214</b>	<b>ID0453W-161P</b>
<b>IDT0620A-161P</b>	Dice	Air	115v/60Hz/1	143 lbs / 65 kg	<b>\$9,620</b>	<b>ID0522A-161P</b>
<b>IDT0620W-161P</b>	Dice	Water	115v/60Hz/1	140 lbs / 63 kg	<b>\$10,056</b>	<b>ID0523W-161P</b>
<b>IDT0750A-261P</b>	Dice	Air	208-230v/60hz/1	194 lbs / 88 kg	<b>\$11,360</b>	<b>IDF0600A-261P</b>
<b>IDT1200A-261P</b>	Dice	Air	208-230v/60hz/1	232 lbs / 105 kg	<b>\$15,969</b>	<b>ID1106A-261P</b>
<b>IDT1200W-261P</b>	Dice	Water	208-230v/60hz/1	228 lbs / 103 kg	<b>\$16,722</b>	<b>ID1106W-261P</b>
<b>IDT1500A-261P</b>	Dice	Air	208-230v/60hz/1	292 lbs / 132 kg	<b>\$18,364</b>	<b>IDT1500A-261P</b>
<b>IDT1500N-261EP</b>	Dice	Remote	208-230v/60hz/1	293 lbs / 133 kg	<b>\$18,146</b>	<b>IDT1500N-261P</b>
<b>IDT1900A-261EP</b>	Dice	Air	208-230v/60hz/1	317 lbs / 144 kg	<b>\$21,626</b>	<b>IDT1900A-261P</b>
<b>IDT1900N-261EP</b>	Dice	Remote	208-230v/60hz/1	324 lbs / 147 kg	<b>\$21,438</b>	<b>IDT1900N-261P</b>
<b>IDT1900N-263EP</b>	Dice	Remote	208-230v/60hz/3	324 lbs / 147 kg	<b>\$21,788</b>	<b>IDT1900N-263P</b>

NOTE: For dimensions and performance see base model  
Prison models require more lead time than normal, please contact the factory.  
Luminice II is available as an after-market kit. Please see page 24.




Not Stackable

### MARINE

MODEL	ICE TYPE	COOLING	ELECTRICAL	SHIPPING WEIGHT	SUGGESTED LIST PRICE	REPLACES MODEL
<b>IDT0750W-261M</b>	Dice	Water	208-230v/60hz/1	194 lbs / 88 kg	<b>\$13,793</b>	<b>IDF0600W-261M</b>
<b>IDT0900W-261M</b>	Dice	Water	208-230v/60hz/1	212 lbs / 96 kg	<b>\$17,809</b>	<b>IDF0900W-261M</b>
<b>IDT1900W-261EM</b>	Dice	Water	208-230v/60hz/1	334 lbs / 151 kg	<b>\$24,442</b>	<b>IDT1900W-261AM</b>
<b>IYT0900W-261M</b>	1/2 Dice	Water	208-230v/60hz/1	218 lbs / 99 kg	<b>\$17,809</b>	<b>IYF0900W-261M</b>
<b>IYT1900W-261EM</b>	1/2 Dice	Water	208-230v/60hz/1	337 lbs / 153 kg	<b>\$24,442</b>	<b>IYT1900W-261AM</b>
<b>IYT1900W-263EM</b>	1/2 Dice	Water	208-230v/60hz/3	337 lbs / 153 kg	<b>\$24,792</b>	<b>IYT1900W-263M</b>

NOTE: For dimensions and performance see base model  
Marine models require more lead time than normal, please check with the factory.



Not Stackable

<b>IDT0900W-261V</b>	Dice	Water	208-230v/60hz/1	212 lbs / 96 kg	<b>\$18,610</b>	<b>IDF0900W-261V</b>
<b>IYT0900W-261V</b>	1/2 Dice	Water	208-230v/60hz/1	218 lbs / 99 kg	<b>\$18,610</b>	<b>IYF0900W-261V</b>
<b>IDT1900W-261EV</b>	Dice	Water	208-230v/60hz/1	334 lbs / 151kg	<b>\$25,175</b>	<b>IDT1900W-261V</b>
<b>IYT1900W-261EV</b>	1/2 Dice	Water	208-230v/60hz/1	337 lbs / 153kg	<b>\$25,175</b>	<b>IYT1900W-261V</b>

NOTE: For dimensions and performance see base model  
Marine models require more lead time than normal, please check with the factory.

★ENERGY STAR® QUALIFIED MODEL | Air filter standard on self-contained air-cooled ice cube machines.  
\* Daily ice production based on Half-Dice air-cooled condenser model at air temperature/water temperature.

## UNDERCOUNTER FLAKE



W 19.7 in D 26 in H 37.5 in  
W 50.0 D 66.0 H 95.3 cm

\*272 lbs / 123 kg daily at 70/50°F  
\*201 lbs / 91 kg daily at 90/70°F

UFP0200

MODEL	ICE TYPE	COOLING	ELECTRICAL	SHIPPING WEIGHT	SUGGESTED LIST PRICE	REPLACES MODEL
UFP0200A-161	Flake	Air	115v/60hz/1	168 lbs / 76 kg	\$10,122★	UFF0200A-161
UFK0200AZ-251	Flake	Air	230v/50hz/1	168 lbs / 76 kg	\$10,182	RF0266AZ-251

**APPLICATION STORAGE CAPACITY:** 50 lbs / 23 kg. Cubic volume 1.7. Storage capacity is AHRI certified.  
Application storage capacity measured 90% of total volume in cu. ft x 22 lbs / ft<sup>3</sup>  
Includes 6 ft / 1.8 m power cord with NEMA 5-15P plug.  
Use cleaner (000000084) only with this model.  
Not compatible with iAuCS® or LuminIce II.  
Price list performance rating is 60hz data.  
50 Hz Electric Connection: Add Z for Bare Lead cord.



W 29 in D 27 in H 39.5 in  
W 73.8 D 69.0 H 100.4 cm


400 lbs / 181 kg at 70/50 F  
321 lbs / 145 kg at 90/70 F

UFP0350

MODEL	ICE TYPE	COOLING	ELECTRICAL	SHIPPING WEIGHT	SUGGESTED LIST PRICE	REPLACES MODEL
UFP0350A-161	Flake	Air	115v/60hz/1	224 lbs / 102 kg	\$10,529★	UFF0350A-161
UFK0350AZ-251	Flake	Air	230v/50hz/1	224 lbs / 102 kg	\$10,589	RF0385AZ-251

**APPLICATION STORAGE CAPACITY:** 60 lbs/27 kg. Measured cubic volume 2.04 Storage Capacity is AHRI certified  
Application storage capacity measured 90% of total volume in cu. ft x 22 lbs / ft<sup>3</sup>  
Includes 6 ft / 1.8 m power cord with NEMA 5-15P plug.  
Use cleaner (000000084) only with this model.  
Not compatible with iAuCS or LuminIce II.  
Price list performance rating is 60hz data.  
50 Hz Electric Connection: Add Z for Bare Lead cord.

## MODULAR FLAKE MACHINES



W 22 in D 23.6 in H 26 in  
W 55.9 D 59.9 H 66.0 cm

\*365 lbs / 165 kg daily at 70/50°F  
\*287 lbs / 130 kg daily at 90/70°F


RFP0320

MODEL	ICE TYPE	COOLING	ELECTRICAL	SHIPPING WEIGHT	SUGGESTED LIST PRICE	REPLACES MODEL
RFP0320A-161	Flake	Air	115v/60hz/1	174 lbs / 79 kg	\$9,167★	RFF0320A-161
RFK0320AZ-251	Flake	Air	230v/50hz/1	174 lbs / 79 kg	\$9,227	RFS0300AZ-251



Not Stackable

**RECOMMENDED BINS:** D320 or D420 (See page 19-20).  
See pages 22-23 for required adapters.  
Use cleaner (000000084) only with this model.  
Price list performance rating is 60hz data.  
Not compatible with SPA/SFA dispensers, iAuCS, or LuminIce II.  
50 Hz Electric Connection: Add Z for Bare Lead cord.



W 22 in D 23.6 in H 26 in  
W 55.9 D 59.9 H 66.0 cm

\*682 lbs / 309 kg daily at 70/50°F  
\*527 lbs / 239 kg daily at 90/70°F

RFP0620

MODEL	ICE TYPE	COOLING	ELECTRICAL	SHIPPING WEIGHT	SUGGESTED LIST PRICE	REPLACES MODEL
RFP0620A-161	Flake	Air	115v/60hz/1	230 lbs / 104 kg	\$11,375	RFF0620A-161
RFP0620W-161	Flake	Water	115v/60hz/1	230 lbs / 104 kg	\$11,943	RFF0620W-161
RFK0620AZ-251	Flake	Air	230v/50hz/1	230 lbs / 104 kg	\$11,435	RFS0650AZ-251
RFK0620WZ-251	Flake	Water	230v/50hz/1	230 lbs / 104 kg	\$12,003	RFS0650WZ-251




Not Stackable

**RECOMMENDED BINS:** D320 or D420 (See page 19-20).  
See pages 22-23 for required adapters.  
Use cleaner (000000084) only with this model.  
Price list performance rating is 60hz data.  
Not compatible with SPA/SFA dispensers, iAuCS, or LuminIce II.  
50 Hz Electric Connection: Add Z for Bare Lead cord.

★ENERGY STAR® QUALIFIED MODEL | Air filter standard on self-contained air-cooled ice cube machines.  
\* Daily ice production based on Half-Dice air-cooled condenser model at air temperature/water temperature.

## MODULAR FLAKE



W 30 in D 23.6 in H 27.4 in  
W 76.2 D 59.9 H 70.0 cm

\*1264 lbs / 573 kg daily at 70/50°F  
\*951 lbs / 431 kg daily at 90/70°F


RFF1300

MODEL	ICE TYPE	COOLING	ELECTRICAL	SHIPPING WEIGHT	SUGGESTED LIST PRICE	REPLACES MODEL
RFF1300A-261	Flake	Air	208-230v/60hz/1	263 lbs / 119 kg	\$16,795	RFS1200A-261
RFF1300W-261	Flake	Water	208-230v/60hz/1	263 lbs / 119 kg	\$17,635	RFS1200W-261
RFK1300AZ-251	Flake	Air	230v/50hz/1	263 lbs / 119 kg	\$17,020	RFS1200AZ-251
RFK1300WZ-251	Flake	Water	230v/50hz/1	263 lbs / 119 kg	\$17,860	RFS1200WZ-251



Not Stackable

**RECOMMENDED BINS:** D570, D970 (See page 19-20)  
See pages 22-23 for required adapters.  
Use cleaner (000000084) only with this model.  
Price list performance rating is 60hz data.  
Not compatible with SPA/SFA dispensers, iAuCS, or LuminIce® II  
50 Hz Electric Connection: Add Z for Bare Lead cord.



W 22 in D 23.6 in H 26 in  
W 55.9 D 59.9 H 66.0 cm

\*1092 lbs / 495 kg daily at 70/50°F  
\*958 lbs / 435 kg daily at 90/70°F


RFF1220/RFS1278

MODEL	ICE TYPE	COOLING	ELECTRICAL	SHIPPING WEIGHT	SUGGESTED LIST PRICE	REPLACES MODEL
RFF1220C-261	Flake	Remote	208-230v/60hz/1	186 lbs / 84 kg	\$14,522	RFS1278C-261
RFS1278C-251	Flake	Remote	230v/50hz/1	186 lbs / 84 kg	\$14,747	N/A



Not Stackable

\*\*Requires RCUF1200 (60hz) or RJC 1275 (50hz) remote condensing unit and RC51 tubing kit. (see page 12)  
**RECOMMENDED BINS:** D420, D970. (See page 19-20)  
See pages 22-23 for required adapters.  
Use cleaner (000000084) only with this model.  
Price list performance rating is 60hz data.  
Not compatible with SPA/SFA dispensers, iAuCS, or LuminIce II.



W 30 in D 23.6 in H 27.4 in  
W 76.2 D 59.9 H 70.0 cm

\* 2063 lbs / 936 kg daily at 70/50°F  
1702 lbs / 772 kg daily at 90/70°F

RFF2200C/RFS2378C

MODEL	ICE TYPE	COOLING	ELECTRICAL	SHIPPING WEIGHT	SUGGESTED LIST PRICE	REPLACES MODEL
RFF2200C-261	Flake	Remote	208-230v/60hz/1	279 lbs / 127 kg	\$24,564	RFS2378C-261
RFS2378C-251	Flake	Remote	230v/50hz/1	279 lbs / 127 kg	\$24,789	N/A



Not Stackable

\*\*Requires RCUF2200 (60hz) or RJC2375 (50hz) remote condensing unit and RC51 tubing kit. (see page 12)  
**RECOMMENDED BINS:** D970, LB1448, LB1460, LB1760, and LBCS1360  
(See page 19-20)  
See pages 22-23 for required adapters.  
Use cleaner (000000084) only with this model.  
Price list performance rating is 60hz data.  
Not compatible with SPA/SFA dispensers, iAuCS, or LuminIce II.

★ENERGY STAR® QUALIFIED MODEL | Air filter standard on self-contained air-cooled ice cube machines.  
\* Daily ice production based on Half-Dice air-cooled condenser model at air temperature/water temperature.

## COUNTERTOP NUGGET



CNF0201:

W 16.25 in D 24 in H 35 in  
W 41.3 D 61 H 106.7 cm

\*315 lbs / 143 kg daily at 70/50°F  
\*222 lbs / 101 kg daily at 90/70°F



CNF0202:

W 16.25 in D 24 in H 42 in  
W 41.3 D 61 H 106.7 cm

\*315 lbs / 143 kg daily at 70/50°F  
\*222 lbs / 101 kg daily at 90/70°F



K00453: CNF Stand

W 16.25 in D 24 in H 42 in  
W 41.3 D 61 H 106.7 cm

\*315 lbs / 143 kg daily at 70/50°F  
\*222 lbs / 101 kg daily at 90/70°F

CNF0201 / 202

MODEL	ICE TYPE	COOLING	ELECTRICAL	SHIPPING WEIGHT	SUGGESTED LIST PRICE	REPLACES MODEL
CNF0201A-161L	Nugget	Air	115v/60hz/1	184 lbs / 127 kg	\$11,375	RNS12A-161
CNF0201A-161	Nugget	Air	115v/60hz/1	184 lbs / 127 kg	\$11,675	RNS12AT-161
CNF0201A-161N	Nugget	Air	115v/60hz/1	184 lbs / 127 kg	\$11,675	N/A
CNF0202A-161L	Nugget	Air	115v/60hz/1	198 lbs / 90 kg	\$13,750	RNS20A-161
CNF0202A-161	Nugget	Air	115v/60hz/1	198 lbs / 90 kg	\$14,050	RNS20AT-161
CNF0202A-161N	Nugget	Air	115v/60hz/1	198 lbs / 90 kg	\$14,050	N/A
CNF0201A-251L	Nugget	Air	230v/50hz/1	184 lbs / 127 kg	\$11,435	RNS12A-251
CNF0201A-251	Nugget	Air	230v/50hz/1	184 lbs / 127 kg	\$11,735	RNS12AT-251
CNF0202A-251L	Nugget	Air	230v/50hz/1	198 lbs / 90 kg	\$13,810	RNS20A-251
CNF0202A-251	Nugget	Air	230v/50hz/1	198 lbs / 90 kg	\$14,110	RNS20AT-251

**NOTE DISPENSING TYPE:** "-161L" is lever activated and "-161" is sensor activated.

3 dispensing options: ice, water, and ice/water together.

Bin capacity is 10 lbs / 4.5 kg for CNF0201 and 20 lbs / 9 kg for CNF0202.

Legs sold separately, see kit K00345001 below.

**USE CLEANER (000000084) ONLY WITH THIS MODEL.**

Not compatible with iAuCS. Price list performance rating is 60hz data.

**161N** is a solid front panel option, push buttons are covered to make machine completely touchless.

KIT	DESCRIPTION	ELECTRICAL	SHIPPING WEIGHT	SUGGESTED LIST PRICE
K00345001	Leg Kit (Adjustable: 4.5 in – 6.5 in / 11.43 – 16.5 cm)	—	3 lbs / 1.3 kg	\$179
K00377	Kit to convert from lever activated to touchless sensing dispensing option	115/60/1	3 lbs / 1.3 kg	\$601
K00524	Kit to convert from touchless sensing to lever activated dispensing option	—	3 lbs / 1.3 kg	\$601
K00514	Solid Front panel replacement for CNF0201 or RNS12, covers buttons to make machine completely touchless	—	10 lbs / 5 kg	\$336
K00515	Solid Front panel replacement for the CNF0202 or RNS20, covers buttons to make machine completely touchless	—	10 lbs / 5 kg	\$358
K00453	CNF Stand	—	100 lbs / 45.4 kg	\$1,392

K00453 has been rated to accommodate weight of 850 lbs. Can be used with the S-150 (without the legs) with either the iT0420 or iT620 Indigo NXT ice machine.

## UNDERCOUNTER NUGGET



W 19.69 in D 25.98 in H 33.17 in  
W 50 D 66 H 84.3 cm

\*220 lbs / 100 kg daily at 70/50°F  
\*164 lbs / 74 kg daily at 90/70°F

UNP0200

MODEL	ICE TYPE	COOLING	ELECTRICAL	SHIPPING WEIGHT	SUGGESTED LIST PRICE	REPLACES MODEL
UNP0200A-161	Nugget	Air	115v/60hz/1	157 lbs / 72 kg	\$9,662★	UNF0200A-161
UNK0200AZ-251	Nugget	Air	230v/50hz/1	157 lbs / 72 kg	\$9,722	RNS0244AZ-251

**APPLICATION ICE STORAGE CAPACITY:** 30 lbs / 14kg. Measured cubic volume 1.03. Storage capacity is AHRI certified.

Application storage capacity measured 90% of total volume in cu. ft x 22 lbs / ft<sup>3</sup>

Includes 6 ft / 1.8 m power cord with NEMA 5-15P plug.

Use cleaner (000000084) only with this model.

Not compatible with iAuCS, LuminIce II, or casters.

Price list performance rating is 60hz data.50 Hz Electric Connection:

Add Z for Bare Lead cord.



W 29.06 in D 27.17 in H 39.52 in  
W 73.8 D 69 H 100.4 cm

\*325 lbs / 148 kg daily at 70/50°F  
\*286 lbs / 130 kg daily at 90/70°F

UNP0300

MODEL	ICE TYPE	COOLING	ELECTRICAL	SHIPPING WEIGHT	SUGGESTED LIST PRICE	REPLACES MODEL
UNP0300A-161	Nugget	Air	115v/60hz/1	224 lbs / 102 kg	\$11,103★	UNF0300A-161
UNK0300AZ-251	Nugget	Air	230v/50hz/1	224 lbs / 102 kg	\$11,163	RNS0385AZ-251

**APPLICATION STORAGE CAPACITY:** 60 lbs / 27kg. Measured cubic volume 2.04. Storage capacity is AHRI certified.

Application storage capacity measured 90% of total volume in cu. ft x 22 lbs / ft<sup>3</sup>

Includes 6 ft / 1.8 m power cord with NEMA 5-15P plug.

Use cleaner (000000084) only with this model.

Not compatible with iAuCS, LuminIce II, or casters.

Price list performance rating is 60hz data.


50 Hz Electric Connection: Add Z for Bare Lead cord.

★ENERGY STAR® QUALIFIED MODEL

\* Daily ice production based on air-cooled condenser model at designated air temperature/water temperature.



## MODULAR NUGGET



W 22 in D 23.6 in H 26 in  
W 55.9 D 60 H 66 cm

\*300 lbs / 136 kg daily at 70/50°F  
\*259 lbs / 117 kg daily at 90/70°F


RNP0320



Not Stackable

MODEL	ICE TYPE	COOLING	ELECTRICAL	SHIPPING WEIGHT	SUGGESTED LIST PRICE	REPLACES MODEL
RNP0320A-161	Nugget	Air	115v/60hz/1	174 lbs / 79 kg	\$9,386★	RNF0320A-161
RNK0320AZ-251	Nugget	Air	230v/50hz/1	174 lbs / 79 kg	\$9,446	RNS0308AZ-251

**RECOMMENDED BINS:** D320 or D420 (see page 19-20) See page 22-23 for required adapters.  
Use cleaner (000000084) only with this model.  
All dispenser manufacturers require a nugget ice adapter kit and ice level management kit.  
Contact beverage dispenser manufacturer or use kit K00488 ice level management kit.  
Not for use with SPA/SFA dispensers, iAuCS, or LuminIce II.  
50 Hz Electric Connection: Add Z for Bare Lead cord.



W 22 in D 23.6 in H 26 in  
W 55.8 D 60 H 66 cm

\*575 lbs / 261 kg daily at 70/50°F  
\*463 lbs / 210 kg daily at 90/70°F


RNP0620



Not Stackable

MODEL	ICE TYPE	COOLING	ELECTRICAL	SHIPPING WEIGHT	SUGGESTED LIST PRICE	REPLACES MODEL
RNP0620A-161	Nugget	Air	115v/60hz/1	210 lbs / 95 kg	\$11,572	RNF0620A-161
RNP0620W-161	Nugget	Water	115v/60hz/1	210 lbs / 95 kg	\$12,151	RNF0620W-161
RNK0620AZ-251	Nugget	Air	230v/50hz/1	210 lbs / 95 kg	\$11,632	RNS0608A-251
RNK0620WZ-251	Nugget	Water	230v/50hz/1	210 lbs / 95 kg	\$12,211	RNS0609W-251

**RECOMMENDED BINS:** D420 or D570 (see page 19-20) D-570 will require an adapter, see pages 22-23  
Use cleaner (000000084) only with this model.  
All dispenser manufacturers require a nugget ice adapter kit and ice level management kit.  
Contact beverage dispenser manufacturer or use kit K00488 ice level management kit.  
Not compatible with SPA/SFA dispensers, iAuCS, or LuminIce II.  
50 Hz Electric Connection: Add Z for Bare Lead cord.



RNF1100

W 30 in D 23.62 in H 27.36 in  
W 76.2 D 60 H 69.5 cm


\*1078 lb / 489 kg daily at 70/50°F  
\*825 lb / 374 kg daily at 90/70°F

RNF1020C

W 22 in D 23.62 in H 27.36 in  
W 55.8 D 60 H 69.5 cm

\*1116 lb / 506 kg daily at 70/50°F  
\*900 lb / 408 kg daily at 90/70°F


RNF1100 / RNF1020



Not Stackable

MODEL	ICE TYPE	COOLING	ELECTRICAL	SHIPPING WEIGHT	SUGGESTED LIST PRICE	REPLACES MODEL
RNF1100A-261	Nugget	Air	208-230v/60hz/1	275 lbs / 125 kg	\$17,413	RNS1008A-261
RNF1100W-261	Nugget	Water	208-230v/60hz/1	275 lbs / 125 kg	\$18,283	RNS1009W-261
RNF1020C-161	Nugget	Remote	115v/60Hz/1	195 lbs / 88 kg	\$16,446	RNS1078C-161
RNK1100AZ-251	Nugget	Remote	230v/50hz/1	275 lbs / 125 kg	\$17,638	RNS1008AZ-251

**RECOMMENDED BINS:** D970, LB0730, LB1448, LB1460, LB1760, LB0730 (see page 19-20)  
See page 22-23 for required adapters.  
\*\*Requires RCUF1000 remote condensing unit and RC51 tubing kit.  
Use cleaner (000000084) only with this model.  
All dispenser manufacturers require a nugget ice adapter kit and ice level management kit.  
Contact beverage dispenser manufacturer or use kit K00488 ice level management kit.  
Not compatible with SPA/SFA dispensers, iAuCS, or LuminIce II.  
50 Hz Electric Connection: Add Z for Bare Lead cord.




RNF2000C

W 30 in D 23.6 in H 27.4 in

\*1915 lbs / 868 kgs at 70/50°F  
\*1475 lbs / 669 kgs at 90/70°F

RNF2000C



Not Stackable

MODEL	ICE TYPE	COOLING	ELECTRICAL	SHIPPING WEIGHT	SUGGESTED LIST PRICE	REPLACES MODEL
RNF2000C-261	Nugget	Remote	208-230v/60hz/1	279 lbs / 127 kg	\$23,564	N/A

**RECOMMENDED BINS:** D970, LB0730, LB1448, LB1460, LB1760, LB0730 (see page 19-20).  
\*\*Requires RCUF2200 remote condensing unit and RC51 tubing kit.  
Use cleaner 000000084 only with this model.  
All dispenser manufacturer require a nugget ice adapter kit and ice level management kit.  
Contact beverage dispenser manufacturers or use kit K00488 ice level management kit.  
Not compatible with SPA/SFA dispensers, iAuCS, or LuminIce II.

★ENERGY STAR® QUALIFIED MODEL

\* Daily ice production based on air-cooled condenser model at designated air temperature/water temperature.

## HOTEL DISPENSERS



ADA Compliant

W 22" D 31.19" H\* 54"  
W 55.9 D 78.7 H\* 137.2 cm

SPA 162 / SFA 192 SERIES

MODEL	ICE TYPE	ELECTRICAL	SHIPPING WEIGHT	SUGGESTED LIST PRICE	REPLACES MODEL
<b>SPA162-161</b>	120 lbs / 54 kg of storage	115V/60HZ/1	165 lbs / 75 kg	<b>\$8,185</b>	<b>SPA160-161</b>
<b>SPA162-261</b>	120 lbs / 54 kg of storage	208-230V/60HZ/1	165 lbs / 75 kg	<b>\$8,260</b>	<b>SPA 160-261</b>
<b>SFA192-161</b>	120 lbs / 54 kg of storage	115V/60HZ/1	168 lbs / 76 kg	<b>\$9,453</b>	<b>SFA 191-161</b>
<b>SPA162-251</b>	120 lbs / 54 kg of storage	230V/50HZ/1	165 lbs / 75 kg	<b>\$8,245</b>	<b>SPA160-251</b>
<b>SFA192-251</b>	120 lbs / 54 kg of storage	230V/50HZ/1	165 lbs / 75 kg	<b>\$9,513</b>	<b>SFA191 -251</b>

SPA162 and SFA192 has Touchless lever ice chute dispense mechanism with push rod. Height adjustable (6 to 7.5 in / 15.2 to 19cm) stainless steel legs included. Accepts single 22 in / 55.9cm Dice or Half -Dice size ice machines no larger than IT0620 (order separately) Indigo NXT 22 in / 55.9 cm requires K0034800 baffle (included with dispenser). Dispenser requires separate electrical outlet from the ice machine. SFA models include water valve. Touch-less lever kit K00497 and K00523 kit with push rod are available to upgrade older units ( see page 23)



ADA Compliant

W 30" D 32" H\* 60.5"  
W 76.2 D 81.3 H\* 153.7 cm

SPA 312 / SFA 292 SERIES

MODEL	ICE TYPE	ELECTRICAL	SHIPPING WEIGHT	SUGGESTED LIST PRICE	REPLACES MODEL
<b>SPA312-161</b>	180 lbs / 82 kg of storage	115V/60HZ/1	209 lbs / 95 kg	<b>\$9,647</b>	<b>SPA310-161</b>
<b>SPA312-261</b>	180 lbs / 82 kg of storage	208-230V/60HZ/1	209 lbs / 95 kg	<b>\$9,722</b>	<b>SPA310-261</b>
<b>SFA292-161</b>	180 lbs / 82 kg of storage	115V/60HZ/1	214 lbs / 97 kg	<b>\$10,697</b>	<b>SFA291-161</b>
<b>SPA312-251</b>	180 lbs / 82 kg of storage	230V/50HZ/1	209 lbs / 95 kg	<b>\$9,707</b>	<b>SPA310-251</b>
<b>SFA292-251</b>	180 lbs / 82 kg of storage	230V/50HZ/1	214 lbs / 97 kg	<b>\$10,757</b>	<b>SFA291-251</b>

SPA312 and SFA292 has Touchless lever ice chute dispense mechanism. Height adjustable (6 to 7.5 in / 15.2 to 19 cm) stainless steel legs included. Accepts single 22 in / 55.9cm ( K00472 adapter required) or 30 in / 76.2 cm Dice or Half - Dice size ice machines no larger than IT0750 (order separately) Indigo NXT 30 in / 76.2 cm requires K00346 baffle (included with dispenser). Dispenser requires separate electrical outlet from the ice machine. SFA models includes water valve. Touch-less lever kit K00497 and K00523 kit with push rod are available to upgrade older units ( see page 23)

\*Includes 6"/15.2 cm adjustable leg

## ICE STORAGE BINS



**D320**  
W 22" D 34" H 38"  
W 55.9 D 86.4 H 96.5 cm




**D400**  
W 30" D 34" H 38"  
W 76.2 D 86.4 H 96.5 cm



**D420**  
W 22" D 34" H 50"  
W 55.9 D 86.4 H 127.0 cm



**D570**  
W 30" D 34" H 50"  
W 76.2 D 86.4 H 127.0 cm



**D970**  
W 48" D 34" H 50"  
W 121.9 D 86.4 H 127.0 cm

D-STYLE BINS	MODEL	APPLICATION CAPACITY	2018 AHRI CAPACITY (CU FT / CU M)	SHIPPING WEIGHT	SUGGESTED LIST PRICE	REPLACES MODEL
	D320	264 lbs / 119 kg	8.9 / .25	75 lbs / 34 kg	<b>\$2,813</b>	<b>B320</b>
	D400	365 lbs / 165 kg	12.3 / .37	91 lbs / 41 kg	<b>\$2,926</b>	<b>B400</b>
	D420	383 lbs / 172 kg	12.9 / .35	108 lbs / 49 kg	<b>\$3,073</b>	<b>B420</b>
	D570	532 lbs / 241 kg	17.9 / .51	115 lbs / 52 kg	<b>\$3,376</b>	<b>B570</b>
	D970	882 lbs / 400 kg	29.7 / .84	150 lbs / 68 kg	<b>\$4,682</b>	<b>B970</b>



One set of stainless steel legs included in bin price for D-Series bin. Height includes bin legs set at 6 in / 15.2 cm. Legs adjust from 6 to 7.5 in / 15.2 to 19.7 cm. For bin adapters and ice deflectors, please see page 23.  
Application Capacity - measured 90% of the total volume in cu. ft x 33 lbs/ft<sup>3</sup>.  
2018 AHRI Capacity is the total internal volume measured in cu. ft.

## ICE STORAGE BINS



**LB0730**  
W 30" x D 34" x 58"  
W 76.2 x 86.4 D x 147.3 cm



**LB1448**  
W 48" x D 34" x 67"  
W 121.9 x 86.4 D x 170.2 cm



**LB1460**  
W 60" x D 34" x 55"  
W 152.4 x 86.4 D x 139.7 cm



**LB1760**  
W 60" x D 34" x 67"  
W 152.4 x 86.4 D x 170.2 cm



**LBSC1360**  
W 60" x D 36" x 71"  
W 152.4 x 91.4 D x 180.34 cm

MODEL	APPLICATION CAPACITY	2018 AHRI CAPACITY (CU. FT. / CU. M.)	SHIPPING WEIGHT	SUGGESTED LIST PRICE	REPLACES MODEL
<b>LB0730</b>	683 (309.8)	23 (.65)	275 (124.7)	<b>\$8,280</b>	<b>F-700</b>
<b>LB1448</b>	1337 (606.5)	45 (1.27)	355 (161.0)	<b>\$10,080</b>	<b>F1300</b>
<b>LB1460</b>	1366 (619.6)	46 (1.30)	355 (161.0)	<b>\$10,378</b>	<b>F1325</b>
<b>LB1760</b>	1693 (619.6)	57 (1.61)	395 (179.2)	<b>\$11,305</b>	<b>F1650</b>
<b>LBSC1360</b>	772 (350.2)	26 (.74)	600 (272.2)	<b>\$29,231</b>	<b>FC-1350</b>
<b>K00512</b>	386 (175.1)	13 (.37)	175 (79.4)	<b>\$5,596</b>	

MODEL	ACCESSORY DESCRIPTION	SHIPPING WEIGHT LBS (KG)	SUGGESTED LIST PRICE
<b>K00499</b>	48" / 121.9 cm NSF Paddle	5 lbs / 2 kg	<b>\$533</b>
<b>K00500</b>	37" / 94 cm NSF Shovel	10 lbs / 5 kg	<b>\$510</b>
<b>K00501</b>	Replacement Set of 6 NSF Totes (16 lb each)	34 lbs / 15 kg	<b>\$1,231</b>
<b>K00502</b>	Replacement 207 lbs. NSF Ice Cart	75 lbs / 34 kg	<b>\$3,968</b>
<b>K00503</b>	60" / 152.4 cm NSF Paddle	6 lbs / 3 kg	<b>\$533</b>
<b>K00504</b>	Replacement Storage Hook	2 lbs / 1 kg	<b>\$83</b>

### NOTES:

K00502 – replacement cart does not include totes or spacer. Totes and spacer sold separately.  
Capacity without spacer and totes ~ 207 lbs. K00501 set of 6 totes, each hold 16 lbs. or 96 lbs total / cart.  
LB and LBSC style bins available in Q2 2021

Door and snout ships inside the bin for easy door entry. Add 10.5 inches to the depth of the unit once installed. Guillotine on LBSC1360 can be removed for easy door entry. Adds 4.5 inches to the depth of the unit once installed. K00512 sleeve will add 12 inches of height to the LBSC1360 when installed.

### NOTES:

LB0730, LB1448, LB1460, and LB1760 height includes the bin legs set at 6 in / 15.2 cm. Legs adjust from 6 to 7.13 in or 15.2 to 18 cm LB0730, LB1448, LB1460, and LB1760 includes – One set of stainless steel legs, ergonomic NSF ice scoop and a storage hook.  
LB0730- no additional adapter required for standard 22" and 30" ice machines. Filler panels for a 22" machine included with bin. Additional deflectors required. LB's require additional adapter LB1448, LB1460, & LB1760-no additional adapter required for standard - 22", or 30" or 48" ice machines. Filler panels for 22" and 30" machines included. Additional deflectors required. For LB's and two machines additional adapter and deflectors needed.

LB1448 – when used with the SF3000 or ST300, requires filler panel K00386.

LBSC1360 includes- stainless flange legs, ergonomic NSF ice scoop, 2- storage hooks, 48" NSF paddle, 2- 207 lbs. NSF carts, 6 NSF ice totes (16 lbs capacity) with spacer for each cart LBSC1360- no additional adapter required for one standard -22, 30 or 48" ice machine. Filler panels included for 22" and 30" machines. Additional deflectors required. For LB, S3000 or 2 machines, additional adapter and deflectors needed.

K00512: 12" Sleeve- fits on top of the LBSC1360 for 386 lbs. of additional capacity. Adds 12" in height to bin. Sold separately  
See page 22 for adapters and deflectors. If using 2 machines on top, additional adapter and deflectors needed.  
Adapters and deflectors designed for Manitowoc ice machines only.



Application Capacity – measured 90% of the total volume in cu. ft x 33 lbs/ft<sup>3</sup>. AHRI certifies total internal volume measured in cu. ft.

NOTE: Application or Max capacity for ice storage bins varies by manufacturer. For realistic measurement of how much ice a bin will hold without manual intervention, use the AHRA storage capacity. Compare internal cubic volume for an accurate comparison of size.



# INTERNATIONAL ONLY




W45 D47.5 H65 cm  
**UGP00200A**  
 22 kg daily at 21/10°C  
 16.6 kg daily at 32/21°C  
**UGP0030A**  
 31 kg daily at 21/10°C  
 25.3 kg daily at 32/21°C

UG30 / UG20

MODEL	ICE TYPE	COOLING	ELECTRICAL	SHIPPING WEIGHT	SUGGESTED LIST PRICE	REPLACES MODEL
<b>UGP0020A-251Z</b>	Gourmet	Air	230V/50/HZ/1	45 kg / 99 lbs	<b>\$2,993</b>	<b>UG020A-251</b>
<b>UGP0030A-251Z</b>	Gourmet	Air	230V/50/HZ/1	45 kg / 99 lbs	<b>\$3,090</b>	<b>UG030A-251</b>
<b>UGE0020A-261Z</b>	Gourmet	Air	208-230V/60HZ/1	45 kg / 99 lbs	<b>\$2,993</b>	<b>N/A</b>

Ice Storage Capacity 10 kg. 50 Hz Electric Connection Options: Add letter to end of model number – Z for Bare Lead, F for Schuko Plug, G for Blade Plug and I for Oblique Flat Blade Plug. 60 Hz models offered in Z for Bare Lead. 60Hz 115v add B for grounded power cord. Price list performance rating is 50hz data. Refer to individual 60hz spec sheets for 60hz performance rating. Use cleaner (000006036) only with this model. Not for use with iAuCS cleaning system. Optional Leg Kit K00345001 **Contact your local distributor for pricing.**




W55 D55 H80 cm  
**UGP0040A**  
 45 kg daily at 21/10°C  
 36 kg daily at 32/21°C  
**UGP0050A**  
 55.3 kg daily at 21/10°C  
 43 kg daily at 32/21°C

UG40 / UG50

MODEL	ICE TYPE	COOLING	ELECTRICAL	SHIPPING WEIGHT	SUGGESTED LIST PRICE	REPLACES MODEL
<b>UGP0040A-251Z</b>	Gourmet	Air	230V/50/HZ/1	59 kg / 130 lbs	<b>\$3,717</b>	<b>UG040A-251</b>
<b>UGP0050A-251Z</b>	Gourmet	Air	230V/50/HZ/1	60 kg / 132 lbs	<b>\$3,857</b>	<b>UG050A-251</b>
<b>UGF0040A-261Z</b>	Gourmet	Air	208-230V/60HZ/1	59 kg / 130 lbs	<b>\$3,717</b>	<b>N/A</b>
<b>UGF0050A-161B</b>	Gourmet	Air	115V/60HZ/1	60 kg / 132 lbs	<b>\$3,857</b>	<b>N/A</b>
<b>UGF0050A-261Z</b>	Gourmet	Air	208-230V/60HZ/1	60 kg / 132 lbs	<b>\$3,857</b>	<b>N/A</b>

Ice Storage Capacity 25 kg. 50 Hz Electric Connection Options: Add letter to end of model number – Z for Bare Lead, F for Schuko Plug, G for Blade Plug and I for Oblique Flat Blade Plug. 60 Hz models offered in Z for Bare Lead. 60Hz 115v add B for grounded power cord. Price list performance rating is 50hz data. Refer to individual 60hz spec sheets for 60hz performance rating. Use cleaner (000006036) only with this model. Not for use with iAuCS cleaning system. Optional Leg Kit K00345001 **Contact your local distributor for pricing.**




W70 D60 H90cm  
**UGP0080A**  
 86.4 kg daily at 21/10°C  
 67.5 kg daily at 32/21°C


UG80

MODEL	ICE TYPE	COOLING	ELECTRICAL	SHIPPING WEIGHT	SUGGESTED LIST PRICE	REPLACES MODEL
<b>UGP0080A-251Z</b>	Gourmet	Air	230V/50/HZ/1	72 kg / 159 lbs	<b>\$4,566</b>	<b>UG080A-251</b>
<b>UGF0080A-261Z</b>	Gourmet	Air	208-230V/60HZ/1	72 kg / 159 lbs	<b>\$4,566</b>	<b>N/A</b>

Ice Storage Capacity 44 kg. 50 Hz Electric Connection Options: Add letter to end of model number – Z for Bare Lead, F for Schuko Plug, G for Blade Plug and I for Oblique Flat Blade Plug. 60 Hz models offered in Z for Bare Lead. Price list performance rating is 50hz data. Refer to individual 60hz spec sheets for 60hz performance rating. Use cleaner (000006036) only with this model. Not for use with iAuCS cleaning system. Optional Leg Kit K00345001 **Contact your local distributor for pricing.**



**iP0320**  
 W 55.9 D 62.2 H 54.6 cm  
 145 kg daily at 21/10°C  
 108 kg daily at 32/21°C



**iP0500**  
 W 76.2 D 62.2 H 54.6  
 200 kg daily at 21/10°C  
 163 kg daily at 32/21°C

iP0320A / iP0500A

MODEL	ICE TYPE	COOLING	ELECTRICAL	SHIPPING WEIGHT	SUGGESTED LIST PRICE	REPLACES MODEL
<b>IDP0320A-251*</b>	Dice	Air	230V/50/HZ/1	62 kg / 137 lbs	<b>\$8,818</b>	<b>N/A</b>
<b>IYP0320A-251</b>	1/2 Dice	Air	230V/50/HZ/1	64 kg / 138 lbs	<b>\$8,818</b>	<b>IYP0324A-251</b>
R290 Propane Refrigerant						
<b>IDP0500A-251*</b>	Dice	Air	230V/50/HZ/1	65 kg / 144 lbs	<b>\$9,843</b>	<b>N/A</b>
<b>IYP0500A-251</b>	1/2 Dice	Air	230V/50/HZ/1	66 kg / 146 lbs	<b>\$9,843</b>	<b>IYP0504A-251</b>
R290 Propane Refrigerant						

\*Daily ice production estimated based on 50 Hz, 1/2 dice air cooled condenser model at air temperature/ water temperature indicated. For actual, reference spec sheet.

## BIN ADAPTERS & ICE DEFLECTOR KITS

KIT	ADAPTION	SHIPPING WEIGHT	SUGGESTED LIST PRICE
<b>K00195</b>	Bin Adapter: for 22"/55.9 cm IB series ice machines on a 22"/55.9 cm D320 or D420 or 22"/55.9 cm Hotel Dispenser	10 lbs / 5 g	<b>\$492</b>
<b>K00196</b>	Bin Adapter: for 22"/55.9 cm IB series ice machines on a 30"/72.6 cm D400 or D570 or a 30"/72.6 cm Hotel Dispenser	15 lbs / 7 g	<b>\$533</b>
<b>K00472</b>	Bin Adapter: for 22"/55.9 cm Indigo NXT, RFF, RNF ice machines on a 30"/70.6 cm D 400, 570 or 30"/72.6 cm Hotel Dispenser. Not for IB	8 lbs / 4 kg	<b>\$442</b>
<b>K00473</b>	Bin Adapter: for 22"/55.9 cm Indigo NXT, RFF, RNF on a D970 bin. Not for IB	35 lbs / 16 kg	<b>\$741</b>
<b>K00371</b>	Bin Adapter for two 22"/55.9 cm RFP,RNP ( water or QQ) or Indigo NXT (with Top air discharge or water cooled) on a D970 bin.	8 lbs / 4 kg	<b>\$397</b>
<b>K00470</b>	Bin Adapter: for 30"/76.2 cm Indigo NXT, RFF, RNF ice machines on a 48"/121.9 cm D970 Bin	34 lbs / 15 kg	<b>\$741</b>
<b>K00471</b>	Front and center deflector for 30"/76.2 dual ice machines, IIF1400C, 1800C or 2100C on a 48" /121.9 cm D970 Bin. (Must also use the K00470) Remove the existing deflector in the D970 prior to installing	13 lbs / 6 kg	<b>\$442</b>
<b>K00382</b>	Ice Deflector required for: 30" (72.6 cm) for IF1400C, 1800C or 2100C on non-Manitowoc LB & F-style Bin	8 lbs / 4kg	<b>\$273</b>
<b>K00383</b>	Ice Deflector required for: two 30"/72.6 cm for IF1400C, 1800C or 2100C on a non-Manitowoc or LB & F-style Bin	18 lbs / 8 kg	<b>\$456</b>
<b>K00347</b>	Ice Deflector required for: 30"/76.2 cm Indigo NXT with front facing evaporators on a non-Manitowoc or LB & F-style Bin	5 lbs / 3 kg	<b>\$271</b>
<b>K0034900</b>	Ice Deflector required for: 48"/121.9 cm Indigo NXT on a non-Manitowoc or LB & F-style Bin	10 lbs / 5 kg	<b>\$319</b>
<b>K00391</b>	Ice Deflector set required for S3000 ice machine on a non-Manitowoc or 48"/121.9 cm or 60" /152.4 cm LB & F-style Bin	18 lbs / 8 kg	<b>\$885</b>
<b>K00420</b>	Filler Panel Kit allows 22"/55.9 cm RNF1020C to be places on a F-style bin with 48" and 60" opening (for use with adapter included with bin)	5 lbs / 3 kg	<b>\$277</b>
<b>K00421</b>	Filler Panel Kit allows for two side by side 22" /55.9 cm RNF1020C to be place on a F -style bins with 60"/152.4 cm opening	5 lbs / 3 kg	<b>\$277</b>
<b>K302200</b>	Bin Adapter for 22" /55.9 cm RFF or RNF on a F700 Bin	40 lbs / 18 kg	<b>\$1,317</b>
<b>K303000</b>	Replacement Bin Adapter for 30"/76.2 cm Indigo NXT Series Cuber on a F700 Bin (Included with bin)	45 lbs / 20 kg	<b>\$1,415</b>
<b>K483048</b>	Replacement Bin Adapter for 30"/76.2 cm and 48"/121.9 cm Indigo NXT Series Cuber on a F1300 Bin (Included with bin)	45 lbs / 20 kg	<b>\$1,414</b>
<b>K603048</b>	Replacement Bin Adapter for 30"/76.2 cm and 48"/121.9 cm Indigo NXT Series Cuber on a F1325 or F1650 Bin (included with the bin)	52 lbs / 24 kg	<b>\$1,639</b>
<b>K604800</b>	Bin Adapter for SF3000C & ST3000W on a F1325 or F1650 Bin	52 lbs / 24 kg	<b>\$1,849</b>
<b>K603030</b>	Bin Adapter for two 30"/ 76.2 cm Indigo NXT Series Cubers Side by Side on a F1325 or F1650 Bin (remote or water cooled)	52 lbs / 24 kg	<b>\$1,639</b>
<b>K00396</b>	Filler Panel for SF3000C or ST3000W on a LB1448	5 lbs / 3 kg	<b>\$277</b>
<b>K00513</b>	Required Ice Deflector required for: 30" (72.6cm) for IF1400C, 1800C or 2100C on non-Manitowoc LB1448, 1460, 1760	5 lbs / 3 kg	<b>\$277</b>
<b>K00506</b>	Replacement Filler Panels for 22 inch machine on a LB0730 (included with bin)	5 lbs / 3 kg	<b>\$323</b>
<b>K00507</b>	Replacement Filler Panels for 30 inch machine on a LB1448/1460/1760 (included with bin)	5 lbs / 3 kg	<b>\$359</b>
<b>K00508</b>	Replacement Filler Panels for 22 inch machine on a LB1448/1460/1760 (included with bin)	5 lbs / 3 kg	<b>\$323</b>
<b>K00509</b>	Replacement Filler Panels for 30 inch machine on a LB0730 (included with bin)	5 lbs / 3 kg	<b>\$359</b>
<b>K00510</b>	Replacement Filler Panels for 22 inch machine on a LB0730 (included with bin)	5 lbs / 3 kg	<b>\$323</b>
<b>KLB302230</b>	Replacement Bin Adapter for 22" /55.9 cm and 30"/76.2 cm Indigo NXT, RFF or RNF on a LB730 Bin (included with bin) (adapter is included with bin- the replacement consist of the poly top adapter and the metal under frame)	40 lbs / 18 kg	<b>\$1,473</b>
<b>KLB483048</b>	Replacement Bin Adapter for 22"/55.9 cm, 30" / 76.2 cm or 48" /121.9 cm Indigo NXT Cuber RFF, RNF on LB1448 (included with bin) (adapter is included with bin- the replacement consist of the poly top adapter and the metal under frame)	45 lbs / 20 kg	<b>\$1,594</b>
<b>KLB482214</b>	Required Bin Adapter for 2-22"/ 55.9 Ice Beverage (IB) side by side on a LB1448	45 lbs / 20 kg	<b>\$2,089</b>
<b>KLB603048</b>	Replacement Bin Adapter for 22"/55.9 cm or 30"/76.2 cm Indigo NXT, RFF and RNF and 48"/121.9 cm Indigo NXT cuber on LB1460 or LB1760 (included with bin) (adapter is included with bin- the replacement consist of the poly top adapter and the metal under frame)	52 lbs / 24 kg	<b>\$1,594</b>
<b>KLB604800</b>	Required Bin Adapter for SF3000C & ST3000W on a LB1460 or LB1760 Bin	74 lbs / 34 kg	<b>\$2,089</b>
<b>KLB602222</b>	Required Bin Adapter for 2-22" / 55.9 cm side by side Quite Qube Indigo NXT, RFF or RNF, water cooled Indigo NXT, RFF or RNF or Indigo NXT air cooled with top air discharge on a LB1460 or LB1760	52 lbs / 24 kg	<b>\$2,089</b>
<b>KLB602214</b>	Required Bin Adapter for 2-22" / 55.9 cm Ice Beverage (IB) side by side on a LB1460 or LB1760	52 lbs / 24 kg	<b>\$2,089</b>
<b>KLB603030</b>	Required Bin Adapter for 2-30"/76.2 cm Indigo NXT side by side on LB1460 or LB1760 Bins (remote, water cooled or Top Air discharge)	60 lbs / 27 kg	<b>\$2,089</b>
<b>KLB613048</b>	Replacement Bin Adapter for 22"/55.9 cm 30"/76.2 cm or 48"/121.9 cm Indigo NXT RNF or RNF on a LB0730 (included with bin) (adapter is included with bin- the replacement consist of the poly top adapter and the metal under frame)	60 lbs / 27 kg	<b>\$1,594</b>
<b>KLB614800</b>	Required Bin Adapter for SF3000C & ST3000W on a LB0730 Bin	77 lbs / 35 kg	<b>\$2,208</b>
<b>KLB612214</b>	Required Bin Adapter for 2-22" / 55.9 cm side by side Ice Beverage (IB) on a LB0730	60 lbs / 27 kg	<b>\$2,208</b>
<b>KLB612222</b>	Required Bin Adapter for 2-22" / 55.9 cm side by side Quite Qube Indigo NXT, RFF or RNF, water cooled Indigo NXT, RFF or RNF or Indigo NXT air cooled with top air discharge on a LB0730	60 lbs / 27 kg	<b>\$2,208</b>
<b>KLB613030</b>	Required Bin Adapter for 2- 30"/76.2 cm Indigo NXT, RFF or RNF side by side on a LB0730 Bins (remote, water cooled or Indigo NXT with Top Air Discharge)	60 lbs / 27 kg	<b>\$2,208</b>

## MISCELLANEOUS

KIT	DESCRIPTION	SHIPPING WEIGHT	SUGGESTED LIST PRICE
K00457	DISPENSER THERMOSTAT KIT — For use with S-Series. For use on Soda dispensers only. An ice dispenser thermostat kit may be required for high humidity locations to reduce equipment sweating. Replaces K00364.	3 lbs / 1 kg	\$503
K00446	DISPENSER THERMOSTAT KIT — For use with Indigo Series only on Soda dispensers. An ice dispenser thermostat kit may be required for high humidity locations to reduce equipment sweating.	4 lbs / 2 kg	\$325
K00477	DISPENSER THERMOSTAT KIT — For use with Indigo NXT Series only on soda dispensers. An ice dispenser thermostat kit may be required for high humidity locations to reduce equipment sweating.	4 lbs / 2 kg	\$325
K00456	DISPENSER THERMOSTAT KIT — For use with Indigo Series only on Freestyle beverage dispensers. An ice dispenser thermostat kit may be required for high humidity locations to reduce equipment sweating.	3 lbs / 1 kg	\$314
K00478	DISPENSER THERMOSTAT KIT — For use with Indigo NXT Series only on Freestyle beverage dispensers. An ice dispenser thermostat kit may be required for high humidity locations to reduce equipment sweating.	3 lbs / 1 kg	\$314
K00488	DISPENSER THERMOSTAT KIT — For use with nugget machines on soda dispensers. An ice dispenser thermostat kit may be required for high humidity locations to reduce equipment sweating.	3 lbs / 1 kg	\$503
K00210	DISPENSER BAFFLE — required for 30" / 76.2 cm Q-Series Manitowoc ice machine on non-Manitowoc and Q-dispensers. (Q-dispensers include this adapter.)	3 lbs / 1 kg	\$110
K00346	DISPENSER BAFFLE — required for use with any Manitowoc 30" / 76.2 cm Indigo NXT Series ice machine in a Soda dispensers application. Dispenser baffle is included with S-Series Hotel dispensers, no need to order NOT required for IF1400C and IF1800C.	3 lbs / 1 kg	\$110
K0034800	DISPENSER BAFFLE — required for use with any Manitowoc 22" / 55.9 cm Indigo NXT Series ice machine in a Soda dispensers application. Dispenser baffle is included with S-Series Hotel dispensers, no need to order.	3 lbs / 1 kg	\$123
K00395	S3000 BIN THERMOSTAT KIT — For use with S3000.	3 lbs / 1 kg	\$727
K00483	DISPENSER THERMOSTAT KIT — for use with nugget machines on Freestyle 9000. An ice dispenser thermostat kit may be required for high humidity locations to reduce equipment sweating.	4 lbs / 2 kg	\$1,064
K00487	DISPENSER THERMOSTAT KIT - for use with nugget machines on Freestyle 9100. An ice dispenser thermostat kit may be required for high humidity locations to reduce equipment sweating.	4 lbs / 2 kg	\$672
K00497	TOUCHLESS LEVER ACTIVATED ICE CHUTE — Updates the Push to Touch SPA's and SFA's to Touchless. Use for buckets, tumblers and water bottles.	3 lbs / 1 kg	\$230
K00522	SPA TO SFA CONVERSION KIT — Converts a SPA to an SFA Hotel Dispenser. Works with 22" and 30" SPA Hotel Dispensers	5 lbs / 2 kg	\$696
K00523	Use to update "Push for ice" chutes to Touchless lever activated chute for SPA and SFA hotel Dispenser. Use with ice buckets and water bottles	3 lbs / 1 kg	\$248

## BIN ADAPTERS & ICE DEFLECTORS

ICE STORAGE BINS	BIN	MACHINES	IT0420, IT0620	IT0300	IT0450, IT0500, IF0500N	IF0600N, IT0750, IF0900N, IT0900	IT1200	IT1500, IT1900
	D320	1		N.A.	N.A.	N.A.	N.A.	N.A.
	D400	1	K00472					N.A.
	D420	1		N.A.	N.A.	N.A.	N.A.	N.A.
	D570	1	K00472					N.A.
	D970	1	K00473	K00470	K00470	K00470	K00470	N.A.
		2	K00371	N.A.	N.A.	N.A.	N.A.	N.A.
	F700 / LB0730	1	N.A.	N.A.	K00347	K00347	K00347	N.A.
	F1300 / LB1448	1	N.A.	N.A.	K00347	K00347	K00347	K0034900
	F1325 / LB1460	1	N.A.	N.A.	K00347	K00347	K00347	K0034900
	F1650 / LB1760	1	N.A.	N.A.	K00347	K00347	K00347	K0034900
	FC1350 / LBCS1360	1	N.A.	N.A.	K00347	K00347	K00347	K0034900
	SPA162, SFA192	1		N.A.	N.A.	N.A.	N.A.	N.A.
	SPA312, SFA292	1	K0034800 & K00472				N.A.	N.A.
	NON-MANITOWOC DISPENSERS	1	K0034800 (baffle)	K00346 (baffle)	K00346 (baffle)	K00346 (baffle)	K00346 (baffle)	N.A.

N.A. means not a practical application or no adapter option available

ICE STORAGE BINS	BIN	MACHINES	IF0600C, IF0900C, IT1200C	IF1400C, IF1800C, IF2100C	IBF0620C, IFB0820C, IBT1020C	RNF,RFF0320, RNF, RFF0620, RNF1020C, RFF1220C	RFF1300, RNF1100, RNF2000C, RFF2200C	ST3000W, SF3000C
	D320	1	N.A.	N.A.	K00195		N.A.	N.A.
	D400	1		N.A.	K00196	K00472	N.A.	N.A.
	D420	1	N.A.	N.A.	K00195		N.A.	N.A.
	D570	1		N.A.	K00196	K00472	N.A.	N.A.
	D970	1	K00470	K00470, K00471	N.A.	K00473	K00470	N.A.
		2	N.A.	N.A.	N.A.	K00371	N.A.	N.A.
	F700	1	K00347	K00382	N.A.	K302200		N.A.
	LB0730	1	K00347	K00382	N.A.			N.A.
	F1300	1	K00347	K00382	N.A.	N.A.		K00391
	LB1448	1	K00347	K00513	N.A.			K00391, K00396
		2	N.A.	N.A.	KLB482214	N.A.	N.A.	N.A.
	F1325, F1650	1	K00347	K00382	N.A.			K00391, K604800
		2	K00347(2), K603030	K00383, K603030	N.A.	K00421 & K603030	K603030	N.A.
	LB1460, LB1760	1	K00347	K00513	N.A.			K00391, KLB604800
		2	K00347(2), KLB603030	K00383, KLB603030	KLB602214	KLB602222	KLB603030	N.A.
	FC1350	1	K00347	K00382	N.A.			K00391, K614800
		2	K00347(2), K613030	K00383, K613030	N.A.	K00421, K613030	K613030	N.A.
	LBCS1360	1	K00347	K00382	N.A.			K00391, KLB614800
		2	K00347(2), KLB613030	K00383, KLB613030	KLB612214	KLB612222	KLB613030	N.A.
	SPA162, SFA192	1	N.A.	N.A.	K00195	N.A.	N.A.	N.A.
		1	N.A.	N.A.	K00196	N.A.	N.A.	N.A.
	SPA312, SFA292	1	N.A.	N.A.	K00196	N.A.	N.A.	N.A.
		1	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
	NON-MANITOWOC DISPENSERS	1	K00346 (baffle)	N.A.	N.A.	N.A.	N.A.	N.A.
		1	K00346 (baffle)	N.A.	N.A.	N.A.	N.A.	N.A.

NOTE: Adapter included with single head application unless otherwise indicated. Deflectors are required for F and LB bins. N.A. means not a practical application or no adapter option available.

## ACCESSORIES

### ACCESSORY PRICES ARE NOW INCLUDED IN THE STANDARD EQUIPMENT SUGGESTED PRICE LIST.

#### IAUCS® AUTOMATIC CLEANING SYSTEM

KIT	DESCRIPTION	SHIPPING WEIGHT	SUGGESTED LIST PRICE
<b>IAUCS-161</b> <b>IAUCS-261</b>	Automatic Cleaning System Accessory <b>for all Indigo and Indigo NXT Series ice machines 300 to 2100.</b> Cannot be used with Indigo IB Series, S-Series, nugget, flake and undercounter units. This option is installed on the outside of the machine and works in conjunction with cleaner and sanitizer bottle numbers 000005162 or 000005164. Installed outside of machine but electrical is supplied from the machine. When ordering, indicate electrical requirements; 115 volt 60 Hz -iAuCS-161, and 230 volt 60 Hz - iAuCS-261.	11 lbs / 5 kg	<b>\$1,164</b>
<b>IBAUCS-161</b>	Automatic Cleaning System Accessory <b>for Indigo IB Series ice machines: IBF0620C, IBF0820C, IBT1020C.</b> Cannot be used with Indigo Series ice machines 300 to 2100, S-Series, nugget, flake and undercounter units. This option is installed on the outside of the machine and works in conjunction with cleaner and sanitizer bottle numbers 000005162 or 000005164. Installed outside of machine. Electrical requirements 115 volt 60 Hz. Includes 10' power cord with NEMA 5-15P plug.	11 lbs / 5 kg	<b>\$1,164</b>

NOTE: iAuCS Automatic Cleaning System cannot be used with flake and nugget ice machines.

#### LUMINICE® II VIRUS AND BACTERIA INHIBITOR

KIT	DESCRIPTION	SHIPPING WEIGHT	SUGGESTED LIST PRICE
<b>K00450</b>	LuminIce II Virus and Bacteria Inhibitor kit for Indigo units i300 to i1106 and QQ models	5 lbs / 2.2 kg	<b>\$823</b>
<b>K00519</b>	LuminIce II Virus and Bacteria Inhibitor kit for NEO Undercounters UF0140 to UF0310 (Replaces K00452)	5 lbs / 2.2 kg	<b>\$823</b>
<b>K00464</b>	LuminIce II Virus and Bacteria Inhibitor kit for Indigo NXT models: iT0300, iT420, iT620, iT450, iT500, iF0600, iT0750, iF0900, iT1200 and QQ iF0600C, iF0900C, iT1200C	5 lbs / 2.2 kg	<b>\$823</b>
<b>K00465</b>	LuminIce II Virus and Bacteria Inhibitor kit for Indigo NXT models: iT1500 & iT1900 and IBF0620C, IBF0820C, IBT1020C and iF1400C, iF1800C, iF2100 (Indigo NXT 48 in, IB's, Duals)	5 lbs / 2.2 kg	<b>\$823</b>
<b>K00474</b>	Converts K00450 or K00451 to work with appropriate Indigo NXT model	.5 lbs / .23 kg	<b>\$26</b>
<b>K00425</b>	Replacement LuminIce bulb for LuminIce first generation only (bulb with white end caps) Indigos built prior to July 1, 2015	.5 lbs / .23 kg	<b>\$138</b>
<b>K00454</b>	Replacement LuminIce II bulb for LuminIce II only (bulb with blue end caps) Indigos and Indigo NXT built after July 1, 2015	.5 lbs / .23 kg	<b>\$138</b>
<b>K00455</b>	Remote LuminIce II external LED indicator- for LuminIce II and Indigo only	.5 lbs / .23 kg	<b>\$75</b>
<b>K00528</b>	High intensity LuminIce II bulb ( Use for larger machines and challenging conditions	.5 lbs / .23 kg	<b>\$161</b>

Selected models can be ordered from the factory with the kit already installed. (See model price pages) Other Indigo® NXT models and all Neo® models can have the LuminIce II kit added after market. Parts (non "K" kits ) must be ordered through distributors.

#### LIQUID DESCALER AND SANITIZER FOR CUBER MACHINES

KIT	DESCRIPTION	SHIPPING WEIGHT	SUGGESTED LIST PRICE
<b>000005162</b> <b>000005164</b>	Liquid Descaler: 16 oz / .47 liter bottle (sold in cases of 12) Liquid Sanitizer: 16 oz / .47 liter bottle (sold in cases of 12)	16 lbs / 7 kg 16 lbs / 7 kg	<b>SEE PARTS</b>
<b>94-0580-3</b> <b>94-0581-3</b>	Liquid Descaler: 1 gallon / 3.78 L (sold in cases of 4) Liquid Sanitizer: 1 gallon / 3.78L (sold in cases of 4)	42 lbs / 19 kg 42 lbs / 19 kg	<b>SEE PARTS</b>

#### LIQUID DESCALER AND SANITIZER FOR SM-50, CONTINUOUS MACHINES (FLAKE, NUGGET, CNF)

KIT	DESCRIPTION	SHIPPING WEIGHT	SUGGESTED LIST PRICE
<b>000006036</b>	Liquid Metal-safe Descaler 16 oz / .47 Liter bottle (sold in cases of 12) <b>Hazardous labeling for International Shipments</b>	16 lbs / 7 kg 16 lbs / 7 kg	<b>SEE PARTS</b>
<b>000000084</b>	Liquid Metal-safe Descaler 16 oz / .47 Liter bottle (sold in cases of 12) <b>Non-Hazardous labeling for US Shipments only</b>	16 lbs / 7 kg 16 lbs / 7 kg	<b>SEE PARTS</b>
<b>000005164</b>	Liquid Sanitizer: 16 oz / .47 Liter bottle (sold in case of 12) <b>Hazardous labeling for International Shipments</b>	16 lbs / 7 kg	<b>SEE PARTS</b>

#### POWDER DESCALER AND RINSE FOR CUBER MACHINES AMERICAS MARKETS

KIT	DESCRIPTION	SHIPPING WEIGHT	SUGGESTED LIST PRICE
<b>000016265</b> <b>000016278</b>	Powder Descaler: 3 oz / 85 g (sold in cases of 48 packets) E/S/F Powder Rinse: 1.2 oz / 34 g (sold in cases of 48 packets) E/S/F	11 lbs / 4 kg 6 lbs / 3 kg	<b>SEE PARTS</b>
<b>000016287</b> <b>000016291</b>	Powder Descaler Starter Kit ( Sold in cases of 6 boxes) Powder Rinse Starter kit: (Sold in cases of 6 boxes)	7 lbs / 3 kg 5 lbs / 2 kg	<b>SEE PARTS</b>

STARTER KITS INCLUDE: 8 packets, Mixing vessel with lid, instruction sheet. Language: English/Spanish/French

#### POWDER DESCALER AND RINSE FOR CUBER MACHINES ASIAN MARKETS

KIT	DESCRIPTION	SHIPPING WEIGHT	SUGGESTED LIST PRICE
<b>000016272</b> <b>000016283</b>	Powder Descaler: 3 oz / 85 g (sold in cases of 48 packets) C/K/E Powder Rinse: 1.2 oz / 34 g (sold in cases of 48 packets) C/K/E <b>Hazardous labeling for Air Shipments – Language Chinese/Korean/English</b>	11 lbs / 4 kg 6 lbs / 3 kg	<b>SEE PARTS</b>
<b>000016525</b> <b>000016528</b>	Powder Descaler: 3 oz / 85 g (sold in cases of 48 packets) E/C/K Powder Rinse: 1.2 oz / 34 g (sold in cases of 48 packets) E/C/K <b>Hazardous labeling for Air Shipments – Language English/ Chinese/Korean</b>	11 lbs / 4 kg 6 lbs / 3 kg	<b>SEE PARTS</b>



## ACCESSORIES



### CLEANAIR™ PACK

KIT	DESCRIPTION	SHIPPING WEIGHT	SUGGESTED LIST PRICE
K00206	6 ea. replacement packets, 1 ea basket, zip ties. For use in Q and S-Series ice machines only. Cannot be used with SF3000C, S3000, Indigo, nugget, flake, or undercounter ice machines.	1 lb / .5 kg	\$392



### ARCTIC PURE PLUS - WATER FILTER

KIT	DESCRIPTION	SHIPPING WEIGHT	SUGGESTED LIST PRICE
AR-PRE-P	Arctic Pure Plus: Pre-filter assembly includes head, shroud, hardware, mounting assembly and one filter cartridge. Use on all machines <i>(Price is for one system, sold in case of 6)</i> .	21 lbs / 10 kg	\$393
AR-10000-P	Arctic Pure Plus: Primary filter assembly includes head, shroud, hardware, mounting assembly and one filter cartridge. See sizing guide. <i>(Price is for one system, sold in case of 6)</i> .	25 lbs / 11 kg	\$545
AR-20000-P	Arctic Pure Plus: Primary filter assembly includes head, shroud, hardware, mounting assembly and one filter cartridge. See sizing guide. <i>(Price is for one system, sold in case of 6)</i> .	20 lbs / 9 kg	\$663
AR-40000-P	Arctic Pure Plus: Primary filter assembly includes head, shroud, hardware, mounting assembly and one filter cartridge. See sizing guide. <i>(Price is for one system, sold in case of 6)</i> .	24 lbs / 11 kg	\$912
<b>ARCTIC PURE PLUS REPLACEMENT CARTRIDGES SOLD IN CASES QUANTITIES INDICATED BELOW:</b>			
K00496	AR-PRE-P replacement cartridge <i>(Price is for case of 12)</i> .	22 lbs / 10 kg	\$1,391
K00493	AR-10000-P replacement cartridge <i>(Price is for case of 12)</i> .	29 lbs / 13 kg	\$1,865
K00494	AR-20000-P replacement cartridge <i>(Price is for case of 12)</i> .	19 lbs / 9 kg	\$3,157
K00495	AR-40000-P replacement cartridge <i>(Price is for case of 12)</i> .	27 lbs / 12 kg	\$4,901



### ARCTIC PURE REPLACEMENT CARTRIDGES

KIT	DESCRIPTION	SHIPPING WEIGHT	SUGGESTED LIST PRICE
<b>ARCTIC PURE REPLACEMENT CARTRIDGES SOLD IN CASES QUANTITIES INDICATED BELOW:</b>			
K00374001	AR2800 replacement cartridge <i>(Price is for case of 12)</i> Use on SMS50A / UCP50A / USE50A	11 lbs / 5 kg	\$1,404
K00337	AR-PRE replacement cartridge <i>(Price is for case of 12)</i> .	22 lbs / 10 kg	\$1,391
K00338	AR-10000 replacement cartridge <i>(Price is for case of 12)</i> .	33 lbs / 15 kg	\$1,865
K00339	AR-20000 replacement cartridge <i>(Price is for case of 6)</i> .	10 lbs / 4 kg	\$1,579
K00344	Bin bracket for hanging water filters on the side of a D-bin. Works for Arctic Pure and Arctic Pure Plus Water Filter Systems	5 lbs / 2 kg	\$123

### WATER FILTER SIZING GUIDE

FILTER SYSTEMS - (REPLACEMENT CARTRIDGES)	AR-PRE (K00337) AR-PRE-P (K00496)	AR-10000 (K00338) AR-10000-P (K00493)	AR-20000 (K00339) AR-20000-P (K00494)	AR-40000 (2-K00339) AR-40000-P (K00495)
ALL UNDER COUNTERS				
(CUBERS, FLAKERS & NUGGETS)	X	X		
COUNTER TOP NUGGET				
MODULAR CUBERS: IT0300-IT750, IBF0620				
MODULAR FLAKER: RFP0320	X	X		
MODULAR NUGGET: RNP0320				
MODULAR CUBERS: IT0900, IBF0820C & IBT1020C				
MODULAR FLAKER: RFP0620, RFF1220C, RFF1300	X		X	
MODULAR NUGGETS: RNF0620, RNF1020C, RNF1100				
MODULAR CUBERS: IT1200, IT1500 & IT1900, IF1400C, IF1800C & IF2100C				
MODULAR FLAKER: RFF2200C	X			X
MODULAR NUGGET: RNF2000C				

NOTE: ARCTIC PURE PLUS AND ARCTIC PURE CARTRIDGES ARE NOT COMPATIBLE


## ACCESSORIES



CONVENIENT ICE BAGGER	KIT	DESCRIPTION	SHIPPING WEIGHT	SUGGESTED LIST PRICE
	K00146	Ice bagger assembly, includes bagger, B-Model bin adapter, and 250 bags and ties. Stainless steel finish.	25 lbs / 11 kg	\$1,008
	K00068	Replacement Bags/Ties Bag Kit - Includes 1,000 bags (4 wickets of 250) and ties.	34 lbs / 15 kg	\$577



ICE SCOOPS	KIT	DESCRIPTION	SHIPPING WEIGHT	SUGGESTED LIST PRICE
	3302583	6 oz./18L clear scoop for QM and SM Series (each)	2 lbs / 1 kg	SEE PARTS PRICE LIST
	40002930	22 oz./65L blue scoop (Used with Neo undercounter units.)	3 lbs / 1 kg	
	040004889	32 oz./95L white scoop (each) (Used for B170 and Q-Series undercounter units.)	3 lbs / 1 kg	
	3302593	82 oz./2.4L white scoop (each) (Used for ice bin D320 and up.)	5 lbs / 2 kg	
	000015595	5.3 lb / 2.4 kg capacity, NSF approved, blue ABS plastic with knuckle guard, works inside D-Bin or with optional K00461 External Scoop Holder	5.3 lbs / 2.4 kg	
	K00463	5.3/lbs/2.4kg capacity NSF approved aluminum with knuckle guard. Has limited lifetime guarantee. Works inside D-bins or with optional K00461 External scoop holder	11 lbs / 5 kg	\$178



EXTERNAL SCOOP HOLDER	KIT	DESCRIPTION	SHIPPING WEIGHT	SUGGESTED LIST PRICE
	K00461	Protects the ice scoop outside the bin. NFS versatile holder can be configured 7 ways on the bin or wall. Use with 000015595 scoop that comes with D-Bins, aluminum scoop K00463 (To use K00461 with LB Style bins, you must also purchase the K00482 hanger)	11 lbs / 5 kg	\$221
	K00482	Hanger for LB-Style bins to be used with the K00461 External scoop holder	5 lbs / 2 kg	\$53
	K00485	Merchandising kit. Includes 6- K00461 External scoop holders and 4-K00463 Metal Scoops with a pop up merchandiser all in one package	42 lbs / 19 kg	\$2,043
	K00511	Cardboard Merchandiser only "Sanitation Station" for retail display of sanitation products	12 lbs / 6 kg	\$54



CASTERS/ LEGS/ FEET	KIT	DESCRIPTION	SHIPPING WEIGHT	SUGGESTED LIST PRICE
	K00063	2.5"/ 6.35 cm Casters. For use with NEO, Q-Series (not QM or UDE), and B170 bin. 4 ea. non-locking swivel.	2 lbs / 1 kg	\$438
	K00064	2.5"/ 6.35 cm Casters. For use with NEO, Q-Series (not QM or UDE), and B170 bin. 2 ea. locking swivel and 2 ea. non-locking swivel.	2 lbs / 1 kg	\$475
	K00153	4.625" / 11.75 cm Adjustable Flange Foot - stainless steel (Use with Bins only)	5 lbs / 2 kg	\$373
	K00176	4" / 10.16 cm leg for UDE0065/80 - black painted	3 lbs / 1 kg	\$200
	K00215	UDE Series leveler legs, adjusts from .5"-1.25" / 1.27-3.175 cm - 1/2-13 thread	1 lb / 1 kg	\$97
	K00137	6" / 15.24 cm Adjustable Flange Foot - stainless steel for S, B and D Series bins	6 lbs / 3 kg	\$373
	K00151	6" / 15.24 cm Adjustable Flange Foot- Gray painted for S bins and Neo under counters	5 lbs / 2 kg	\$218
	K00145	6" / 15.24 cm Adjustable Secured Flange Foot - stainless steel (Use with B-Bins only) includes latch bracket #6072421	6 lbs / 3 kg	\$507
	K00144	12" / 30.48 cm Adjustable Flange Foot - stainless steel. Can use with Neo undercounter machines and B170 and B&D 400 Bin. Not for use with 22" / 52.9 cm unit, stacked units, dispensers, or the QM or UDE series.	8 lbs / 4 kg	\$507
	K00138	Adjustable Caster Legs, 7.625-8.625" / 19.4 - 21.9 cm - stainless steel. Not for use with 22" / 52.9 cm unit, or any stacked units, dispensers, QM's, UDE or UFP or UNP. 2-locking casters and 2 non-locking per set.	16 lbs / 7 kg	\$1,041
	K00350	6" / 15.24 cm Adjustable Legs - stainless steel standard on B&D Series bins.	5 lbs / 2 kg	\$177
	K00345001	Leg kit for SM50 & CNF201/202 series ice machines. Adjustable 4.5" to 6.4" / 11.43-16.51 cm.	3 lbs / 1 kg	\$179
	K00445	1.125" / 2.9 cm Non-adjustable foot. For use with NEO.	2 lbs / 1 kg	\$98
	K00462	Secure fastening kit, includes 6" / 15.24cm adjustable flanged foot, stainless steel with latching hardware. Use with D-Bins and Indigo units only	6 lbs / 3 kg	\$629

Parts (non "K" kits ) must be ordered through distributors.

## ABOUT MANITOWOC ICE MACHINES



**AHRI CERTIFIED** — Manitowoc Ice Machines and D-Bins are certified by The American Heating and Refrigeration Institute. (AHRI) This means the data we published is validated to be true based on ASHRAE standards. Our certified products are continually tested by an independent third party laboratory to validate our products perform to the ratings or specifications published. Rest assured, products that carry the AHRI label comply to their publish specification. AHRI rates ice machine performance is rated at the 90 ambient temperature and 70 water temperature. Bin capacity rating is measured by the cubic volume of the interior of the bin.



**ENERGY STAR** — Manitowoc Ice is an avid supporter of the EPA's voluntary ENERGY STAR program. We believe in making ENERGY STAR approved ice machines are not only good for the environment but it makes good business sense. In fact, we have more ENERGY STAR models than any other ice machine manufacture. Moreover, Manitowoc Ice has been recognized by the ENERGY STAR program as a Sustained Excellence Partner, winning "Partner of the Year" for 13 consecutive years. Look for the \* next to the price to indicate whether a model is ENERGY STAR qualified, then check with your local dealer if it is rebate eligible.



**BEST IN CLASS** — Foodservice Equipment & Supplies (FE&S) magazine conducts an annual survey among its subscribing foodservice operators, dealers, and consultants asking them to evaluate ice machines in the categories of: quality, value, design, service and support, sales and support, inventory and availability. For 17 consecutive years Manitowoc Ice has been voted best in class. Don't take our word for it; take it from the people who know ice machines.



**KITCHEN INNOVATION AWARD 2019** — Indigo NXT, was awarded the 2019 Kitchen Innovation Award from the National Restaurant Association . This prestigious award recognizes Indigo NXT for its innovation, efficiencies and productivity.



**KITCHEN INNOVATION AWARD 2021** — CrystalCraft Premier was awarded the 2021 Kitchen Innovation Award from the National Restaurant Association. This prestigious award recognizes the CrystalCraft Premier for its innovative design and perfectly formed crystal clear square cube.



**INTELLIGENT ICE MACHINE** — Manitowoc Indigo NXT with its easyTouch display is the only ice machine that offers a touch display providing the user and service agent with vital information to facilitate the set up and operation of the equipment. The display provides 4 main statuses: Making Ice, Bin Full, Machine Off or Program Mode. All the asset information can be obtained with one touch of an icon. Set up reminders to clean, change the air and water filters can be programmed easily into the machine. You can program the machine NOT to make ice when the store is closed or during the hours of the day of higher energy costs. The self diagnostic feature stores vital information for the service agent to access, so when they arrive, they have a good idea of the problem. This makes servicing easier, reduces labor costs and reduces machine down time.



**EASY TO CLEAN** — Manitowoc Indigo Machines are the easiest ice machines in the industry to clean. All the component parts that require a deep cleaning can be removed without the use of tools. This includes the water trough as well as the water pump. Selected components contain Alpha San- Antimicrobial compound molded into the plastic to reduce slime build up.



**ENERGY EFFICIENT** — Having the most ENERGY STAR models is a result of advance technologies that allow the Indigo NXT ice machine to work efficiently. Innovations like Air Assist which accelerates the ice harvest process and the Acoustical Ice Sensing probe allows for reliable operation in challenging water conditions. Air Assist and Acoustical Ice sensing are patent technologies only found on Manitowoc Indigo machines.



**LUMINICE II VIRUS AND BACTERIA INHIBITOR** — Manitowoc Indigo NXT and Neo machines offer the LuminIce II Virus and Bacteria Inhibitor device that runs quietly 24/7 keeping your ice machine cleaner longer. Less frequent cleanings saves labor, reduces cost and machine downtime. The device is particularly effective in environments where yeast is in the air (sandwich shops, bakeries, pizzerias, micro-breweries) because the LuminIce II device uses a UV bulb to create active air that inhibits the growth of viruses, bacteria, mold and yeast inside the machine. The device is mounted inside the machine, and is integrated with the easy Touch Display with an icon that lets you know the operational status.



**AUTOMATIC CLEANING SYSTEM – (IAUCS)** — Manitowoc Ice automatic cleaning system is a perfect complement to the LuminIce II virus and bacteria inhibitor. Using the easyTouch display on the Indigo NXT Ice machine, program the time interval to either clean or sanitize the food zone automatically. No manual intervention is required. This is especially effective in areas of hard water, where periodic cleaning of the evaporator will keep the evaporator free of lime scale build up. (Note, iAUCS will not eliminate the need to do a deep cleaning periodically) but will keep your machine running at peak efficiency and cleaner longer).

SCAN THE CODE BELOW TO LOCATE A DEALER, DISTRIBUTOR OR  
SALES REPRESENTATIVE IN YOUR AREA.



OR GO TO  
[WWW.MANITOWOCICE.COM/SALES/SALES-LOCATORS](http://WWW.MANITOWOCICE.COM/SALES/SALES-LOCATORS)

